

[Dashb...](#) / [My cou...](#) / [CS23331-DAA-202...](#) / [Competitive Progra...](#) / [4-Print Intersection of 2 sorted arrays- \$O\(m+n\)\$ Time Complexity, \$O\(1\)\$ S...](#)

Started on	Wednesday, 20 November 2024, 7:45 PM
State	Finished
Completed on	Wednesday, 20 November 2024, 7:46 PM
Time taken	46 secs
Marks	1.00/1.00
Grade	30.00 out of 30.00 (100%)

Question 1

Correct

Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

```
1
3 10 17 57
6 2 7 10 15 57 246
```

Output:

```
10 57
```

Input:

```
1
6 1 2 3 4 5 6
2 1 6
```

Output:

```
1 6
```

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2
3 void findIntersection(int arr1[], int n1, int arr2[], int n2) {
4     int i = 0, j = 0;
5     int first = 1; // To ensure proper spacing for output
6
7     while (i < n1 && j < n2) {
8         if (arr1[i] == arr2[j]) {
9             if (first) {
10                 printf("%d", arr1[i]);
11                 first = 0; // Avoid leading space
12             } else {
13                 printf(" %d", arr1[i]);
14             }
15             i++;
16             j++;
17         } else if (arr1[i] < arr2[j]) {
18             i++;
19         } else {
20             j++;
21         }
22     }
23 }
```

```
23 |
24 |     printf("\n");
25 | }
26 |
27 | int main() {
28 |     int T;
29 |     scanf("%d", &T); // Read number of test cases
30 |
31 |     while (T--) {
32 |         int n1;
33 |         scanf("%d", &n1); // Read size of the first array
34 |         int arr1[n1];
35 |         for (int i = 0; i < n1; i++) {
36 |             scanf("%d", &arr1[i]); // Read the first array
37 |         }
38 |
39 |         int n2;
40 |         scanf("%d", &n2); // Read size of the second array
41 |         int arr2[n2];
42 |         for (int i = 0; i < n2; i++) {
43 |             scanf("%d", &arr2[i]); // Read the second array
44 |         }
45 |
46 |         findIntersection(arr1, n1, arr2, n2); // Find and print intersection
47 |     }
48 |
49 |     return 0;
50 | }
```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

//

◀ 3-Print Intersection of 2 sorted arrays-O(m*n)Time Complexity,O(1) Space Complexity

Jump to...

5-Pair with Difference-O(n^2)Time Complexity,O(1) Space Complexity ▶