Homework_4

Silas Decker

2025-02-05

Problem 1

```
x<- 1.1
a<-2.2
b<-3.3
#part a

z<- x^(a^b)
print(z)

## [1] 3.61714
#part b

z<- (x^a)^b
print(z)

## [1] 1.997611
#part c

z<- (3*x^3)+(2*x^2)+1
print(z)

## [1] 7.413</pre>
```

Problem 2

```
#first vector
my_vec<-c(seq(1,8),seq(7,1))
print(my_vec)</pre>
```

```
## [1] 1 2 3 4 5 6 7 8 7 6 5 4 3 2 1
```

```
#second vector
my_vec2<-c(1:5)
rep(x=my_vec2,times=my_vec2)
## [1] 1 2 2 3 3 3 4 4 4 4 5 5 5 5 5
#third vector
my_vec3 < -c(5:1)
my_vec<-c(1:5)
rep(x=my_vec3, times=my_vec)
## [1] 5 4 4 3 3 3 2 2 2 2 1 1 1 1 1
Problem 3
z<-runif(2)</pre>
print(z)
## [1] 0.7278191 0.5735840
x < -z[1]
y < -z[2]
print(x)
## [1] 0.7278191
print(y)
## [1] 0.573584
r < -sqrt(x^2+y^2)
print(r)
## [1] 0.9266711
theta<-asin(y/r)
print(theta)
## [1] 0.667434
polar<-c(r,theta)</pre>
print(polar)
## [1] 0.9266711 0.6674340
```

Problem 4

```
queue <- c("sheep", "fox", "owl", "ant")</pre>
print(queue)
## [1] "sheep" "fox" "owl" "ant"
#a
queue<-c(queue, 'serpent')</pre>
print(queue)
## [1] "sheep"
                            "owl"
                  "fox"
                                       "ant"
                                                  "serpent"
queue<-queue[-c(1)]
print(queue)
## [1] "fox"
                  "owl"
                            "ant"
                                       "serpent"
queue<-c('donkey', queue)</pre>
print(queue)
## [1] "donkey" "fox"
                            "owl"
                                       "ant"
                                                  "serpent"
queue<-queue[-c(5)]
print(queue)
## [1] "donkey" "fox"
                          "owl"
                                    "ant"
queue < -queue [-c(3)]
print(queue)
## [1] "donkey" "fox"
                          "ant"
which(queue=='ant')
## [1] 3
queue<-c(queue[1:2], 'aphid',queue[3])</pre>
print(queue)
                          "aphid" "ant"
## [1] "donkey" "fox"
```

```
#g
which(queue=='aphid')
## [1] 3
```

Problem 5

[26] 89 95 97

```
z<-seq(1:100)
z[z %% 2 !=0 & z %% 3 !=0 & z %% 7 != 0]
## [1] 1 5 11 13 17 19 23 25 29 31 37 41 43 47 53 55 59 61 65 67 71 73 79 83 85
```