

Photon-Weave

Simon Sekavčnik¹, Kareem El-Safty¹, and Janis Nötzel¹

¹ Technical University of Munich, Theoretical Quantum System Design, Munich, Germany

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Photon Weave is a quantum systems simulator designed to offer intuitive abstractions for simulating photonic quantum systems and their interactions in Fock space along with arbitrary custom Hilbert space. The simulator focuses on simplifying complex quantum state representations, such as photon pulses (envelopes) with polarization, making it more approachable for specialized quantum simulations. While general-purpose quantum simulation libraries such as QuTiP ([Johansson et al., 2012](#)) provide robust tools for quantum state manipulations, they often require meticulous organization of operations for larger simulations, introducing complexity that can be automated. Photon Weave addresses this by abstracting such details, streamlining the simulation process, and allowing quantum systems to interact naturally as the simulation progresses.

In contrast to frameworks such as Qiskit ([Wille et al., 2019](#)), which are primarily designed for qubit-based computations, Photon Weave excels at simulating continuous-variable quantum systems, particularly photons, as well as custom quantum states that can interact dynamically. Furthermore, Photon Weave offers a balance of flexibility and automation by deferring the joining of quantum spaces until it is necessary, enhancing computational efficiency. The simulator supports both CPU and GPU execution, ensuring scalability and performance for large-scale simulations. This is achieved by using the jax ([Bradbury et al., 2018](#)) library.

Statement of Need

Tools like QuTiP, Qiskit, and Strawberry Fields ([Killoran et al., 2019](#)) already exist for modeling quantum phenomena, but many of them either require extensive user control (QuTiP) or enforce rigid circuit structures (Strawberry Fields). Researchers in quantum optics and related fields need a tool that simplifies photonic systems simulations, supports dynamic interactions between custom quantum systems, and eliminates the need for a circuit model. Such a tool could be used to generate a library of devices and gates that closely model real-world devices, fostering greater collaboration among scientists in these fields.

Photon Weave Overview

Photon Weave is a quantum simulation library designed for simulating any system, provided simulating hardware meets the computational resource requirements. With this simulator, users can create, manipulate, and measure quantum systems with ease.

Photon Weave Implementation Details

In the following sections, we will describe the main features of Photon Weave; details about implementations and usage can be found in [the documentation](#).

37 State Containers

38 Photon Weave's core functionality revolves around quantum state containers. States can
39 be represented in three forms: Label, Vector, or Matrix, which progressively require more
40 memory. These representations are automatically managed by Photon Weave, which will shrink
41 representations where applicable to save resources. The framework provides state containers
42 such as Fock, Polarization, Envelope, and CustomState. - Fock, Polarization, and
43 CustomState are basic state containers that hold the quantum state in any valid representation
44 until the state is joined with other states. - When states are joined, these containers store
45 references to the Envelope, CompositeEnvelope, or both. This allows each container to
46 understand its place within a larger product space and how it is tensorized.

47 Envelopes

48 Photon Weave places a particular emphasis on the Envelope concept. An Envelope represents
49 a pulse of light, where all photons are indistinguishable and share the same polarization,
50 representing the $\mathcal{F} \otimes \mathcal{P}$ space. Initially, when the spaces are separable, their states are stored
51 in the respective Fock and Polarization containers. In addition to the states, an Envelope
52 holds important metadata such as wavelength and temporal profile.

53 Composite Envelopes

54 When envelopes interact, such as at a beam splitter, their states need to be joined. In these
55 cases, the necessary state data is extracted from their respective containers and tensorized
56 into a product state. A CompositeEnvelope can contain multiple product spaces, which can
57 be accessed from any of the contributing state containers. Additionally, CompositeEnvelope
58 instances can be merged, allowing states within both envelopes to interact. Since any basic
59 state can, in principle interact with any other state, CustomState instances can also be included
60 in a CompositeEnvelope.

61 Operations

62 Photon Weave provides several ways to perform operations on quantum states. All op-
63 erations are created using specialized classes (FockOperation, PolarizationOperation,
64 CustomStateOperation, and CompositeOperation), each designed to work on a specific type
65 of state. Operations can be predefined, manually constructed, or generated using expressions
66 with a context.

```
context = {
    "n": Lambda dims: number_operator(dims[0])
}
op = Operation(
    FockOperationType.Expression,
    expr=("expm", ("s_mult", -1j, jnp.pi, "n")),
    context=context,
)
```

67 Photon Weave optimizes resource usage by automatically adjusting the dimensionality of the
68 Fock space when necessary, even within product states. This ensures that only the minimal
69 required space is used. This dynamic resizing of the quantum state representations avoids
70 unnecessary memory consumption.

71 Once an operation is defined, it can be applied to the state at any level. If the state is part of
72 a product state, Photon Weave ensures that the operation is applied to the correct subspace.
73 Additionally, quantum channels defined by Kraus operators can be applied to any desired state
74 space.

75 Measuring

76 Photon Weave offers a robust measurement framework for any state. By default, Fock spaces
77 are measured in number basis, Polarization spaces are measured in computational basis, and
78 CustomState is measured in the respective basis. Photon Weave also supports more precise
79 measurement definitions, such as POVM measurement.

80 Conclusion

81 Photon Weave is offered as an open-source quantum system simulator under the Apache-2.0
82 license, targeting researchers and developers who need an easy-to-use yet powerful simulation
83 tool. One of the intended outcomes is to build a library of interoperable quantum device
84 models powered by the Photon Weave framework.

85 Acknowledgments

86 This work was financed by the Federal Ministry of Education and Research of Germany via
87 grants 16KIS1598K, 16KISQ039, 16KISQ077 and 16KISQ168 as well as in the programme of
88 "Souverän. Digital. Vernetzt.". Joint project 6G-life, project identification number: 16KISK002.
89 We acknowledge further funding from the DFG via grant NO 1129/2-1 and by the Bavarian
90 Ministry for Economic Affairs (StMWi) via the project 6GQT and by the Munich Quantum
91 Valley.

92 References

- 93 Bradbury, J., Frostig, R., Hawkins, P., Johnson, M. J., Leary, C., Maclaurin, D., Necula, G.,
94 Paszke, A., VanderPlas, J., Wanderman-Milne, S., & Zhang, Q. (2018). *JAX: Composable*
95 *transformations of Python+NumPy programs* (Version 0.3.13). [http://github.com/jax-ml/](http://github.com/jax-ml/jax)
96 [jax](http://github.com/jax-ml/jax)
- 97 Johansson, J. R., Nation, P. D., & Nori, F. (2012). QuTiP: An open-source python framework
98 for the dynamics of open quantum systems. *Computer Physics Communications*, 183(8),
99 1760–1772.
- 100 Killoran, N., Izaac, J., Quesada, N., Bergholm, V., Amy, M., & Weedbrook, C. (2019).
101 Strawberry fields: A software platform for photonic quantum computing. *Quantum*, 3, 129.
- 102 Wille, R., Van Meter, R., & Naveh, Y. (2019). IBM's qiskit tool chain: Working with and
103 developing for real quantum computers. *2019 Design, Automation & Test in Europe*
104 *Conference & Exhibition (DATE)*, 1234–1240.