

TTT4120 Digital Signal Processing Fall 2020

Lecture: Z-Transform – System Analysis

Prof. Stefan Werner stefan.werner@ntnu.no Office B329

> Department of Electronic Systems © Stefan Werner

1

Lecture in course book*

- Proakis, Manolakis Digital Signal Processing, 4th Ed.
 - 4.2.6 Relationship of the Fourier transform to the z-transform
 - 3.5.3 Causality and stability
 - 3.5.6 Stability of second-order systems
 - 5.2.2 Computation of the frequency response

*Level of detail is defined by lectures and problem sets

2

Contents and learning outcomes

- LTI systems: The system function, stability and causality
- Computation and sketching of frequency response function

3

3

Linear time-invariant systems

• Output of linear time-invariant system

$$x[n]$$
 $y[n] = h[n] * x[n]$
 $X(z)$ $Y(z) = H(z)X(z)$

• By knowing x[n] and observing y[n], we can obtain

$$H(z) = \frac{Y(z)}{X(z)}$$

- Since $H(z) = \sum_n h[n]z^{-n}$, we obtain $h[n] = \mathbb{Z}^{-1}\{H(z)\}$
- Two equivalent descriptions of an LTI system

4

Linear time-invariant systems...

• Linear time-invariant systems described by constant-coefficient difference equations

$$x[n] \longrightarrow y[n] = -\sum_{k=1}^{N} a_k y[n-k] + \sum_{k=0}^{M} b_k x[n-k]$$

$$X(z) \qquad Y(z) = H(z)X(z)$$

· Rational system function

$$H(z) = \frac{\sum_{k=0}^{M} b_k z^{-k}}{1 + \sum_{k=1}^{N} a_k z^{-k}}$$

• Special cases: $a_k = 0$ or $b_k = 0$ for $1 \le k \le N$

5

Linear time-invariant systems...

• Example: $y[n] = \frac{1}{4}y[n-2] + x[n]$

$$H(z) = \frac{Y(z)}{X(z)} = \frac{1}{1 - \frac{1}{4}z^{-2}}$$

Causality and stability

- Causal linear time-invariant system: h[n] = 0 for n < 0
- ROC of H(z) must be the exterior of a circle
- · Stability of LTI system in terms of system function

$$|H(z)| = |\sum_{n=-\infty}^{\infty} h[n]z^{-n}| \le \sum_{n=-\infty}^{\infty} |h[n]||z^{-n}|$$

- If the system is BIBO stable, the unit circle, $z = e^{j\omega}$, is within ROC of H(z). Converse is also true.
- ROC of H(z) can provide information of whether a linear time-invariant system is causal and stable

7

7

Causality and stability...


• In general, if system function is rational, and N > M


$$H(z) = b_0 \frac{\prod_{k=1}^{M} (1 - z_k z^{-1})}{\prod_{k=1}^{N} (1 - p_k z^{-1})} = \sum_{k=1}^{N} \frac{c_k}{1 - p_k z^{-1}}$$

• Causal if ROC is the exterior of a circle, $|z| > \max |p_k|$

$$h[n] = \sum_{k=1}^{N} C_k p_k^n u[n]$$

• Stable if $\max |p_k| < 1$ (unit circle is included in ROC)





Causality and stability...

• Example: $y[n] = \frac{1}{4}y[n-2] + x[n]$

$$H(z) = \frac{Y(z)}{X(z)} = \frac{1}{1 - \frac{1}{4}z^{-2}} = \frac{1}{\left(1 - \frac{1}{2}z^{-1}\right)\left(1 + \frac{1}{2}z^{-1}\right)}$$
$$= \frac{1/2}{1 - \frac{1}{2}z^{-1}} + \frac{1/2}{1 + \frac{1}{2}z^{-1}}$$

- Causal if $|z| > \frac{1}{2}$ and stable since ROC contains unit circle
- Not causal if $|z| < \frac{1}{2}$ and unstable since unit circle not in ROC

11

11

Causality and stability...

• Example: $H(z) = \frac{1}{1 - 0.5z^{-1}} + \frac{2}{1 - 3z^{-1}}$

Specify ROC and determine h[n] when

- 1) system is stable
- 2) system is causal
- 3) system is anti-causal

Computation of the frequency response

• The z-transform expressed in polar form

$$\left. X(z) \right|_{z=re^{j\omega}} = \sum_{n=-\infty}^{\infty} (x[n]r^{-n})e^{-j\omega n}$$
 , $r_2 < r < r_1$

• If unit circle, $z = e^{j\omega}$, is within ROC of X(z) we have

$$X(\omega) = X(z)|_{z=re^{j\omega}} = \sum_{n=-\infty}^{\infty} x[n]e^{-j\omega n}$$


• If X(z) does not converge for |z| = 1, Fourier transform does not exist, e.g., $r_2 > 1$

14

x[n] = u[n] - u[n-10]

14

Computation of the frequency response...



Computation of the frequency response...

• The frequency response

$$H(\omega) = H(z)|_{z=re^{j\omega}} = b_0 \frac{\prod_{k=1}^{M} (1 - z_k e^{-j\omega})}{\prod_{k=1}^{N} (1 - p_k e^{-j\omega})}$$
$$= b_0 e^{j(N-M)\omega} \frac{\prod_{k=1}^{M} (e^{j\omega} - z_k)}{\prod_{k=1}^{N} (e^{j\omega} - p_k)}$$

• Product of frequency-dependent distance-vectors in z-plane

$$e^{j\omega} - z_k = V_k e^{j\Theta_k(\omega)}$$

$$e^{j\omega} - p_k = U_k e^{j\Phi_k(\omega)}$$

• If we know z_k and p_k we can plot/sketch the frequency response and phase response

16

16

Computation of the frequency response...

The magnitude of frequency response

$$|H(\omega)| = |b_0| \frac{\prod_{k=1}^M |e^{j\omega} - z_k|}{\prod_{k=1}^N |e^{j\omega} - p_k|} = |b_0| \frac{\prod_{k=1}^M v_k}{\prod_{k=1}^N u_k}$$

• Phase response:

$$\begin{split} \angle H(\omega) &= \angle b_0 e^{j(N-M)\omega} \frac{\prod_{k=1}^M V_k e^{j\Theta_k(\omega)}}{\prod_{k=1}^N U_k e^{j\Phi_k(\omega)}} \\ &= \angle b_0 + (N-M)\omega + \sum_{k=1}^M \Theta_k(\omega) - \sum_{k=1}^N \Phi_k(\omega) \end{split}$$

Computation of the frequency response...

• Example:




Figure 5.2.2 A zero on the unit circle causes $|H(\omega)|=0$ and $\omega= \angle z_k$. In contrast, a pole on the unit circle results in $|H(\omega)|=\infty$ at $\omega= \angle p_k$.

18

18

Computation of the frequency response...

• Example: Sketch the frequency response of systems from the pole-zero plot

$$H_1(z) = \frac{1}{1 - 0.5z^{-1}}$$

```
Matlab
B = 1;
A = [1 -0.5];
figure(1)
zplane(B, A)

figure(2)
[H,W] = freqz(B, A);
plot(W/pi, abs(H));
```

19

Computation of the frequency response...

• Another Matlab example:

Sketch the frequency response of system using zplane (B, A)

$$H(z) = \frac{B(z)}{A(z)}$$

with B = fircls1(8,0.3,0.02,0.008); and A = [1]

Verify using [H, W] = freqz(B, A), plot(W/pi, abs(H))

20

20

Summary

Today:

- LTI systems: causality and stability
- System function
- Computation and sketch of frequency response from the system function

Next:

- Some simple filters and properties
- Why do we want linear phase filters?
- Minimum-phase and inverse systems

21