

Cucumber Report

Mar 26, 2025, 10:17:38 PM

Start : Mar 26, 10:13:49.276 PM

End : Mar 26, 10:17:37.082 PM

Duration : 3 m 47.806 s

Features







PASSED - 8
FAILED - 2
SKIPPED - 0

Scenarios

PASSED - 194
FAILED - 14
SKIPPED - 0

Steps

PASSED - 600
FAILED - 14
SKIPPED - 11



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Registration</u>	2.949 s	4	4	0	0	12	12	0	0
<u>Sign In and Sign Out in dsAlgo Portal</u>	3.401 s	8	8	0	0	24	24	0	0
<u>Home and DS Algo Portal Navigation and Functionality</u>	2.311 s	3	3	0	0	9	9	0	0
<u>Data Structures - Introduction Navigation</u>	10.041 s	8	8	0	0	24	24	0	0
<u>Array Navigation</u>	16.779 s	28	23	5	0	84	75	5	4
<u>Linked List Navigation</u>	40.645 s	33	24	9	0	99	83	9	7
<u>Stack DataStructure</u>	16.119 s	18	18	0	0	54	54	0	0
<u>Queue DataStructure</u>	20.690 s	23	23	0	0	69	69	0	0
<u>Tree Datastructure</u>	1 m 38.956 s	69	69	0	0	208	208	0	0
<u>Graph Datastructure</u>	15.717 s	14	14	0	0	42	42	0	0

#	Feature Name	Scenario Name
1	<u>Array Navigation</u>	<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>
2		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>
3		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>
4		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0 for Basic Operations in Lists page</u>
5		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>
6	<u>Linked List Navigation</u>	<u>Verify the user is able to Sign in to DSAlgo Portal</u>
7		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>
8		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>

#	Feature Name	Scenario Name
9	<u>Linked List Navigation</u>	<i>Verify that user is able to see output for valid python code read from "pythonCode" and 0</i>
10		<i>Verify that user is able to see output for valid python code read from "pythonCode" and 0</i>
11		<i>Verify that user is able to see output for valid python code read from "pythonCode" and 0</i>
12		<i>Verify that user is able to see output for valid python code read from "pythonCode" and 0</i>
13		<i>Verify that user receives error for invalid python code read from "pythonCode" and 1</i>
14		<i>Verify that user is able to see output for valid python code read from "pythonCode" and 0</i>

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Regression		208	194	14	0	10	8	2	0
@register1		1	1	0	0	1	1	0	0
@register2		1	1	0	0	1	1	0	0
@register3		1	1	0	0	1	1	0	0
@register4		1	1	0	0	1	1	0	0
@login1		1	1	0	0	1	1	0	0
@login2		1	1	0	0	1	1	0	0
@login3		1	1	0	0	1	1	0	0
@login4		1	1	0	0	1	1	0	0
@login5		3	3	0	0	1	1	0	0
@login6		1	1	0	0	1	1	0	0
@home1		1	1	0	0	1	1	0	0
@home2		1	1	0	0	1	1	0	0
@home3		1	1	0	0	1	1	0	0
@Array2		1	1	0	0	1	0	1	0
@Array3		1	1	0	0	1	0	1	0
@Array4		1	1	0	0	1	0	1	0

	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Array5	1	1	0	0	1	0	1	0
	@Array6	1	1	0	0	1	0	1	0
	@Array7	1	0	1	0	1	0	1	0
	@Array8	1	0	1	0	1	0	1	0
	@Array9	1	1	0	0	1	0	1	0
	@Array10	1	1	0	0	1	0	1	0
	@Array11	1	0	1	0	1	0	1	0
	@Array12	1	1	0	0	1	0	1	0
	@Array13	1	1	0	0	1	0	1	0
	@Array14	1	0	1	0	1	0	1	0
	@Array15	1	1	0	0	1	0	1	0
	@Array16	1	1	0	0	1	0	1	0
	@Array17	1	1	0	0	1	0	1	0
	@Array18	1	0	1	0	1	0	1	0
	@Array19	1	1	0	0	1	0	1	0
	@Array20	1	1	0	0	1	0	1	0
	@Array21	1	1	0	0	1	0	1	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Array22		1	1	0	0	1	0	1	0
@Array23		1	1	0	0	1	0	1	0
@Array24		1	1	0	0	1	0	1	0
@Array25		1	1	0	0	1	0	1	0
@Array26		1	1	0	0	1	0	1	0
@Array27		1	1	0	0	1	0	1	0
@Array28		1	1	0	0	1	0	1	0
@Array29		1	1	0	0	1	0	1	0
@Linkedlist1		1	0	1	0	1	0	1	0
@Linkedlist2		1	1	0	0	1	0	1	0
@Linkedlist3		1	1	0	0	1	0	1	0
@Linkedlist4		1	1	0	0	1	0	1	0
@Linkedlist5		1	1	0	0	1	0	1	0
@Linkedlist6		1	0	1	0	1	0	1	0
@Linkedlist7		1	0	1	0	1	0	1	0
@Linkedlist8		1	1	0	0	1	0	1	0
@Linkedlist9		1	1	0	0	1	0	1	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Linkedlist10		1	1	0	0	1	0	1	0
@Linkedlist11		1	0	1	0	1	0	1	0
@Linkedlist12		1	1	0	0	1	0	1	0
@Linkedlist13		1	1	0	0	1	0	1	0
@Linkedlist14		1	1	0	0	1	0	1	0
@Linkedlist15		1	0	1	0	1	0	1	0
@Linkedlist16		1	1	0	0	1	0	1	0
@Linkedlist17		1	1	0	0	1	0	1	0
@Linkedlist18		1	1	0	0	1	0	1	0
@Linkedlist19		1	0	1	0	1	0	1	0
@Linkedlist20		1	1	0	0	1	0	1	0
@Linkedlist21		1	1	0	0	1	0	1	0
@Linkedlist22		1	1	0	0	1	0	1	0
@Linkedlist23		1	0	1	0	1	0	1	0
@Linkedlist24		1	1	0	0	1	0	1	0
@Linkedlist25		1	1	0	0	1	0	1	0
@Linkedlist26		1	1	0	0	1	0	1	0

	TAG	Scenario				Feature			
		T	P	F	S	T	P	F	S
	Name								
	@Linkedlist27	1	0	1	0	1	0	1	0
	@Linkedlist28	1	1	0	0	1	0	1	0
	@Linkedlist29	1	1	0	0	1	0	1	0
	@Linkedlist30	1	1	0	0	1	0	1	0
	@Linkedlist31	1	0	1	0	1	0	1	0
	@Linkedlist32	1	1	0	0	1	0	1	0
	@Linkedlist33	1	1	0	0	1	0	1	0
	@Stack1	1	1	0	0	1	1	0	0
	@Stack2	1	1	0	0	1	1	0	0
	@Stack3	1	1	0	0	1	1	0	0
	@Stack4	1	1	0	0	1	1	0	0
	@Stack5	1	1	0	0	1	1	0	0
	@Stack6	1	1	0	0	1	1	0	0
	@Stack7	1	1	0	0	1	1	0	0
	@Stack8	1	1	0	0	1	1	0	0
	@Stack9	1	1	0	0	1	1	0	0
	@Stack10	1	1	0	0	1	1	0	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Stack11		1	1	0	0	1	1	0	0
@Stack12		1	1	0	0	1	1	0	0
@Stack13		1	1	0	0	1	1	0	0
@Stack14		1	1	0	0	1	1	0	0
@Stack15		1	1	0	0	1	1	0	0
@Stack16		1	1	0	0	1	1	0	0
@Stack17		1	1	0	0	1	1	0	0
@Stack18		1	1	0	0	1	1	0	0
@Tree1		1	1	0	0	1	1	0	0
@Tree2		1	1	0	0	1	1	0	0
@Tree3		1	1	0	0	1	1	0	0
@Tree4		1	1	0	0	1	1	0	0
@Tree5		1	1	0	0	1	1	0	0
@Tree6		1	1	0	0	1	1	0	0
@Tree7		1	1	0	0	1	1	0	0
@Tree8		1	1	0	0	1	1	0	0
@Tree9		1	1	0	0	1	1	0	0


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Tree10		1	1	0	0	1	1	0	0
@Tree11		1	1	0	0	1	1	0	0
@Tree12		1	1	0	0	1	1	0	0
@Tree13		1	1	0	0	1	1	0	0
@Tree14		1	1	0	0	1	1	0	0
@Tree15		1	1	0	0	1	1	0	0
@Tree16		1	1	0	0	1	1	0	0
@Tree17		1	1	0	0	1	1	0	0
@Tree18		1	1	0	0	1	1	0	0
@Tree19		1	1	0	0	1	1	0	0
@Tree20		1	1	0	0	1	1	0	0
@Tree21		1	1	0	0	1	1	0	0
@Tree22		1	1	0	0	1	1	0	0
@Tree23		1	1	0	0	1	1	0	0
@Tree24		1	1	0	0	1	1	0	0
@Tree25		1	1	0	0	1	1	0	0
@Tree26		1	1	0	0	1	1	0	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Tree27		1	1	0	0	1	1	0	0
@Tree28		1	1	0	0	1	1	0	0
@Tree29		1	1	0	0	1	1	0	0
@Tree30		1	1	0	0	1	1	0	0
@Tree31		1	1	0	0	1	1	0	0
@Tree32		1	1	0	0	1	1	0	0
@Tree33		1	1	0	0	1	1	0	0
@Tree34		1	1	0	0	1	1	0	0
@Tree35		1	1	0	0	1	1	0	0
@Tree36		1	1	0	0	1	1	0	0
@Tree37		1	1	0	0	1	1	0	0
@Tree38		1	1	0	0	1	1	0	0
@Tree39		1	1	0	0	1	1	0	0
@Tree40		1	1	0	0	1	1	0	0
@Tree41		1	1	0	0	1	1	0	0
@Tree42		1	1	0	0	1	1	0	0
@Tree43		1	1	0	0	1	1	0	0


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Tree44		1	1	0	0	1	1	0	0
@Tree45		1	1	0	0	1	1	0	0
@Tree46		1	1	0	0	1	1	0	0
@Tree47		1	1	0	0	1	1	0	0
@Tree48		1	1	0	0	1	1	0	0
@Tree49		1	1	0	0	1	1	0	0
@Tree50		1	1	0	0	1	1	0	0
@Tree51		1	1	0	0	1	1	0	0
@Tree52		1	1	0	0	1	1	0	0
@Tree53		1	1	0	0	1	1	0	0
@Tree54		1	1	0	0	1	1	0	0
@Tree55		1	1	0	0	1	1	0	0
@Tree56		1	1	0	0	1	1	0	0
@Tree57		1	1	0	0	1	1	0	0
@Tree58		1	1	0	0	1	1	0	0
@Tree59		1	1	0	0	1	1	0	0
@Tree60		1	1	0	0	1	1	0	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Tree61		1	1	0	0	1	1	0	0
@Tree62		1	1	0	0	1	1	0	0
@Tree63		1	1	0	0	1	1	0	0
@Tree64		1	1	0	0	1	1	0	0
@Tree65		1	1	0	0	1	1	0	0
@Tree66		1	1	0	0	1	1	0	0
@Tree67		1	1	0	0	1	1	0	0
@Tree68		1	1	0	0	1	1	0	0
@Tree69		1	1	0	0	1	1	0	0
@Graph1		1	1	0	0	1	1	0	0
@Graph2		1	1	0	0	1	1	0	0
@Graph3		1	1	0	0	1	1	0	0
@Graph4		1	1	0	0	1	1	0	0
@Graph5		1	1	0	0	1	1	0	0
@Graph6		1	1	0	0	1	1	0	0
@Graph7		1	1	0	0	1	1	0	0
@Graph8		1	1	0	0	1	1	0	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	@Graph9	1	1	0	0	1	1	0	0
	@Graph10	1	1	0	0	1	1	0	0
	@Graph11	1	1	0	0	1	1	0	0
	@Graph12	1	1	0	0	1	1	0	0
	@Graph13	1	1	0	0	1	1	0	0
	@Graph14	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>User Registration</u>	4	4	0	0	2.949 s
2	<u>Sign In and Sign Out in dsAlgo Portal</u>	8	8	0	0	3.401 s
3	<u>Home and DS Algo Portal Navigation and Functionality</u>	3	3	0	0	2.311 s
4	<u>Data Structures - Introduction Navigation</u>	8	8	0	0	10.041 s
5	<u>Array Navigation</u>	28	23	5	0	16.779 s
6	<u>Linked List Navigation</u>	33	24	9	0	40.645 s
7	<u>Stack DataStructure</u>	18	18	0	0	16.119 s
8	<u>Queue DataStructure</u>	23	23	0	0	20.690 s
9	<u>Tree Datastructure</u>	69	69	0	0	1 m 38.956 s
10	<u>Graph Datastructure</u>	14	14	0	0	15.717 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Registration</u>	<u>Verify that user receives error message for all empty fields during registration</u>	3	3	0	0	0.880 s
2		<u>Verify that user receives error message for empty Username Confirmation field during registration</u>	3	3	0	0	0.929 s
3		<u>Verify that user receives error message for mismatched Password and Password Confirmation field during *</u>	3	3	0	0	0.538 s
4		<u>Verify that user is able to land on Homepage after registration with valid fields</u>	3	3	0	0	0.467 s
5	<u>Sign In and Sign Out in dsAlgo Portal</u>	<u>Verify that the user can navigate to registration from login</u>	3	3	0	0	0.455 s
6		<u>Verify that user receives an error message for all empty fields during login</u>	3	3	0	0	0.241 s
7		<u>Verify that user receives an error message for empty Password field during login</u>	3	3	0	0	0.263 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Verify that user receives an error message for empty Username field during login</u>	3	3	0	0	0.315 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Sign In and Sign Out in dsAlgo Portal</u>	<u>Verify that user receives an error message for invalid Username during login</u>	3	3	0	0	0.567 s
10		<u>Verify that user receives an error message for invalid Username during login</u>	3	3	0	0	0.556 s
11		<u>Verify that user receives an error message for invalid Username during login</u>	3	3	0	0	0.553 s
12		<u>Verify that user is able to land on the Home page after entering valid credentials</u>	3	3	0	0	0.347 s
13	<u>Home and DS Algo Portal Navigation and Functionality</u>	<u>Verify the Home page for a user</u>	3	3	0	0	1.207 s
14		<u>Verify that user sees a warning message when selecting Data Structures from the dropdown without Sign in</u>	3	3	0	0	0.602 s
15		<u>Verify that user is able to navigate to Tree Data Structures page</u>	3	3	0	0	0.478 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Data Structures - Introduction Navigation</u>	<u>Verify that the user can navigate to Data Structures - Introduction page</u>	3	3	0	0	0.591 s
17		<u>Verify that the user is able to navigate to the Time Complexity Page</u>	3	3	0	0	0.867 s
18		<u>Verify that user is able to navigate to Practice Questions page</u>	3	3	0	0	1.117 s
19		<u>Verify that user is able to navigate to try Editor page</u>	3	3	0	0	2.391 s
20		<u>Verify that user receives error when click on Run button without entering code</u>	3	3	0	0	1.502 s
21		<u>Verify that user receives an error for invalid Python code in Try Editor page of Time Complexity</u>	3	3	0	0	1.585 s
22		<u>Verify that user is able to see output for valid Python code in Try Editor page of Time Complexity</u>	3	3	0	0	1.435 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
23		<u>Verify that user able to logout from the Tree data structure</u>	3	3	0	0	0.464 s
24	<u>Array Navigation</u>	<u>Verify that user is able to login with valid credentials</u>	3	3	0	0	0.188 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>Array Navigation</u>	<u>Verify that user is able to navigate to Array data structure page</u>	3	3	0	0	0.663 s
26		<u>Verify that user is able to navigate to Arrays in Python page</u>	3	3	0	0	0.811 s
27		<u>Verify that user is able to navigate to try Editor page for Arrays in Python page</u>	3	3	0	0	0.468 s
28		<u>Verify that user receives error when click on Run button without entering code</u>	3	3	0	0	0.084 s
29		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	1	1	1	5.412 s
30		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>	3	2	1	0	0.297 s
31		<u>Verify that user is able to navigate to Arrays using List page</u>	3	3	0	0	0.817 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	3	0	0	0.387 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>Array Navigation</u>	<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>	3	1	1	1	0.203 s
34		<u>Verify that user is able to navigate to Basic Operations in Lists page</u>	3	3	0	0	0.829 s
35		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	3	0	0	0.385 s
36		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0 for Basic Operations in Lists *</u>	3	1	1	1	0.200 s
37		<u>Verify that user is able to navigate to Applications of Array page</u>	3	3	0	0	1.049 s
38		<u>Verify that user is able to navigate to try Editor page</u>	3	3	0	0	0.434 s
39		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	3	0	0	0.387 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
40		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>	3	1	1	1	0.197 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Array Navigation</u>	<u>Verify that user is able to navigate to Practice Questions Page for Applications of Array page</u>	3	3	0	0	0.296 s
42		<u>Verify that user is able to navigate to Search the array Page from Practice question page of Applications of Array page</u>	3	3	0	0	0.403 s
43		<u>Verify that user receives error when click on Run button without entering code</u>	3	3	0	0	0.111 s
44		<u>Verify that user is able to run valid python code read from "pythonCode" and 2</u>	3	3	0	0	0.446 s
45		<u>Verify that user is able to navigate to Max Consecutive Ones Page from Practice questions page</u>	3	3	0	0	0.453 s
46		<u>Verify that user is able to run valid python code read from "pythonCode" and 4 for Max Consecutive Ones question</u>	3	3	0	0	0.348 s
47		<u>Verify that user is able to navigate to Find Numbers with Even Number of Digits Page from Practice questions page</u>	3	3	0	0	0.387 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>Array Navigation</u>	<u>Verify that user is able to see output for valid python code read from "pythonCode" and 6</u>	3	3	0	0	0.381 s
49		<u>Verify that user is able to navigate to Squares of a Sorted Array Page from Practice questions page</u>	3	3	0	0	0.396 s
50		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 8</u>	3	3	0	0	0.351 s
51		<u>Verify that user is able to log out successfully from dsAlgo portal</u>	3	3	0	0	0.057 s
52	<u>Linked List Navigation</u>	<u>Verify the user is able to Sign in to DSAlgo Portal</u>	3	2	1	0	10.245 s
53		<u>Verify the user is able to go to LinkedList page</u>	3	3	0	0	1.005 s
54		<u>Verify that user is able to navigate to Introduction page</u>	3	3	0	0	1.002 s
55		<u>Verify that user is able to navigate to tryEditor page for Introduction page</u>	3	3	0	0	0.462 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
56		<u>Verify that user receives error for when click on Run button without entering code in the tryEditor area</u>	3	3	0	0	0.223 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
57	<u>Linked List Navigation</u>	<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>	3	2	1	0	0.242 s
58		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	1	1	1	5.401 s
59		<u>Verify that user is able to navigate to Creating Linked List page</u>	3	3	0	0	0.651 s
60		<u>Verify that user is able to navigate to Try Editor in Creating Linked List page</u>	3	3	0	0	0.435 s
61		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	3	0	0	0.375 s
62		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>	3	1	1	1	0.229 s
63		<u>Verify that user is able to navigate to Types of Linked List page</u>	3	3	0	0	0.773 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
64	<u>Linked List Navigation</u>	<u>Verify that user is able to navigate to Try Editor in Types of Linked List page</u>	3	3	0	0	0.412 s
65		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	3	0	0	0.376 s
66		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>	3	1	1	1	0.195 s
67		<u>Verify that user is able to navigate to Implement Linked List in Python page</u>	3	3	0	0	0.449 s
68		<u>Verify that user is able to navigate to try Editor page for Implement Linked List in Python page</u>	3	3	0	0	0.406 s
69		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	3	0	0	0.382 s
70		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>	3	1	1	1	0.206 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
71	<u>Linked List Navigation</u>	<u>Verify that user is able to navigate to Traversal Page for Linked List page</u>	3	3	0	0	0.472 s
72		<u>Verify that user is able to navigate to try Editor page for Traversal page</u>	3	3	0	0	0.747 s
73		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	3	0	0	0.375 s
74		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>	3	1	1	1	0.191 s
75		<u>Verify that user is able to navigate to Insertion page from Linked List page</u>	3	3	0	0	4.868 s
76		<u>Verify that user is able to navigate to try Editor page from Insertion page</u>	3	3	0	0	0.426 s
77		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>	3	3	0	0	0.329 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
78	<u>Linked List Navigation</u>	<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	1	1	1	7.404 s
79		<u>Verify that user is able to navigate to Deletion Page from Linked List page</u>	3	3	0	0	0.616 s
80		<u>Verify that user is able to navigate to try Editor page for Deletion page</u>	3	3	0	0	0.467 s
81		<u>Verify that user receives error for invalid python code read from "pythonCode" and 1</u>	3	3	0	0	0.349 s
82		<u>Verify that user is able to see output for valid python code read from "pythonCode" and 0</u>	3	1	1	1	0.228 s
83		<u>Verify that user is able to navigate to Practice Questions page from Linked List page</u>	3	3	0	0	0.299 s
84		<u>Verify that user is able to log out successfully from dsAlgo portal</u>	3	3	0	0	0.006 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
85	<u>Stack DataStructure</u>	<u>Navigate to Stack Data Structure Page</u>	3	3	0	0	0.558 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
86	<u>Stack DataStructure</u>	<u>Navigate to Operations in Stack Page</u>	3	3	0	0	0.562 s
87		<u>Navigate to TryEditor for Operations in Stack</u>	3	3	0	0	0.421 s
88		<u>Error on Clicking Run Without Code in Operations in Stack</u>	3	3	0	0	1.251 s
89		<u>Error for Invalid Python Code in Operations in Stack</u>	3	3	0	0	1.428 s
90		<u>Display Output for Valid Python Code in Operations in Stack</u>	3	3	0	0	1.453 s
91		<u>Navigate to Practice Questions Page for Operations in Stack</u>	3	3	0	0	0.300 s
92		<u>Navigate to Implementation Page</u>	3	3	0	0	0.290 s
93		<u>Navigate to TryEditor for Implementation Page</u>	3	3	0	0	0.409 s
94		<u>Error on Clicking Run Without Code in Implementation Page</u>	3	3	0	0	1.433 s
95		<u>Error for Invalid Python Code in Implementation Page</u>	3	3	0	0	1.429 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
96	<u>Stack DataStructure</u>	<u>Display Output for Valid Python Code in Implementation Page</u>	3	3	0	0	1.357 s
97		<u>Navigate to Applications Page</u>	3	3	0	0	0.407 s
98		<u>Navigate to TryEditor for Applications Page</u>	3	3	0	0	0.436 s
99		<u>Error on Clicking Run Without Code in Applications Page</u>	3	3	0	0	1.369 s
10-0		<u>Error for Invalid Python Code in Applications Page</u>	3	3	0	0	1.384 s
10-1		<u>Display Output for Valid Python Code in Applications Page</u>	3	3	0	0	1.421 s
10-2		<u>Verify that user able to logout from the Stack data structure</u>	3	3	0	0	0.036 s
10-3		<u>Navigate to Queue Data Structure Page</u>	3	3	0	0	0.551 s
10-4		<u>Navigate to Implementation of Queue in Python page</u>	3	3	0	0	0.407 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-5		<u>Navigate to try editor page for Implementation of Queue in Python</u>	3	3	0	0	0.473 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-6	<u>Queue DataStructure</u>	<u>Error on clicking Run button without entering code for Implementation of Queue in Python</u>	3	3	0	0	1.117 s
10-7		<u>Error for invalid Python code for Implementation of Queue in Python</u>	3	3	0	0	1.390 s
10-8		<u>Output for valid Python code for Implementation of Queue in Python</u>	3	3	0	0	1.358 s
10-9		<u>Navigate to Practice Questions Page for Implementation of Queue in Python</u>	3	3	0	0	0.292 s
11-0		<u>Navigate to Implementation using collections.deque page</u>	3	3	0	0	0.309 s
11-1		<u>Navigate to try editor page for Implementation using collections.deque</u>	3	3	0	0	0.414 s
11-2		<u>Error on clicking Run button without entering code for Implementation using collections.deque</u>	3	3	0	0	1.232 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-3		<u>Error for invalid Python code for Implementation using collections.deque</u>	3	3	0	0	1.415 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-4	<u>Queue DataStructure</u>	<u>Output for valid Python code for Implementation using collections.deque</u>	3	3	0	0	1.320 s
11-5		<u>Navigate to Implementation using array page</u>	3	3	0	0	0.304 s
11-6		<u>Navigate to try editor page for Implementation using array page</u>	3	3	0	0	0.716 s
11-7		<u>Error on clicking Run button without entering code for Implementation using array page</u>	3	3	0	0	1.241 s
11-8		<u>Error for invalid Python code for Implementation using array page</u>	3	3	0	0	1.456 s
11-9		<u>Output for valid Python code for Implementation using array</u>	3	3	0	0	1.463 s
12-0		<u>Navigate to Queue Operations page</u>	3	3	0	0	0.290 s
12-1		<u>Navigate to try editor page for Queue Operations</u>	3	3	0	0	0.421 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12-2		<u>Error on clicking Run button without entering code for Queue Operations</u>	3	3	0	0	1.158 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-3	<u>Queue DataStructure</u>	<u>Error for invalid Python code for Queue Operations</u>	3	3	0	0	1.465 s
12-4		<u>Output for valid Python code for Queue Operations</u>	3	3	0	0	1.650 s
12-5		<u>Verify that user able to logout from the Queue data structure</u>	3	3	0	0	0.027 s
12-6	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to Tree data structure page</u>	4	4	0	0	1.508 s
12-7		<u>Verify that user is able to navigate to Tree Data Structures page</u>	3	3	0	0	0.491 s
12-8		<u>Verify that user is able to navigate to Overview of Trees page</u>	3	3	0	0	1.300 s
12-9		<u>Verify that user is able to navigate to try Editor page for Overview of Trees page</u>	3	3	0	0	0.518 s
13-0		<u>Verify that user receives error when click on Run button without entering code in Overview of Trees TryEditor page</u>	3	3	0	0	1.648 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
13-1		<u>Verify that user receives error for invalid python code in Overview of Trees TryEditor page</u>	3	3	0	0	1.695 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
13-2	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Overview of Trees TryEditor page</u>	3	3	0	0	1.624 s
13-3		<u>Verify that user is able to navigate to Practice Questions inthe Trees Data Structure page</u>	3	3	0	0	1.299 s
13-4		<u>Verify that user is able to navigate to Terminologies page</u>	3	3	0	0	0.879 s
13-5		<u>Verify that user is able to navigate to try Editor page for Terminologies page</u>	3	3	0	0	1.340 s
13-6		<u>Verify that user receives error when click on Run button without entering code in Terminologies TryEditor page</u>	3	3	0	0	1.436 s
13-7		<u>Verify that user receives error for invalid python code in Terminologies TryEditor page</u>	3	3	0	0	1.606 s
13-8		<u>Verify that user is able to see output for valid python code in Terminologies TryEditor page</u>	3	3	0	0	1.603 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
13-9		<u>Verify that user is able to navigate to Types of Trees page</u>	3	3	0	0	0.906 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
14-0	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to try Editor page for Types of Trees page</u>	3	3	0	0	1.368 s
14-1		<u>Verify that user receives error when click on Run button without entering code in Types of Trees TryEditor page</u>	3	3	0	0	1.605 s
14-2		<u>Verify that user receives error for invalid python code in Types of Tree TryEditor page</u>	3	3	0	0	1.724 s
14-3		<u>Verify that user is able to see output for valid python code in Types of Trees TryEditor page</u>	3	3	0	0	1.754 s
14-4		<u>Verify that user is able to navigate to Tree Traversal page</u>	3	3	0	0	1.069 s
14-5		<u>Verify that user is able to navigate to try Editor page for Tree Traversal page</u>	3	3	0	0	1.132 s
14-6		<u>Verify that user receives error when click on Run button without entering code in Tree Travesal TryEditor page for *</u>	3	3	0	0	1.284 s

* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
14-7		<u>Verify that user receives error for invalid python code in Tree Traversal TryEditor page</u>	3	3	0	0	1.483 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
14-8	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Tree Traversal TryEditor page</u>	3	3	0	0	2.106 s
14-9		<u>Verify that user is able to navigate to Traversals-Illustration page</u>	3	3	0	0	1.891 s
15-0		<u>Verify that user is able to navigate to TryEditor page for Traversals-Illustration page</u>	3	3	0	0	1.417 s
15-1		<u>Verify that user receives error when click on Run button without entering code in Traversals-Illustration TryEditor *</u>	3	3	0	0	1.894 s
15-2		<u>Verify that user receives error for invalid python code in Traversals-Illustration TryEditor page</u>	3	3	0	0	1.881 s
15-3		<u>Verify that user is able to see output for valid python code in Traversals-Illustration TryEditor page</u>	3	3	0	0	1.638 s
15-4		<u>Verify that user is able to navigate to Binary trees page</u>	3	3	0	0	1.080 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
15-5		<u>Verify that user is able to navigate to try Editor page for Binary trees page</u>	3	3	0	0	1.253 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-6	<u>Tree Datastructure</u>	<u>Verify that user receives error when click on Run button without entering code in Binary trees TryEditor page</u>	3	3	0	0	1.466 s
15-7		<u>Verify that user receives error for invalid python code in Binary trees TryEditor page</u>	3	3	0	0	1.646 s
15-8		<u>Verify that user is able to see output for valid python code in Binary trees TryEditor page</u>	3	3	0	0	1.536 s
15-9		<u>Verify that user is able to navigate to Types of Binary trees page</u>	3	3	0	0	1.238 s
16-0		<u>Verify that user is able to navigate to try Editor page for Types of Binary Trees page</u>	3	3	0	0	1.128 s
16-1		<u>Verify that user receives error when click on Run button without entering code in Types of Binary Trees TryEditor *</u>	3	3	0	0	1.470 s
16-2		<u>Verify that user receives error for invalid python code in Types of Binary Trees TryEditor page</u>	3	3	0	0	1.568 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
16-3	<u>Tree Datastructure</u>	<u>Verify that user is able to see output for valid python code in Types of Binary Trees TryEditor page</u>	3	3	0	0	1.688 s
16-4		<u>Verify that user is able to navigate to Implementation in Python page</u>	3	3	0	0	0.951 s
16-5		<u>Verify that user is able to navigate to try Editor page for Implementation in Python page</u>	3	3	0	0	1.366 s
16-6		<u>Verify that user receives error when click on Run button without entering code in Implementation in Python TryEdi *</u>	3	3	0	0	1.365 s
16-7		<u>Verify that user receives error for invalid python code in Implementation in Python TryEditor page</u>	3	3	0	0	1.592 s
16-8		<u>Verify that user is able to see output for valid python code in Implementation in Python TryEditor page</u>	3	3	0	0	2.059 s
16-9		<u>Verify that user is able to navigate to Binary Tree Traversals page</u>	3	3	0	0	1.174 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
17-0	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to Try Editor page for Binary Tree Traversals page</u>	3	3	0	0	1.177 s
17-1		<u>Verify that user receives error when click on Run button without entering code in Binary Tree Traversals TryEditor *</u>	3	3	0	0	1.358 s
17-2		<u>Verify that user receives error for invalid python code in Binary Tree Traversals TryEditor page</u>	3	3	0	0	1.835 s
17-3		<u>Verify that user is able to see output for valid python code in Binary Tree Traversals TryEditor page</u>	3	3	0	0	1.634 s
17-4		<u>Verify that user is able to navigate to Implementation of Binary Trees page</u>	3	3	0	0	0.896 s
17-5		<u>Verify that user is able to navigate to try Editor page for Implementation of Binary Trees page</u>	3	3	0	0	1.110 s
17-6		<u>Verify that user receives error when click on Run button without entering code in Implementation of Binary Trees *</u>	3	3	0	0	1.302 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
17-7	<u>Tree Datastructure</u>	<u>Verify that user receives error for invalid python code in Implementation of Binary Trees TryEditor page</u>	3	3	0	0	1.552 s
17-8		<u>Verify that user is able to see output for valid python code in Implementation of Binary Trees TryEditor page</u>	3	3	0	0	1.640 s
17-9		<u>Verify that user is able to navigate to Applications of Binary trees page</u>	3	3	0	0	1.528 s
18-0		<u>Verify that user is able to navigate to try Editor page for Applications of Binary trees page</u>	3	3	0	0	1.360 s
18-1		<u>Verify that user receives error when click on Run button without entering code in Applications of Binary trees *</u>	3	3	0	0	1.655 s
18-2		<u>Verify that user receives error for invalid python code in Applications of Binary trees TryEditor page</u>	3	3	0	0	1.518 s
18-3		<u>Verify that user is able to see output for valid python code in Applications of Binary trees TryEditor page</u>	3	3	0	0	1.679 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
18-4	<u>Tree Datastructure</u>	<u>Verify that user is able to navigate to Binary Search Trees page</u>	3	3	0	0	1.562 s
18-5		<u>Verify that user is able to navigate to try Editor page for Binary Search Trees page</u>	3	3	0	0	1.457 s
18-6		<u>Verify that user receives error when click on Run button without entering code in Binary Search Trees TryEditor page</u>	3	3	0	0	1.703 s
18-7		<u>Verify that user receives error for invalid python code in Binary Search Trees TryEditor page</u>	3	3	0	0	1.632 s
18-8		<u>Verify that user is able to see output for valid python code in Binary Search Trees TryEditor page</u>	3	3	0	0	1.577 s
18-9		<u>Verify that user is able to navigate to Implementation Of BST page</u>	3	3	0	0	1.302 s
19-0		<u>Verify that user is able to navigate to try Editor page for Implementation Of BST page</u>	3	3	0	0	1.192 s


* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
19-1	<u>Tree Datastructure</u>	<u>Verify that user receives error when click on Run button without entering code in Implementation Of BST TryEditor *</u>	3	3	0	0	1.534 s
19-2		<u>Verify that user receives error for invalid python code in Implementation Of BST TryEditor page</u>	3	3	0	0	1.779 s
19-3		<u>Verify that user is able to see output for valid python code in Implementation Of BST TryEditor page</u>	3	3	0	0	1.587 s
19-4		<u>Verify that user able to logout from the Tree data structure</u>	3	3	0	0	0.029 s
19-5	<u>Graph Datastructure</u>	<u>Verify that user is able to navigate to Graph data structure page</u>	3	3	0	0	0.841 s
19-6		<u>Verify that user is able to navigate to Graph Data Structures page</u>	3	3	0	0	1.024 s
19-7		<u>Verify that user is able to navigate to Graph page of Graph-Data structures page</u>	3	3	0	0	1.153 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
19-8		<i>Verify that user is able to navigate to Try Editor page of Graph</i>	3	3	0	0	1.200 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
19-9	<u>Graph Datastructure</u>	<u>Verify that user receives an error when clicking on Run button without entering code in Graph Try Editor page</u>	3	3	0	0	1.309 s
20-0		<u>Verify that user receives an error for invalid Python code read from "pythonCode" and 1 in Graph Page</u>	3	3	0	0	1.484 s
20-1		<u>Verify that user is able to see output for valid Python code from "pythonCode" and 0 in Graph Page</u>	3	3	0	0	1.436 s
20-2		<u>Verify that user is able to navigate to Practice Questions in the Graph Data Structure page</u>	3	3	0	0	0.994 s
20-3		<u>Verify that user is able to navigate to Graph Representations page</u>	3	3	0	0	1.399 s
20-4		<u>Verify that user is able to navigate to Try Editor page for the Graph Representations page</u>	3	3	0	0	0.427 s
20-5		<u>Verify that user receives an error when clicking on Run button without entering code in Try Editor page of Graph *</u>	3	3	0	0	1.336 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
20-6	<u>Graph Datastructure</u>	<u>Verify that user receives an error for invalid Python code in Try Editor page of Graph Representations</u>	3	3	0	0	1.452 s
20-7		<u>Verify that user is able to see output for valid Python code in Try Editor page of Graph Representations</u>	3	3	0	0	1.505 s
20-8		<u>Verify that user able to logout from the Graph data structure</u>	3	3	0	0	0.027 s

User Registration

PASSED	DURATION - 2.949 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 10:13:49.276 PM // 10:13:52.225 PM /					

Verify that user receives error message for all empty fields during registration

PASSED	DURATION - 0.880 s	1	0.8	0.6	0.4	0.2	0	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:13:49.279 PM // 10:13:50.159 PM /		0.7	0.6	0.5	0.4	0.3	0.2		
User Registration		0.1	0.05	0	0	0	0		
@Regression @register1		0.05	0.025	0	0	0	0		


#	Step / Hook Details	Status	Duration
1	Given The user is on the user registration page	PASSED	0.715 s
2	When The user clicks Register button with "username" , "password" and "confirm_password" empty	PASSED	0.068 s
3	Then The error message should be displayed under username	PASSED	0.028 s

Verify that user receives error message for empty Username Confirmation field during registration

PASSED	DURATION - 0.929 s	1	0.8	0.6	0.4	0.2	0	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:13:50.243 PM // 10:13:51.172 PM /		0.25	0.2	0.15	0.1	0.05	0		
User Registration		0.7	0.6	0.5	0.4	0.3	0.2		
@Regression @register2		0.05	0.025	0	0	0	0		


#	Step / Hook Details	Status	Duration
1	Given The user is on the user registration page	PASSED	0.245 s
2	When The user clicks Register button after entering Password and Password Confirmation with Username field empty 1	PASSED	0.664 s
3	Then The error message should be displayed "password_mismatch:The two password fields didn't match."	PASSED	0.016 s

Verify that user receives error message for mismatched Password and Password Confirmation field during registration



#	Step / Hook Details	Status	Duration
1	Given The user is on the user registration page	PASSED	0.127 s
2	When The user clicks Register button after entering different passwords in Password and Password Confirmation fields 2	PASSED	0.252 s
3	Then The user should be able to see a password warning "password_mismatch:The two password fields didn't match."	PASSED	0.156 s

Verify that user is able to land on Homepage after registration with valid fields




#	Step / Hook Details	Status	Duration
1	Given The user is on the user registration page	PASSED	0.131 s
2	When The user clicks Register button after entering a valid username, password, and password confirmation in related textboxes 3	PASSED	0.321 s

#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to Home Page of DS Algo with success message	PASSED	0.007 s

Sign In and Sign Out in dsAlgo Portal




Verify that the user can navigate to registration from login



#	Step / Hook Details	Status	Duration
1	Given The user is on the login page	PASSED	0.153 s
2	When The user clicks on the Register link	PASSED	0.291 s
3	Then The user should be redirected to the registration page	PASSED	0.005 s

Verify that user receives an error message for all empty fields during login



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Sign in Page	PASSED	0.151 s
2	When The user clicks the login button after leaving the "Username" textbox and "Password" textbox empty	PASSED	0.073 s
3	Then The error message Please fill out this field. appears below Username textbox during login	PASSED	0.015 s

Verify that user receives an error message for empty Password field during login

PASSED	DURATION - 0.263 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:13:52.997 PM // 10:13:53.260 PM /				
Sign In and Sign Out in dsAlgo Portal				
@login3 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Sign in Page	PASSED	0.127 s
2	When The user clicks the login button after entering the "Username" and leaves "Password" textbox empty	PASSED	0.119 s
3	Then The error message Please fill out this field. appears below Password textbox during login	PASSED	0.014 s

Verify that user receives an error message for empty Username field during login

PASSED	DURATION - 0.315 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:13:53.275 PM // 10:13:53.590 PM /				
Sign In and Sign Out in dsAlgo Portal				
@login4 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Sign in Page	PASSED	0.147 s
2	When The user clicks the login button after entering the Password only	PASSED	0.148 s
3	Then The error message appears below Username textbox	PASSED	0.017 s

Verify that user receives an error message for invalid Username during login

PASSED	DURATION - 0.567 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:13:53.604 PM // 10:13:54.171 PM /				
Sign In and Sign Out in dsAlgo Portal				
@login5 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Sign in Page	PASSED	0.126 s
2	When The user clicks the login button after entering an invalid username and valid password from excel 1	PASSED	0.383 s
3	Then The user should see an error message "Invalid Username and Password"	PASSED	0.050 s

Verify that user receives an error message for invalid Username during login


PASSED	DURATION - 0.556 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:13:54.186 PM // 10:13:54.742 PM /				
Sign In and Sign Out in dsAlgo Portal				
@login5 @Regression				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Sign in Page	PASSED	0.119 s
2	When The user clicks the login button after entering an invalid username and valid password from excel 2	PASSED	0.182 s
3	Then The user should see an error message "Invalid Username and Password"	PASSED	0.251 s

Verify that user receives an error message for invalid Username during login


**Step / Hook Details**

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Sign in Page	PASSED	0.132 s
2	When The user clicks the login button after entering an invalid username and valid password from excel 3	PASSED	0.352 s
3	Then The user should see an error message "Invalid Username and Password"	PASSED	0.066 s


Verify that user is able to land on the Home page after entering valid credentials**Step / Hook Details**

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Sign in Page	PASSED	0.128 s
2	When The user clicks the login button after entering valid username and valid password from excel 4	PASSED	0.217 s
3	Then The user should land in Data Structure Home Page with message You are logged in	PASSED	0.000 s

Home and DS Algo Portal Navigation and Functionality




Verify the Home page for a user



Step / Hook Details

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Portal	PASSED	0.949 s
2	When The user clicks the Get Started button	PASSED	0.244 s
3	Then The user should be navigated to the home page	PASSED	0.010 s

Verify that user sees a warning message when selecting Data Structures from the dropdown without Sign in




Step / Hook Details

#	Step / Hook Details	Status	Duration
1	Given The user is on the Home page	PASSED	0.204 s
2	When The user selects Tree Data Structures from the drop-down without Sign in	PASSED	0.377 s


#	Step / Hook Details	Status	Duration
3	Then The user should see a warning message	PASSED	0.018 s

Verify that user is able to navigate to Tree Data Structures page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Home page after signed in	PASSED	0.004 s
2	When The user selects Tree item from the drop-down menu	PASSED	0.463 s
3	Then The user should land on the Tree Data Structure page	PASSED	0.008 s

Data Structures - Introduction Navigation



Verify that the user can navigate to Data Structures - Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after logged in the DsAlgo portal	PASSED	0.185 s
2	When The user clicks on the Getting Started button in Data Structures Introduction	PASSED	0.382 s
3	Then The user should land in Data Structures Introduction Page	PASSED	0.019 s

Verify that the user is able to navigate to the Time Complexity Page

PASSED	DURATION - 0.867 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:13:58.622 PM // 10:13:59.489 PM /				
Data Structures - Introduction Navigation				
@Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the Data Structure Introduction page	PASSED	0.516 s
2	When The user clicks on the Time Complexity link	PASSED	0.338 s
3	Then The user should be able to land on the Time complexity page	PASSED	0.011 s

Verify that user is able to navigate to Practice Questions page

PASSED	DURATION - 1.117 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:13:59.502 PM // 10:14:00.619 PM /				
Data Structures - Introduction Navigation				
@Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the Time Complexity page	PASSED	0.823 s
2	When The user clicks the Practice Questions button in the DataStructure page	PASSED	0.269 s
3	Then The user should be redirected to Practice Questions of Data structures-Introduction	PASSED	0.023 s

Verify that user is able to navigate to try Editor page





#	Step / Hook Details	Status	Duration
1	Given The user is in the Time Complexity page	PASSED	0.694 s
2	When The user clicks Try Here button for the time complexity page	PASSED	1.658 s
3	Then The user should be redirected to a page having an try Editor with a Run button to test	PASSED	0.037 s

Verify that user receives error when click on Run button without entering code





#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page	PASSED	1.266 s
2	When The user clicks the Run button without entering the code in the tryEditor for this dataStructure	PASSED	0.227 s
3	Then The user should able to see an error message in alert window	PASSED	0.004 s

Verify that user receives an error for invalid Python code in Try Editor page of Time Complexity

PASSED	DURATION - 1.585 s	 <p>A bar chart with three bars representing step execution times. Bar 1 is at approximately 1.05 seconds, Bar 2 is at approximately 0.55 seconds, and Bar 3 is at approximately 0.05 seconds.</p>	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:14:04.545 PM // 10:14:06.130 PM /				
Data Structures - Introduction Navigation				
@Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page	PASSED	1.049 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button	PASSED	0.525 s
3	Then The user should able to see an error message in alert window	PASSED	0.010 s

Verify that user is able to see output for valid Python code in Try Editor page of Time Complexity

PASSED	DURATION - 1.435 s	 <p>A bar chart with three bars representing step execution times. Bar 1 is at approximately 1.05 seconds, Bar 2 is at approximately 0.35 seconds, and Bar 3 is at approximately 0.05 seconds.</p>	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:14:06.142 PM // 10:14:07.577 PM /				
Data Structures - Introduction Navigation				
@Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page	PASSED	1.097 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button	PASSED	0.320 s
3	Then The user should able to see output in the console	PASSED	0.017 s

Verify that user able to logout from the Tree data structure




#	Step / Hook Details	Status	Duration
1	Given The user is in the DataStructure-Intro page	PASSED	0.459 s
2	When The User clicks signout button from the DataStructure-Intro page	PASSED	0.000 s
3	Then The user should Logged out successfully	PASSED	0.002 s

Array Navigation




Verify that user is able to login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page	PASSED	0.185 s
2	When The user clicks on Sign in and enter username and password and clicks on Login button	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
3	Then The user should be logged in successfully	PASSED	0.001 s

Verify that user is able to navigate to Array data structure page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after Sign in with valid credentials	PASSED	0.214 s
2	When The user clicks the Getting Started button in Array Panel	PASSED	0.427 s
3	Then The user should be directed to Array Data Structure Page	PASSED	0.018 s

Verify that user is able to navigate to Arrays in Python page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Array page after Sign in	PASSED	0.008 s
2	When The user clicks Arrays in Python link	PASSED	0.798 s
3	Then The user should be redirected to Arrays in Python page	PASSED	0.004 s

Verify that user is able to navigate to try Editor page for Arrays in Python page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Arrays in Python page	PASSED	0.011 s
2	When The user clicks Try Here button in Arrays in Python page	PASSED	0.417 s
3	Then The user should be redirected to a page having an try Editor with a Run button to test	PASSED	0.038 s

Verify that user receives error when click on Run button without entering code




#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page for Arrays in Python page	PASSED	0.001 s
2	When The user clicks the Run Button without entering the code in the Editor	PASSED	0.051 s
3	Then The user should be able to see error message in alert pop-up	PASSED	0.027 s

Verify that user receives error for invalid python code read from "pythonCode" and 1




#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Arrays in Python page	PASSED	0.001 s
2	<p>When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run Button</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for alert to be present (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Local\Temp\scoped_dir362c6bb613d5ea244}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at pageObjects.ArrayPage.InvalidPythoncode(ArrayPage.java:216) at StepDefinitions.E_ArraySteps. the_user_reads_the_invalid_python_code_from_excel_and_and_enters_in_the_editor_and_clicks_on_run_button(E_ArraySteps.java:134) at ?.The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/E_Array.feature:44) * Not displayable characters are replaced by '?'.</pre>	FAILED	5.402 s
3	Then The user should be able to see an error message in alert pop-up	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41)		

Verify that user is able to see output for valid python code read from "pythonCode" and 0




#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Arrays in Python page	PASSED	0.001 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and click the Run Button	PASSED	0.269 s
3	Then The user should able to see output in the console java.lang.AssertionError: expected [] but found [Hello World] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at StepDefinitions.D_DataStructureSteps.the_user_should_able_to_see_output_in_the_console(D_DataStructureSteps.java:116) at ?.The user should able to see output in the console(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/E_Array.feature:55) * Not displayable characters are replaced by '?'.	FAILED	0.023 s
	AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41)	FAILED	0.004 s

Verify that user is able to navigate to Arrays using List page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Arrays using List page	PASSED	0.373 s
2	When The user clicks Try Here button in Arrays using List page	PASSED	0.413 s
3	Then The user should be redirected to a page having an try Editor with a Run button to test	PASSED	0.030 s

Verify that user receives error for invalid python code read from "pythonCode" and 1



#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Arrays using List page	PASSED	0.000 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in Arrays using List Editor and click the Run Button	PASSED	0.365 s
3	Then The user should able to see an error message in alert pop-up	PASSED	0.017 s


Verify that user is able to see output for valid python code read from "pythonCode" and 0



#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Arrays using List page	PASSED	0.000 s
2	<p>When The user reads the valid python code from excel "pythonCode" and 0 and enters in Arrays using List Editor and click the Run Button</p> <pre>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=134.0.6998.118): NameError: name 'System' is not defined on line 1 Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6b6db7c6328612d362c6bb613d5ea244, findElement {using>xpath, value=/button[@type='button']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at StepDefinitions.E_ArraySteps. the_user_reads_the_valid_python_code_from_excel_and_and_enters_in_arrays_using_list_editor_and_click_the_run_button(E_ArraySteps. java:205) at ?.The user reads the valid python code from excel "pythonCode" and 0 and enters in Arrays using List Editor and click the Run</pre>	FAILED	0.196 s


#	Step / Hook Details	Status	Duration
	Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/E_Array.feature:80) * Not displayable characters are replaced by '?'.		
3	Then The user should able to see output for Arrays using list in the console	SKIPPED	0.001 s
	AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41)	FAILED	0.005 s

Verify that user is able to navigate to Basic Operations in Lists page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.419 s
2	When The user clicks Try Here button in Basic Operations in Lists page	PASSED	0.377 s
3	Then The user should be redirected to a page having an try Editor with a Run button to test	PASSED	0.031 s

Verify that user receives error for invalid python code read from "pythonCode" and 1



#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Basic Operations in Lists page	PASSED	0.001 s
2	When The user read the invalid python code from excel "pythonCode" and 1 and enters in Basic Operations Editor and click the Run Button	PASSED	0.375 s
3	Then The user should able to see an error message for Basic Operations in alert pop-up	PASSED	0.006 s


Verify that user is able to see output for valid python code read from "pythonCode" and 0 for Basic Operations in Lists page



#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Basic Operations in Lists page	PASSED	0.001 s
2	When The user write the valid python code from excel "pythonCode" and 0 and enters in Basic Operations Editor and click the Run Button org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=134.0.6998.118): NameError: name 'System' is not defined on line 1 Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6b6db7c6328612d362c6bb613d5ea244, findElement {using=xpath, value=/button[@type='button']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\slashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)	FAILED	0.195 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at StepDefinitions.E_ArraySteps. the_user_write_the_valid_python_code_from_excel_and_and_enters_in_basic_operations_editor_and_click_the_run_button(E_ArraySteps.java:262) at ?.The user write the valid python code from excel "pythonCode" and 0 and enters in Basic Operations Editor and click the Run Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/E_Array.feature:106) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should able to see output for Basic Operations in the console	SKIPPED	0.001 s
	<p>AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41) </pre>	FAILED	0.003 s

Verify that user is able to navigate to Applications of Array page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Array page after Sign in	PASSED	0.006 s
2	When The user clicks Applications of Array link	PASSED	1.035 s
3	Then The user should be redirected to Applications of Array page	PASSED	0.006 s

Verify that user is able to navigate to try Editor page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.006 s
2	When The user clicks Try Here button in Application of Arrays page	PASSED	0.390 s
3	Then The user should be redirected to a page having an try Editor with a Run button to test	PASSED	0.034 s

Verify that user receives error for invalid python code read from "pythonCode" and 1



#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Applications of Array page	PASSED	0.000 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in Applications of Arrays Editor and click the Run Button	PASSED	0.378 s
3	Then The user should able to see error message in alert pop-up	PASSED	0.006 s


Verify that user is able to see output for valid python code read from "pythonCode" and 0



#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Applications of Array page	PASSED	0.001 s
2	<p>When The user reads the valid python code from excel "pythonCode" and 0 and enters in Application of Arrays Editor and click the Run Button</p> <pre>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=134.0.6998.118): NameError: name 'System' is not defined on line 1 Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6b6db7c6328612d362c6bb613d5ea244, findElement {using>xpath, value=/button[@type='button']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at StepDefinitions.E_ArraySteps. the_user_reads_the_valid_python_code_from_excel_and_and_enters_in_application_of_arrays_editor_and_click_the_run_button(E_ArrayStep s.java:328) at ?.The user reads the valid python code from excel "pythonCode" and 0 and enters in Application of Arrays Editor and click the Run</pre>	FAILED	0.192 s


#	Step / Hook Details	Status	Duration
	Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/E_Array.feature:138) * Not displayable characters are replaced by '?'.		
3	Then The user should able to see output for Application of Arrays in the console	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41)	FAILED	0.002 s

Verify that user is able to navigate to Practice Questions Page for Applications of Array page



#	Step / Hook Details	Status	Duration
1	Given The user is in the Array page after Sign in	PASSED	0.006 s
2	When The user clicks Practice Questions link Applications of Array page	PASSED	0.280 s
3	Then The user should be redirected to Practice page	PASSED	0.007 s

Verify that user is able to navigate to Search the array Page from Practice question page of Applications of Array page



#	Step / Hook Details	Status	Duration
1	Given The user is in the practice page	PASSED	0.006 s
2	When The user clicks the Search the array link	PASSED	0.356 s
3	Then The user should be redirected to Question page contains a question, and try Editor with Run and Submit button	PASSED	0.039 s

Verify that user receives error when click on Run button without entering code

PASSED	DURATION - 0.111 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:14:21.825 PM // 10:14:21.936 PM /				
Array Navigation				
@Regression @Array21				



#	Step / Hook Details	Status	Duration
1	Given The user is in the try editor in question page	PASSED	0.050 s
2	When The user did not write the code for search element in Editor and Click the Run Button	PASSED	0.059 s
3	Then The user should be able to see error message for search element in alert pop-up	PASSED	0.000 s

Verify that user is able to run valid python code read from "pythonCode" and 2

PASSED	DURATION - 0.446 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:14:21.956 PM // 10:14:22.402 PM /				
Array Navigation				
@Array22 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is in the try editor in question page	PASSED	0.049 s
2	When The user reads the valid python code for search element from excel "pythonCode" and 2 and enters in Editor and Click the Run Button	PASSED	0.372 s
3	Then The user should be able to see output for search element in the console	PASSED	0.023 s

Verify that user is able to navigate to Max Consecutive Ones Page from Practice questions page

PASSED	DURATION - 0.453 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:14:22.414 PM // 10:14:22.867 PM /				
Array Navigation				
@Array23 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the practice page	PASSED	0.028 s
2	When The user clicks the Max ConsecutiveOnes link	PASSED	0.389 s
3	Then The user should be redirected to Question page contains a question, and try Editor with Run and Submit button	PASSED	0.033 s

Verify that user is able to run valid python code read from "pythonCode" and 4 for Max Consecutive Ones question

PASSED	DURATION - 0.348 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:14:22.875 PM // 10:14:23.223 PM /				
Array Navigation				
@Regression @Array24				


#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor in question page	PASSED	0.102 s
2	When The user reads the valid python code from excel "pythonCode" and 4 and enters in Editor for maximum number of consecutive ones and Click the Run Button	PASSED	0.223 s
3	Then The user should be able to see output for maximum number of consecutive ones in the console	PASSED	0.021 s

Verify that user is able to navigate to Find Numbers with Even Number of Digits Page from Practice questions page




#	Step / Hook Details	Status	Duration
1	Given The user is in the practice page	PASSED	0.005 s
2	When The user clicks the Find Numbers with Even Number of Digits link	PASSED	0.351 s
3	Then The user should be redirected to Question page contains a question, and try Editor with Run and Submit button	PASSED	0.027 s

Verify that user is able to see output for valid python code read from "pythonCode" and 6




#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor in question page	PASSED	0.112 s
2	When The user reads the valid python code from excel "pythonCode" and 6 and enters in Editor for even number of integers and Click the Run Button	PASSED	0.249 s
3	Then The user should be able to see output for even number of integers in the console	PASSED	0.019 s

Verify that user is able to navigate to Squares of a Sorted Array Page from Practice questions page




#	Step / Hook Details	Status	Duration
1	Given The user is in the practice page	PASSED	0.041 s
2	When The user clicks the Squares of a Sorted Array link	PASSED	0.318 s
3	Then The user should be redirected to Question page contains a question, and try Editor with Run and Submit button	PASSED	0.035 s

Verify that user is able to see output for valid python code read from "pythonCode" and 8




#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor in question page	PASSED	0.116 s
2	When The user reads the valid python code from excel "pythonCode" and 8 and enters in Editor for squares of each number in Editor and Click the Run Button	PASSED	0.213 s
3	Then The user should be able to see output for squares of each number in the console	PASSED	0.020 s

Verify that user is able to log out successfully from dsAlgo portal




#	Step / Hook Details	Status	Duration
1	Given The user is in Practice Questions page	PASSED	0.054 s
2	When The user clicks on Sign out	PASSED	0.002 s
3	Then The user should be logged out successfully	PASSED	0.000 s

Linked List Navigation





Verify the user is able to Sign in to DSAlgo Portal



#	Step / Hook Details	Status	Duration
1	Given The user is in the Home Page.	PASSED	0.211 s
2	When The user clicks the Sign in button to enter username and password.	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	<p>Then The user clicks on Login and sees logged in message.</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@type='submit']"} (Session info: chrome=134.0.6998.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [6b6db7c6328612d362c6bb613d5ea244, findElement {using=xpath, value=/input[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at pageObjects.Linkedlistpage.login(Linkedlistpage.java:129) at StepDefinitions.F_LinkedListSteps.the_user_clicks_on_login_and_sees_logged_in_message(F_LinkedListSteps.java:55) at ?.The user clicks on Login and sees logged in message.(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/ Features/F_LinkedList.feature:10) * Not displayable characters are replaced by '?'.</pre>	FAILED	10.027 s
	<p>AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41)</pre>	FAILED	0.004 s

Verify the user is able to go to LinkedList page

PASSED	DURATION - 1.005 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:14:35.135 PM // 10:14:36.140 PM /				
<i>Linked List Navigation</i>				
@Linkedlist2 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in home page after sign-in	PASSED	0.163 s
2	When The user clicks Get Started button in Linkedlist panel	PASSED	0.827 s
3	Then The user should land on LinkedList page	PASSED	0.011 s

Verify that user is able to navigate to Introduction page

PASSED	DURATION - 1.002 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:14:36.149 PM // 10:14:37.151 PM /				
<i>Linked List Navigation</i>				
@Linkedlist3 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the Linked List page after Sign in	PASSED	0.009 s
2	When The user clicks Introduction link	PASSED	0.984 s
3	Then The user should be redirected to Introduction page	PASSED	0.007 s

Verify that user is able to navigate to tryEditor page for Introduction page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Introduction page	PASSED	0.009 s
2	When The user clicks Try Here button in Introduction page	PASSED	0.421 s
3	Then The user should be redirected to a page having an try Editor with a Run button to test	PASSED	0.031 s

Verify that user receives error for when click on Run button without entering code in the tryEditor area




#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page for Introduction	PASSED	0.002 s
2	When The user clicks the Run Button without entering the code in the Introduction TryEditor	PASSED	0.219 s
3	Then The user should be able to see error message for Introduction in alert window	PASSED	0.000 s

Verify that user is able to see output for valid python code read from "pythonCode" and 0




#	Step / Hook Details	Status	Duration
1	Given The user is in the Introduction tryEditor page.	PASSED	0.001 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in Introduction Try Editor and click the Run Button	PASSED	0.223 s
3	<p>Then The user should able to see output for Introduction in the console</p> <pre>java.lang.AssertionError: expected [] but found [Hello World] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at StepDefinitions.F_LinkedListSteps.the_user_should_able_to_see_output_for_introduction_in_the_console(F_LinkedListSteps.java:135) at ?.The user should able to see output for Introduction in the console(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/F_LinkedList.feature:40) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.014 s
	<p>AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41)</pre>	FAILED	0.004 s

Verify that user receives error for invalid python code read from "pythonCode" and 1




#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page for Introduction.	PASSED	0.001 s
2	<p>When The user reads the invalid python code from excel "pythonCode" and 1 and enters in Introduction Try Editor and click the Run Button</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for alert to be present (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29...), userDataDir: C:\Users\ashok\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at pageObjects.Linkedlistpage.invalid(Linkedlistpage.java:145) at StepDefinitions.F_LinkedListSteps. the_user_reads_the_invalid_python_code_from_excel_and_and_enters_in_introduction_try_editor_and_click_the_run_button(F_LinkedListSteps.java:154) at ?.The user reads the invalid python code from excel "pythonCode" and 1 and enters in Introduction Try Editor and click the Run Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/F_LinkedList.feature:49) * Not displayable characters are replaced by '?'.</pre>	FAILED	5.390 s
3	Then The user should able to see an error message for Introduction in alert window	SKIPPED	0.001 s
	<p>AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41)</pre>	FAILED	0.008 s

Verify that user is able to navigate to Creating Linked List page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Linked List page after Sign in	PASSED	0.004 s
2	When The user clicks Creating Linked List link	PASSED	0.632 s
3	Then The user should be redirected to Creating Linked List page	PASSED	0.010 s

Verify that user is able to navigate to Try Editor in Creating Linked List page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Creating Linked List page	PASSED	0.007 s
2	When The user clicks Try Here button in Creating Linked List page	PASSED	0.400 s
3	Then The user should be redirected to Creating Linked list page having an try Editor with a Run button to test	PASSED	0.026 s

Verify that user receives error for invalid python code read from "pythonCode" and 1



#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page for Creating Linked List page	PASSED	0.001 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in Creating Linked List Try Editor and click the Run Button	PASSED	0.369 s
3	Then The user should able to see an error message for Creating Linked List in alert window	PASSED	0.002 s


Verify that user is able to see output for valid python code read from "pythonCode" and 0



#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Creating Linked List page	PASSED	0.002 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in Creating Linked List Try Editor and click the Run Button	FAILED	0.218 s


#	Step / Hook Details	Status	Duration
	<pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at StepDefinitions.F_LinkedListSteps. the_user_raeds_the_valid_python_code_from_excel_and_and_enters_in_creating_linked_list_try_editor_and_click_the_run_button(F_LinkedLi stSteps.java:229) at ?.The user raeds the valid python code from excel "pythonCode" and 0 and enters in Creating Linked List Try Editor and click the Run Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/F_LinkedList.feature:81) * Not displayable characters are replaced by '?'. </pre>		
3	<p>Then The user should able to see output for Creating Linked List in the console</p> <p>AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41) </pre>	SKIPPED FAILED	0.000 s 0.007 s

Verify that user is able to navigate to Types of Linked List page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Linked List page after Sign in	PASSED	0.040 s
2	When The user clicks Types of Linked List	PASSED	0.727 s
3	Then The user should be redirected to Types of Linked List page	PASSED	0.005 s

Verify that user is able to navigate to Try Editor in Types of Linked List page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Types of Linked List page	PASSED	0.015 s
2	When The user clicks Try Here button in Types of Linked List page	PASSED	0.364 s
3	Then The user should be redirected to Types of Linked List page having an try Editor with a Run button to test	PASSED	0.030 s

Verify that user receives error for invalid python code read from "pythonCode" and 1



#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Types of Linked List page	PASSED	0.001 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in Types of Linked List Try Editor and click the Run Button	PASSED	0.371 s
3	Then The user should able to see an error message for Types of Linked List in alert window	PASSED	0.000 s


Verify that user is able to see output for valid python code read from "pythonCode" and 0



#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Types of Linked List page	PASSED	0.000 s
2	<p>When The user reads the valid python code from excel "pythonCode" and 0 and enters in Types of Linked List Try Editor and click the Run Button</p> <pre>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=134.0.6998.118): NameError: name 'System' is not defined on line 1 Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6b6db7c6328612d362c6bb613d5ea244, findElement {using=xpath, value=/button[text()='Run']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashokAppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at StepDefinitions.F_LinkedListSteps. the_user_reads_the_valid_python_code_from_excel_and_and_enters_in_types_of_linked_list_try_editor_and_click_the_run_button(F_LinkedL</pre>	FAILED	0.190 s


#	Step / Hook Details	Status	Duration
	istSteps.java:305) at ?.The user reads the valid python code from excel "pythonCode" and 0 and enters in Types of Linked List Try Editor and click the Run Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/F_LinkedList.feature:113) * Not displayable characters are replaced by '?'.		
3	Then The user should able to see output for Types of Linked List in the console AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41)	SKIPPED FAILED	0.001 s 0.004 s

Verify that user is able to navigate to Implement Linked List in Python page





#	Step / Hook Details	Status	Duration
1	Given The user is in the Linked List page after Sign in	PASSED	0.029 s
2	When The user clicks Implement Linked List in Python link	PASSED	0.414 s
3	Then The user should be redirected to Implement Linked List in Python page	PASSED	0.004 s

Verify that user is able to navigate to try Editor page for Implement Linked List in Python page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Implement Linked List in Python page	PASSED	0.005 s
2	When The user clicks Try Here button in Implement Linked List in Python page	PASSED	0.370 s
3	Then The user should be redirected to Implement Linked List page having an try Editor with a Run button to test	PASSED	0.027 s

Verify that user receives error for invalid python code read from "pythonCode" and 1

PASSED	DURATION - 0.382 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:14:47.963 PM // 10:14:48.345 PM /				
<i>Linked List Navigation</i>				
@Regression @Linkedlist18				

#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Implement Linked List in Python page	PASSED	0.000 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in Implement Linked List Try Editor and click the Run Button	PASSED	0.378 s
3	Then The user should able to see an error message for Implement Linked List in alert window	PASSED	0.000 s


Verify that user is able to see output for valid python code read from "pythonCode" and 0

FAILED	DURATION - 0.206 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 10:14:48.353 PM // 10:14:48.559 PM /				
<i>Linked List Navigation</i>				
@Linkedlist19 @Regression				

#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page Implement Linked List in Python page	PASSED	0.000 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in Implement Linked List Try Editor and click the Run Button	FAILED	0.200 s


#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=134.0.6998.118): NameError: name 'System' is not defined on line 1 Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6b6db7c6328612d362c6bb613d5ea244, findElement {using>xpath, value=/button[text()='Run']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29...), userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at StepDefinitions.F_LinkedListSteps. the_user_reads_the_valid_python_code_from_excel_and_and_enters_in_implement_linked_list_try_editor_and_click_the_run_button(F_Linked dListSteps.java:380) at ?.The user reads the valid python code from excel "pythonCode" and 0 and enters in Implement Linked List Try Editor and click the Run Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/F_LinkedList.feature:145) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should able to see output for Implement Linked List in the console	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario) <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ScreenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41)</pre>	FAILED	0.003 s

Verify that user is able to navigate to Traversal Page for Linked List page




#	Step / Hook Details	Status	Duration
1	Given The user is on Linked List page after sign in.	PASSED	0.034 s
2	When The user clicks Traversal link	PASSED	0.428 s
3	Then The user should be redirected to Traversal page	PASSED	0.008 s

Verify that user is able to navigate to try Editor page for Traversal page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Traversal page	PASSED	0.011 s
2	When The user clicks the Try here button in Traversal page	PASSED	0.723 s
3	Then The user should be redirected to Try Editor page when clicking on Try here button	PASSED	0.010 s

Verify that user receives error for invalid python code read from "pythonCode" and 1



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page Traversal page	PASSED	0.000 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in Traversal Try Editor and Click the Run Button	PASSED	0.371 s
3	Then The user should able to see an error message for Traversal in alert window	PASSED	0.000 s


Verify that user is able to see output for valid python code read from "pythonCode" and 0



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page Traversal page	PASSED	0.000 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in Traversal Try Editor and Click the Run Button org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=134.0.6998.118): NameError: name 'System' is not defined on line 1 Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6b6db7c6328612d362c6bb613d5ea244, findElement {using=xpath, value=/button[text()='Run']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss, webauthn: {allowInsecureAuthnMethods: false, requireResidentKey: false}}	FAILED	0.186 s


#	Step / Hook Details	Status	Duration
	<pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at StepDefinitions.F_LinkedListSteps. the_user_reads_the_valid_python_code_from_excel_and_and_enters_in_traversal_try_editor_and_click_the_run_button(F_LinkedListSteps. java:453) at ?.The user reads the valid python code from excel "pythonCode" and 0 and enters in Traversal Try Editor and Click the Run Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/F_LinkedList.feature:177) * Not displayable characters are replaced by '?'. </pre>		
3	<p>Then The user should able to see output for Traversal in the console</p>	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41) </pre>	FAILED	0.004 s

Verify that user is able to navigate to Insertion page from Linked List page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page after sign in	PASSED	0.037 s
2	When The user clicks the Insertion link	PASSED	4.815 s
3	Then The user should be redirected to Insertion page from Linked List page	PASSED	0.013 s

Verify that user is able to navigate to try Editor page from Insertion page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Insertion page	PASSED	0.005 s
2	When The user clicks the Try here button in Insertion page	PASSED	0.412 s
3	Then The user should be redirected to Try Editor page from Insertion page	PASSED	0.006 s

Verify that user is able to see output for valid python code read from "pythonCode" and 0




#	Step / Hook Details	Status	Duration
1	Given The user is on the Try Editor page in Insertion page	PASSED	0.001 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in Insertion Try Editor and Click the Run Button	PASSED	0.305 s
3	Then The user should be able to see output for Insertion in the console	PASSED	0.021 s

Verify that user receives error for invalid python code read from "pythonCode" and 1




#	Step / Hook Details	Status	Duration
1	Given The user is on the Try Editor page for Insertion	PASSED	0.002 s
2	<p>When The user reads the invalid python code from excel "pythonCode" and 1 and enters in Insertion Try Editor and Click the Run Button</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for alert to be present (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at pageObjects.Linkedlistpage.invalid(Linkedlistpage.java:145) at StepDefinitions.F_LinkedListSteps. the_user_reads_the_invalid_python_code_from_excel_and_and_enters_in_insertion_try_editor_and_click_the_run_button(F_LinkedListSteps.java:534) at ?.The user reads the invalid python code from excel "pythonCode" and 1 and enters in Insertion Try Editor and Click the Run Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/F_LinkedList.feature:209) * Not displayable characters are replaced by '?'.</pre>	FAILED	7.396 s
3	Then The user should able to see an error message for Insertion in alert window	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario) <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41)</pre>	FAILED	0.005 s

Verify that user is able to navigate to Deletion Page from Linked List page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked list page after sign in	PASSED	0.038 s
2	When The user clicks the Deletion link	PASSED	0.565 s
3	Then The user should be redirected to Deletion page	PASSED	0.009 s

Verify that user is able to navigate to try Editor page for Deletion page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Deletion page	PASSED	0.007 s
2	When The user clicks the Try Here button in Deletion page	PASSED	0.450 s
3	Then The user should be redirected to Deletion Try Editor page	PASSED	0.008 s

Verify that user receives error for invalid python code read from "pythonCode" and 1



#	Step / Hook Details	Status	Duration
1	Given The user is on the Try Editor page in Deletion page	PASSED	0.001 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in Deletion Try Editor and Click the Submit Button	PASSED	0.346 s
3	Then The user should be able to see an error message for Deletion in the alert window	PASSED	0.000 s


Verify that user is able to see output for valid python code read from "pythonCode" and 0



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page in Deletion page	PASSED	0.001 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in Deletion Try Editor and Click the Run Button org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'System' is not defined on line 1} (Session info: chrome=134.0.6998.118): NameError: name 'System' is not defined on line 1 Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6b6db7c6328612d362c6bb613d5ea244, findElement {using=xpath, value=/button[text()='Run']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.118, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57350}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57350/devtoo..., se:cdpVersion: 134.0.6998.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss, unexpectedAlertBehaviour: dismiss, webauthn:virtualAuthenticators: true}	FAILED	0.224 s


#	Step / Hook Details	Status	Duration
	<pre> pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b6db7c6328612d362c6bb613d5ea244 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at StepDefinitions.F_LinkedListSteps. the_user_reads_the_valid_python_code_from_excel_and_and_enters_in_deletion_try_editor_and_click_the_run_button(F_LinkedListSteps. java:612) at ?.The user reads the valid python code from excel "pythonCode" and 0 and enters in Deletion Try Editor and Click the Run Button(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/F_LinkedList.feature:241) * Not displayable characters are replaced by '?'. </pre>		
3	<p>Then The user should able to see output for Deletion in the console</p> <p>AFTER - StepDefinitions.Hooks.afterstep(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshotTaker" is null at StepDefinitions.Hooks.afterstep(Hooks.java:41) </pre>	SKIPPED FAILED	0.000 s 0.003 s

Verify that user is able to navigate to Practice Questions page from Linked List page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page	PASSED	0.037 s
2	When The user clicks on Practice Questions link in Linked List page	PASSED	0.257 s
3	Then The user should be redirected to Practice Questions page	PASSED	0.004 s

Verify that user is able to log out successfully from dsAlgo portal




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List Practice Questions page	PASSED	0.003 s
2	When The user clicks on Sign out in Linked List Practice Questions page	PASSED	0.002 s
3	Then The user should be logged out successfully from dsAlgo portal page	PASSED	0.000 s

Stack DataStructure




[Navigate to Stack Data Structure Page](#)




#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage after logging into the dsAlgo Portal	PASSED	0.183 s
2	When the user selects the Getting Started button from the Stack panel	PASSED	0.364 s
3	Then the user should be redirected to the Stack Data Structure page	PASSED	0.009 s

Navigate to Operations in Stack Page




#	Step / Hook Details	Status	Duration
1	Given the user is on the Stack page	PASSED	0.007 s
2	When the user clicks the Operations in Stack link	PASSED	0.545 s
3	Then the user should be navigated to the Operations in Stack page	PASSED	0.009 s

Navigate to TryEditor for Operations in Stack




#	Step / Hook Details	Status	Duration
1	Given the user is on the Operations in Stack page	PASSED	0.005 s
2	When the user clicks the Try Here button on the Operations in Stack page	PASSED	0.364 s
3	Then the user should be taken to a page containing a try editor with a Run button for testing the code	PASSED	0.050 s

Error on Clicking Run Without Code in Operations in Stack




#	Step / Hook Details	Status	Duration
1	Given the user is on the TryEditor page in the Operations in Stack on Python page	PASSED	1.191 s
2	When the user clicks the Run button without any code in the editor	PASSED	0.055 s
3	Then the user should receive an error message in the alert window	PASSED	0.004 s

Error for Invalid Python Code in Operations in Stack




#	Step / Hook Details	Status	Duration
1	Given the user is on the TryEditor page in the Operations in Stack on Python page	PASSED	1.059 s
2	When the user types invalid python code from excel "pythonCode" and 1 and enters in the editor and clicks the Run button for stack TryEditor	PASSED	0.360 s
3	Then the user should see an error message in the alert window	PASSED	0.005 s

Display Output for Valid Python Code in Operations in Stack




#	Step / Hook Details	Status	Duration
1	Given the user is on the TryEditor page in the Operations in Stack on Python page	PASSED	1.079 s
2	When the user enters valid python code from excel "pythonCode" and 0 and enters in the editor and clicks the Run button for stack TryEditor	PASSED	0.325 s
3	Then the user should see the output displayed in the console	PASSED	0.047 s

Navigate to Practice Questions Page for Operations in Stack




#	Step / Hook Details	Status	Duration
1	Given the user is on the Operations in Stack page	PASSED	0.005 s
2	When the user clicks the Practice Questions button in the Operations in Stack on Python page	PASSED	0.286 s
3	Then the user should be redirected to the Practice Questions page	PASSED	0.007 s

Navigate to Implementation Page




#	Step / Hook Details	Status	Duration
1	Given the user is currently on the stack page	PASSED	0.037 s
2	When the user clicks the Implementation link	PASSED	0.239 s
3	Then the user should be taken to the Implementation page	PASSED	0.011 s

Navigate to TryEditor for Implementation Page




#	Step / Hook Details	Status	Duration
1	Given the user is on the Implementation page	PASSED	0.007 s
2	When the user clicks the Try Here button on the Implementation page	PASSED	0.364 s
3	Then the user should be redirected to a page containing a try editor with a Run button for testing the code	PASSED	0.036 s

Error on Clicking Run Without Code in Implementation Page




#	Step / Hook Details	Status	Duration
1	Given the user is on the TryEditor page in the Implementation page	PASSED	1.235 s
2	When the user clicks the Run button without entering any code in the editor	PASSED	0.193 s
3	Then the user should see an error message in the alert window	PASSED	0.004 s

Error for Invalid Python Code in Implementation Page




#	Step / Hook Details	Status	Duration
1	Given the user is on the TryEditor page in the Implementation page	PASSED	1.062 s
2	When the user enters invalid python code from excel "pythonCode" and 1 and enters in the editor and clicks the Run button for stack TryEditor	PASSED	0.358 s
3	Then the user should receive an error message in the alert window	PASSED	0.007 s

Display Output for Valid Python Code in Implementation Page




#	Step / Hook Details	Status	Duration
1	Given the user is on the TryEditor page in the Implementation page	PASSED	1.026 s
2	When the user enters valid python code from excel "pythonCode" and 0 and enters in the editor and clicks the Run button for stack TryEditor	PASSED	0.315 s
3	Then the user should see the output displayed in the console	PASSED	0.012 s

Navigate to Applications Page




#	Step / Hook Details	Status	Duration
1	Given the user is currently on the stack page	PASSED	0.046 s
2	When the user clicks the Applications link	PASSED	0.347 s
3	Then the user should be taken to the Applications page	PASSED	0.012 s

Navigate to TryEditor for Applications Page




#	Step / Hook Details	Status	Duration
1	Given the user is on the Applications page	PASSED	0.005 s
2	When the user clicks the Try Here button on the Applications page	PASSED	0.395 s
3	Then the user should be redirected to a page containing a try editor with a Run button for testing the code	PASSED	0.033 s

Error on Clicking Run Without Code in Applications Page




#	Step / Hook Details	Status	Duration
1	Given the user is on the TryEditor page in the Applications page	PASSED	1.313 s
2	When the user clicks the Run button without any code in the editor	PASSED	0.051 s
3	Then the user should see an error message in the alert window	PASSED	0.002 s

Error for Invalid Python Code in Applications Page




#	Step / Hook Details	Status	Duration
1	Given the user is on the TryEditor page in the Applications page	PASSED	1.016 s
2	When the user enters invalid python code from excel "pythonCode" and 1 and enters in the editor and clicks the Run button for stack TryEditor	PASSED	0.359 s
3	Then the user should receive an error message in the alert window	PASSED	0.004 s

Display Output for Valid Python Code in Applications Page



#	Step / Hook Details	Status	Duration
1	Given the user is on the TryEditor page in the Applications page	PASSED	1.112 s
2	When the user enters valid python code from excel "pythonCode" and 0 and enters in the editor and clicks the Run button for stack TryEditor	PASSED	0.294 s
3	Then the user should see the output displayed in the console	PASSED	0.013 s

Verify that user able to logout from the Stack data structure




#	Step / Hook Details	Status	Duration
1	Given The user is in the Stack data structure page	PASSED	0.033 s
2	When The User clicks sign-out button.	PASSED	0.000 s
3	Then The user should sign-out successfully.	PASSED	0.000 s

Queue DataStructure




Navigate to Queue Data Structure Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Home page	PASSED	0.174 s
2	When The user selects Getting Started in Queue Panel or the user selects Queue item from the drop down menu	PASSED	0.363 s
3	Then The user should be directed to the Queue Data Structure Page	PASSED	0.013 s


Navigate to Implementation of Queue in Python page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Queue page	PASSED	0.004 s
2	When The user clicks Implementation of Queue in Python button	PASSED	0.388 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to Implementation of Queue in Python page	PASSED	0.014 s

Navigate to try editor page for Implementation of Queue in Python




#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation of Queue in Python page	PASSED	0.010 s
2	When The user clicks Try Here button in Queue in Python page	PASSED	0.430 s
3	Then The user should be redirected to a page having a try Editor with a Run button to test	PASSED	0.031 s

Error on clicking Run button without entering code for Implementation of Queue in Python




#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Implementation of Queue on Python page	PASSED	1.057 s
2	When The user clicks the Run Button without entering the code in the Editor	PASSED	0.055 s
3	Then The user should see an error message in the alert window	PASSED	0.003 s

Error for invalid Python code for Implementation of Queue in Python


**Step / Hook Details**

#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Implementation of Queue on Python page	PASSED	1.034 s
2	When The user writes invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks the Run Button for queue tryEditor	PASSED	0.350 s
3	Then The user should see an error message in the alert window	PASSED	0.005 s

Output for valid Python code for Implementation of Queue in Python**Step / Hook Details**


#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Implementation of Queue in Python page	PASSED	1.044 s
2	When The user writes valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks the Run Button for queue tryEditor	PASSED	0.301 s
3	Then The user should see the output in the console	PASSED	0.012 s

Navigate to Practice Questions Page for Implementation of Queue in Python




#	Step / Hook Details	Status	Duration
1	Given The user is on the Queue page	PASSED	0.007 s
2	When The user clicks Practice Questions button in the Implementation of Queue in Python page	PASSED	0.277 s
3	Then The user should be redirected to the Practice Questions page	PASSED	0.006 s

Navigate to Implementation using collections.deque page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Queue page	PASSED	0.006 s
2	When The user clicks Implementation using collections.deque button page	PASSED	0.288 s
3	Then The user should be redirected to the Implementation using collections.deque page	PASSED	0.013 s

Navigate to try editor page for Implementation using collections.deque




#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation using collections.deque page	PASSED	0.005 s
2	When The user clicks Try Here button in Queue in Python page	PASSED	0.378 s
3	Then The user should be redirected to a page having a try Editor with a Run button to test	PASSED	0.027 s

Error on clicking Run button without entering code for Implementation using collections.dequeue




#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Implementation using collections.deque page	PASSED	1.177 s
2	When The user clicks the Run Button without entering the code in the Editor	PASSED	0.048 s
3	Then The user should see an error message in the alert window	PASSED	0.005 s

Error for invalid Python code for Implementation using collections.dequeue




#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Implementation using collections.deque page	PASSED	1.025 s
2	When The user writes invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks the Run Button for queue tryEditor	PASSED	0.382 s
3	Then The user should see an error message in the alert window	PASSED	0.006 s

Output for valid Python code for Implementation using collections.deque




#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Implementation using collections.deque page	PASSED	1.010 s
2	When The user writes valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks the Run Button for queue tryEditor	PASSED	0.296 s
3	Then The user should see the output in the console	PASSED	0.013 s

Navigate to Implementation using array page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Queue page	PASSED	0.007 s
2	When The user clicks Implementation using array button	PASSED	0.284 s
3	Then The user should be redirected to the Implementation using array page	PASSED	0.009 s

Navigate to try editor page for Implementation using array page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation using array page	PASSED	0.003 s
2	When The user clicks Try Here button in Queue in Python page	PASSED	0.684 s
3	Then The user should be redirected to a page having a try Editor with a Run button to test	PASSED	0.027 s

Error on clicking Run button without entering code for Implementation using array page

PASSED	DURATION - 1.241 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:33.119 PM // 10:15:34.360 PM /				
Queue DataStructure				
@Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Implementation using array page	PASSED	1.184 s
2	When The user clicks the Run Button without entering the code in the Editor	PASSED	0.050 s
3	Then The user should see an error message in the alert window	PASSED	0.004 s

Error for invalid Python code for Implementation using array page

PASSED	DURATION - 1.456 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:34.370 PM // 10:15:35.826 PM /				
Queue DataStructure				
@Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Implementation using array page	PASSED	1.060 s
2	When The user writes invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks the Run Button for queue tryEditor	PASSED	0.389 s
3	Then The user should see an error message in the alert window	PASSED	0.004 s

Output for valid Python code for Implementation using array




#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Implementation using array page	PASSED	1.100 s
2	When The user writes valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks the Run Button for queue tryEditor	PASSED	0.350 s
3	Then The user should see the output in the console	PASSED	0.011 s

Navigate to Queue Operations page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Queue page	PASSED	0.005 s
2	When The user clicks Queue Operations button	PASSED	0.274 s
3	Then The user should be redirected to the Queue Operations page	PASSED	0.010 s

Navigate to try editor page for Queue Operations




#	Step / Hook Details	Status	Duration
1	Given The user is on the Queue Operations page	PASSED	0.003 s
2	When The user clicks Try Here button in Queue in Python page	PASSED	0.387 s
3	Then The user should be redirected to a page having a try Editor with a Run button to test	PASSED	0.026 s

Error on clicking Run button without entering code for Queue Operations




#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Queue Operations page	PASSED	1.098 s
2	When The user clicks the Run Button without entering the code in the Editor	PASSED	0.053 s
3	Then The user should see an error message in the alert window	PASSED	0.004 s

Error for invalid Python code for Queue Operations




#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Queue Operations page	PASSED	1.068 s
2	When The user writes invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks the Run Button for queue tryEditor	PASSED	0.383 s
3	Then The user should see an error message in the alert window	PASSED	0.010 s

Output for valid Python code for Queue Operations



#	Step / Hook Details	Status	Duration
1	Given The user is on the try editor page in the Queue Operations page	PASSED	1.324 s
2	When The user writes valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks the Run Button for queue tryEditor	PASSED	0.310 s
3	Then The user should see the output in the console	PASSED	0.015 s

Verify that user able to logout from the Queue data structure




#	Step / Hook Details	Status	Duration
1	Given The user is in the Queue data structure page	PASSED	0.025 s
2	When The User clicks signout button.	PASSED	0.001 s
3	Then The user should signout successfully.	PASSED	0.000 s

Tree Datastructure




Verify that user is able to navigate to Tree data structure page



#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after Sign in	PASSED	0.221 s
2	When The user clicks the Getting Started button in Tree Panel	PASSED	0.789 s


#	Step / Hook Details	Status	Duration
3	And The user select Tree item from the drop down menu	PASSED	0.489 s
4	Then The user be directed to Tree Data Structure Page	PASSED	0.005 s

Verify that user is able to navigate to Tree Data Structures page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Home page after signed in	PASSED	0.000 s
2	When The user selects Tree item from the drop-down menu	PASSED	0.481 s
3	Then The user should land on the Tree Data Structure page	PASSED	0.007 s

Verify that user is able to navigate to Overview of Trees page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.694 s
2	When The user clicks Overview of Trees link	PASSED	0.589 s
3	Then The user should be redirected to Overview of Trees page	PASSED	0.012 s

Verify that user is able to navigate to try Editor page for Overview of Trees page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Overview of Trees page	PASSED	0.005 s
2	When The user clicks Try Here button in the Overview of Trees page	PASSED	0.473 s
3	Then The user should be redirected to a TryEditor page with a Run button to test.	PASSED	0.039 s

Verify that user receives error when click on Run button without entering code in Overview of Trees TryEditor page





#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page.	PASSED	1.436 s
2	When The user clicks the Run button without entering code in the TryEditor.	PASSED	0.206 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user receives error for invalid python code in Overview of Trees TryEditor page

PASSED	DURATION - 1.695 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:47.904 PM // 10:15:49.599 PM /				
Tree Datastructure				
@Tree6 @Regression				

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.342 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.342 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.006 s

Verify that user is able to see output for valid python code in Overview of Trees TryEditor page

PASSED	DURATION - 1.624 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:49.606 PM // 10:15:51.230 PM /				
Tree Datastructure				
@Regression @Tree7				

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.301 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.304 s
3	Then The user should see output in the Output console	PASSED	0.015 s

Verify that user is able to navigate to Practice Questions inthe Trees Data Structure page

PASSED	DURATION - 1.299 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:51.242 PM // 10:15:52.541 PM /				
Tree Datastructure				
@Regression @Tree8				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page after signing in	PASSED	0.888 s
2	When The user clicks Practice Questions link of the Tree data structure	PASSED	0.398 s
3	Then The user should be redirected to Practice page of the Tree data structure	PASSED	0.011 s

Verify that user is able to navigate to Terminologies page

PASSED	DURATION - 0.879 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:52.550 PM // 10:15:53.429 PM /				
Tree Datastructure				
@Regression @Tree9				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.462 s
2	When The user clicks Terminologies link	PASSED	0.403 s
3	Then The user should be redirected to Terminologies page	PASSED	0.009 s

Verify that user is able to navigate to try Editor page for Terminologies page

PASSED	DURATION - 1.340 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:53.438 PM // 10:15:54.778 PM /				
Tree Datastructure				
@Tree10 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Terminologies page	PASSED	0.949 s
2	When The user clicks Try Here button in the Terminologies page	PASSED	0.358 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.028 s

Verify that user receives error when click on Run button without entering code in Terminologies TryEditor page

PASSED	DURATION - 1.436 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:54.788 PM // 10:15:56.224 PM /				
Tree Datastructure				
@Tree11 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.178 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.252 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.005 s

Verify that user receives error for invalid python code in Terminologies TryEditor page

PASSED	DURATION - 1.606 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:56.232 PM // 10:15:57.838 PM /				
Tree Datastructure				
@Tree12 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.239 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.356 s
3	Then The user should see an error message in an pop-up alert box	PASSED	0.009 s

Verify that user is able to see output for valid python code in Terminologies TryEditor page

PASSED	DURATION - 1.603 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:57.851 PM // 10:15:59.454 PM /				
Tree Datastructure				
@Tree13 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.276 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.313 s
3	Then The user should see output in the Output console	PASSED	0.012 s

Verify that user is able to navigate to Types of Trees page

PASSED	DURATION - 0.906 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:15:59.468 PM // 10:16:00.374 PM /				
Tree Datastructure				
@Tree14 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.527 s
2	When The user clicks Types of Trees link	PASSED	0.372 s
3	Then The user should be redirected to Types of Trees page	PASSED	0.006 s

Verify that user is able to navigate to try Editor page for Types of Trees page

PASSED	DURATION - 1.368 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:00.387 PM // 10:16:01.755 PM /				
Tree Datastructure				
@Tree15 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Types of Trees page	PASSED	0.884 s
2	When The user clicks Try Here button in the Types of Trees page	PASSED	0.438 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.045 s

Verify that user receives error when click on Run button without entering code in Types of Trees TryEditor page

PASSED	DURATION - 1.605 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:01.766 PM // 10:16:03.371 PM /				
Tree Datastructure				
@Tree16 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.409 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.189 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.005 s

Verify that user receives error for invalid python code in Types of Tree TryEditor page

PASSED	DURATION - 1.724 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:03.382 PM // 10:16:05.106 PM /				
Tree Datastructure				
@Tree17 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.334 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.385 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user is able to see output for valid python code in Types of Trees TryEditor page




#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.426 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.307 s
3	Then The user should see output in the Output console	PASSED	0.020 s

Verify that user is able to navigate to Tree Traversal page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.647 s
2	When The user clicks Tree Traversal link	PASSED	0.414 s
3	Then The user should be redirected to Tree Traversal page	PASSED	0.007 s

Verify that user is able to navigate to try Editor page for Tree Traversal page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Traversal page	PASSED	0.722 s
2	When The user clicks Try Here button in the Tree Traversal page	PASSED	0.369 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.039 s

Verify that user receives error when click on Run button without entering code in Tree Travesal TryEditor page for Tree Tryeditor





#	Step / Hook Details	Status	Duration
1	Given The user is on the Try Editor page	PASSED	1.083 s
2	When The user clicks the Run button without entering code in the Editor	PASSED	0.197 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.003 s

Verify that user receives error for invalid python code in Tree Traversal TryEditor page

PASSED	DURATION - 1.483 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:10.397 PM // 10:16:11.880 PM /				
Tree Datastructure				
@Tree22 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.108 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.358 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.016 s

Verify that user is able to see output for valid python code in Tree Traversal TryEditor page

PASSED	DURATION - 2.106 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:11.889 PM // 10:16:13.995 PM /				
Tree Datastructure				
@Tree23 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.750 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.334 s
3	Then The user should see output in the Output console	PASSED	0.017 s

Verify that user is able to navigate to Traversals-Illustration page

PASSED	DURATION - 1.891 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:14.005 PM // 10:16:15.896 PM /				
Tree Datastructure				
@Tree24 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.870 s
2	When The user clicks Traversals-Illustration link	PASSED	1.013 s
3	Then The user should be redirected to Traversals-Illustration page	PASSED	0.006 s

Verify that user is able to navigate to TryEditor page for Traversals-Illustration page

PASSED	DURATION - 1.417 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:15.907 PM // 10:16:17.324 PM /				
Tree Datastructure				
@Tree25 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Traversals-Illustration page	PASSED	1.034 s
2	When The user clicks Try Here button in the Traversals-Illustration page	PASSED	0.347 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.033 s

Verify that user receives error when click on Run button without entering code in Traversals-Illustration TryEditor page

PASSED	DURATION - 1.894 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:17.331 PM // 10:16:19.225 PM /				
Tree Datastructure				
@Tree26 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.679 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.208 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user receives error for invalid python code in Traversals-Illustration TryEditor page

PASSED	DURATION - 1.881 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:19.232 PM // 10:16:21.113 PM /				
Tree Datastructure				
@Tree27 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.480 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.393 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.005 s

Verify that user is able to see output for valid python code in Traversals-Illustration TryEditor page




#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.311 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.312 s
3	Then The user should see output in the Output console	PASSED	0.012 s

Verify that user is able to navigate to Binary trees page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.503 s
2	When The user clicks Binary trees link	PASSED	0.571 s
3	Then The user should be redirected to Binary trees page	PASSED	0.005 s

Verify that user is able to navigate to try Editor page for Binary trees page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Binary trees page	PASSED	0.813 s
2	When The user clicks Try Here button in the Binary trees page	PASSED	0.404 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.033 s

Verify that user receives error when click on Run button without entering code in Binary trees TryEditor page





#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.289 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.171 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.002 s

Verify that user receives error for invalid python code in Binary trees TryEditor page

PASSED	DURATION - 1.646 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:26.594 PM // 10:16:28.240 PM /				
Tree Datastructure				
@Tree32 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.303 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.337 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user is able to see output for valid python code in Binary trees TryEditor page

PASSED	DURATION - 1.536 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:28.251 PM // 10:16:29.787 PM /				
Tree Datastructure				
@Tree33 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.216 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.307 s
3	Then The user should see output in the Output console	PASSED	0.011 s

Verify that user is able to navigate to Types of Binary trees page

PASSED	DURATION - 1.238 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:29.802 PM // 10:16:31.040 PM /				
Tree Datastructure				
@Tree34 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.563 s
2	When The user clicks Types of Binary trees link	PASSED	0.660 s
3	Then The user should be redirected to Types of Binary trees page	PASSED	0.011 s

Verify that user is able to navigate to try Editor page for Types of Binary Trees page

PASSED	DURATION - 1.128 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:31.061 PM // 10:16:32.189 PM /				
Tree Datastructure				
@Tree35 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Types of Binary Trees page	PASSED	0.696 s
2	When The user clicks Try Here button in the Types of Binary Trees page	PASSED	0.404 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.025 s

Verify that user receives error when click on Run button without entering code in Types of Binary Trees TryEditor page

PASSED	DURATION - 1.470 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:32.205 PM // 10:16:33.675 PM /				
Tree Datastructure				
@Tree36 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the Try Editor page	PASSED	1.278 s
2	When The user clicks the Run button without entering code in the Editor	PASSED	0.184 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.005 s

Verify that user receives error for invalid python code in Types of Binary Trees TryEditor page

PASSED	DURATION - 1.568 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:33.683 PM // 10:16:35.251 PM /				
Tree Datastructure				
@Tree37 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.203 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.357 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user is able to see output for valid python code in Types of Binary Trees TryEditor page




#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.380 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.295 s
3	Then The user should see output in the Output console	PASSED	0.012 s

Verify that user is able to navigate to Implementation in Python page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.517 s
2	When The user clicks Implementation in Python link	PASSED	0.424 s
3	Then The user should be redirected to Implementation in Python page	PASSED	0.006 s

Verify that user is able to navigate to try Editor page for Implementation in Python page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation in Python page	PASSED	0.936 s
2	When The user clicks Try Here button in the Implementation in Python page	PASSED	0.397 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.031 s

Verify that user receives error when click on Run button without entering code in Implementation in Python TryEditor page





#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.145 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.213 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user receives error for invalid python code in Implementation in Python TryEditor page

PASSED	DURATION - 1.592 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:40.666 PM // 10:16:42.258 PM /				
Tree Datastructure				
@Regression @Tree42				


#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.208 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.378 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user is able to see output for valid python code in Implementation in Python TryEditor page

PASSED	DURATION - 2.059 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:42.267 PM // 10:16:44.326 PM /				
Tree Datastructure				
@Tree43 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.737 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.303 s
3	Then The user should see output in the Output console	PASSED	0.015 s

Verify that user is able to navigate to Binary Tree Traversals page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.644 s
2	When The user clicks Binary Tree Traversals link	PASSED	0.519 s
3	Then The user should be redirected to Binary Tree Traversals page	PASSED	0.009 s

Verify that user is able to navigate to Try Editor page for Binary Tree Traversals page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Binary Tree Traversals page	PASSED	0.755 s
2	When The user clicks the Try Here button	PASSED	0.385 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.036 s

Verify that user receives error when click on Run button without entering code in Binary Tree Traversals TryEditor page

PASSED	DURATION - 1.358 s	 <p>A bar chart with a single bar at index 1 with a height of approximately 1.2. The x-axis is labeled 1, 2, 3. The y-axis ranges from 0 to 2.</p>	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:46.711 PM // 10:16:48.069 PM /				
Tree Datastructure				
@Tree46 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Tree Traversals	PASSED	1.145 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.206 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user receives error for invalid python code in Binary Tree Traversals TryEditor page

PASSED	DURATION - 1.835 s	 <p>A bar chart with a single bar at index 1 with a height of approximately 1.4. The x-axis is labeled 1, 2, 3. The y-axis ranges from 0 to 2.</p>	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:48.077 PM // 10:16:49.912 PM /				
Tree Datastructure				
@Tree47 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Tree Traversals	PASSED	1.387 s
2	When The user reads the invalid python code from excel "pythonCode" and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.375 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.069 s

Verify that user is able to see output for valid python code in Binary Tree Traversals TryEditor page




#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Tree Traversals	PASSED	1.309 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.296 s
3	Then The user should see output in the Output console	PASSED	0.027 s

Verify that user is able to navigate to Implementation of Binary Trees page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.471 s
2	When The user clicks the Implementation of Binary Trees link	PASSED	0.418 s
3	Then The user should be redirected to the Implementation of Binary Trees page	PASSED	0.004 s

Verify that user is able to navigate to try Editor page for Implementation of Binary Trees page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation of Binary Trees page	PASSED	0.694 s
2	When The user clicks the Try Here button	PASSED	0.369 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.045 s

Verify that user receives error when click on Run button without entering code in Implementation of Binary Trees TryEditor page





#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation of Binary Trees	PASSED	1.106 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.190 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user receives error for invalid python code in Implementation of Binary Trees TryEditor page

PASSED	DURATION - 1.552 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:54.899 PM // 10:16:56.451 PM /				
Tree Datastructure				
@Regression @Tree52				


#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation of Binary Trees	PASSED	1.180 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.362 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.007 s

Verify that user is able to see output for valid python code in Implementation of Binary Trees TryEditor page

PASSED	DURATION - 1.640 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:16:56.459 PM // 10:16:58.099 PM /				
Tree Datastructure				
@Regression @Tree53				


#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation of Binary Trees	PASSED	1.295 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.328 s
3	Then The user should see output in the Output console	PASSED	0.014 s

Verify that user is able to navigate to Applications of Binary trees page





#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.668 s
2	When The user clicks the Applications of Binary trees link	PASSED	0.838 s
3	Then The user should be redirected to the Applications of Binary trees page	PASSED	0.018 s

Verify that user is able to navigate to try Editor page for Applications of Binary trees page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Binary trees page	PASSED	0.891 s
2	When The user clicks the Try Here button	PASSED	0.429 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.039 s

Verify that user receives error when click on Run button without entering code in Applications of Binary trees TryEditor page

PASSED	DURATION - 1.655 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:01.024 PM // 10:17:02.679 PM /				
Tree Datastructure				
@Tree56 @Regression				

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Applications of Binary trees	PASSED	1.402 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.247 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.002 s

Verify that user receives error for invalid python code in Applications of Binary trees TryEditor page

PASSED	DURATION - 1.518 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:02.686 PM // 10:17:04.204 PM /				
Tree Datastructure				
@Tree57 @Regression				

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Applications of Binary trees	PASSED	1.164 s
2	When The user reads the invalid python code from excel "pythonCode" and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.348 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.005 s

Verify that user is able to see output for valid python code in Applications of Binary trees TryEditor page

PASSED	DURATION - 1.679 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:04.211 PM // 10:17:05.890 PM /				
Tree Datastructure				
@Tree58 @Regression				

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Applications of Binary trees	PASSED	1.358 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.308 s
3	Then The user should see output in the Output console	PASSED	0.011 s

Verify that user is able to navigate to Binary Search Trees page

PASSED	DURATION - 1.562 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:05.896 PM // 10:17:07.458 PM /				
Tree Datastructure				
@Tree59 @Regression				

#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.713 s
2	When The user clicks the Binary Search Trees link	PASSED	0.838 s
3	Then The user should be redirected to the Binary Search Trees page	PASSED	0.005 s

Verify that user is able to navigate to try Editor page for Binary Search Trees page

PASSED	DURATION - 1.457 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:07.468 PM // 10:17:08.925 PM /				
Tree Datastructure				
@Tree60 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is on the Binary Search Trees page	PASSED	1.040 s
2	When The user clicks the Try Here button	PASSED	0.386 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.029 s

Verify that user receives error when click on Run button without entering code in Binary Search Trees TryEditor page

PASSED	DURATION - 1.703 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:08.942 PM // 10:17:10.645 PM /				
Tree Datastructure				
@Regression @Tree61				


#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Search Trees	PASSED	1.482 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.215 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user receives error for invalid python code in Binary Search Trees TryEditor page





#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Search Trees	PASSED	1.273 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.353 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user is able to see output for valid python code in Binary Search Trees TryEditor page





#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Search Trees	PASSED	1.231 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.332 s
3	Then The user should see output in the Output console	PASSED	0.012 s

Verify that user is able to navigate to Implementation Of BST page

PASSED	DURATION - 1.302 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:13.876 PM // 10:17:15.178 PM /				
Tree Datastructure				
@Regression @Tree64				

#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.531 s
2	When The user clicks the Implementation Of BST link	PASSED	0.757 s
3	Then The user should be redirected to the Implementation Of BST page	PASSED	0.011 s

Verify that user is able to navigate to try Editor page for Implementation Of BST page

PASSED	DURATION - 1.192 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:15.187 PM // 10:17:16.379 PM /				
Tree Datastructure				
@Tree65 @Regression				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation Of BST page	PASSED	0.810 s
2	When The user clicks the Try Here button	PASSED	0.347 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.031 s

Verify that user receives error when click on Run button without entering code in Implementation Of BST TryEditor page

PASSED	DURATION - 1.534 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:16.388 PM // 10:17:17.922 PM /				
Tree Datastructure				
@Tree66 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation Of BST	PASSED	1.337 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.192 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.003 s

Verify that user receives error for invalid python code in Implementation Of BST TryEditor page

PASSED	DURATION - 1.779 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:17.934 PM // 10:17:19.713 PM /				
Tree Datastructure				
@Tree67 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation Of BST	PASSED	1.354 s
2	When The user reads the invalid python code from excel "pythonCode" and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.419 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.004 s

Verify that user is able to see output for valid python code in Implementation Of BST TryEditor page



#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation Of BST	PASSED	1.239 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.330 s
3	Then The user should see output in the Output console	PASSED	0.017 s

Verify that user able to logout from the Tree data structure




#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page	PASSED	0.027 s
2	When The User clicks signout button from the Tree page	PASSED	0.000 s
3	Then The user should Logged out successfully	PASSED	0.000 s

Graph Datastructure




Verify that user is able to navigate to Graph data structure page



#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after Sign in with valid credentials.	PASSED	0.468 s
2	When The user clicks the Getting Started button in Graph Panel	PASSED	0.361 s
3	Then The user should be directed to Graph Data Structure Page	PASSED	0.010 s


Verify that user is able to navigate to Graph Data Structures page



#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after Signed in.	PASSED	0.701 s
2	When The user selects Graph item from the drop down menu.	PASSED	0.301 s


#	Step / Hook Details	Status	Duration
3	Then The user should land in Graph Data Structure Page	PASSED	0.016 s

Verify that user is able to navigate to Graph page of Graph-Data structures page





#	Step / Hook Details	Status	Duration
1	Given The user is in the Graph data structure page after Sign in	PASSED	0.729 s
2	When The user clicks Graph link	PASSED	0.412 s
3	Then The user should be redirected to Graph page of Graph-Data structures	PASSED	0.011 s

Verify that user is able to navigate to Try Editor page of Graph





#	Step / Hook Details	Status	Duration
1	Given The user is on the Graph page	PASSED	0.722 s
2	When The user clicks Try Here button in Graph page	PASSED	0.448 s
3	Then The user should be redirected to a page having a Try Editor with a Run button to test	PASSED	0.027 s

Verify that user receives an error when clicking on Run button without entering code in Graph Try Editor page

PASSED	DURATION - 1.309 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:25.624 PM // 10:17:26.933 PM /				
Graph Datastructure				
@Graph5 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.080 s
2	When The user clicks the Run button without entering the code in the Editor	PASSED	0.220 s
3	Then The user should see an error message in an alert window	PASSED	0.008 s

Verify that user receives an error for invalid Python code read from "pythonCode" and 1 in Graph Page

PASSED	DURATION - 1.484 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:26.946 PM // 10:17:28.430 PM /				
Graph Datastructure				
@Graph6 @Regression				



#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.103 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button	PASSED	0.373 s
3	Then The user should see an error message in an alert window	PASSED	0.007 s

Verify that user is able to see output for valid Python code from "pythonCode" and 0 in Graph Page

PASSED	DURATION - 1.436 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:28.441 PM // 10:17:29.877 PM /				
Graph Datastructure				
@Regression @Graph7				


#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.115 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button	PASSED	0.306 s
3	Then The user should see output in the Output console	PASSED	0.013 s

Verify that user is able to navigate to Practice Questions in the Graph Data Structure page

PASSED	DURATION - 0.994 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:29.886 PM // 10:17:30.880 PM /				
Graph Datastructure				
@Regression @Graph8				


#	Step / Hook Details	Status	Duration
1	Given The user is in the Graph page after Sign in	PASSED	0.713 s
2	When The user clicks Practice Questions link	PASSED	0.264 s
3	Then The user should be redirected to Practice page	PASSED	0.010 s

Verify that user is able to navigate to Graph Representations page





#	Step / Hook Details	Status	Duration
1	Given The user is in the Graph data structure page after Sign in	PASSED	0.732 s
2	When The user clicks Graph Representations link	PASSED	0.656 s
3	Then The user should be redirected to Graph Representations page	PASSED	0.006 s

Verify that user is able to navigate to Try Editor page for the Graph Representations page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Graph Representations page	PASSED	0.004 s
2	When The user clicks Try Here button in the Graph Representations page	PASSED	0.383 s
3	Then The user should be redirected to a page having a Try Editor with a Run button to test	PASSED	0.037 s

Verify that user receives an error when clicking on Run button without entering code in Try Editor page of Graph Representations

PASSED	DURATION - 1.336 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:32.733 PM // 10:17:34.069 PM /				
Graph Datastructure				
@Graph11 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.128 s
2	When The user clicks the Run button without entering the code in the Editor	PASSED	0.202 s
3	Then The user should see an error message in an alert window	PASSED	0.003 s

Verify that user receives an error for invalid Python code in Try Editor page of Graph Representations

PASSED	DURATION - 1.452 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:17:34.080 PM // 10:17:35.532 PM /				
Graph Datastructure				
@Graph12 @Regression				


#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.076 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button	PASSED	0.369 s
3	Then The user should see an error message in an alert window	PASSED	0.005 s

Verify that user is able to see output for valid Python code in Try Editor page of Graph Representations



#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.161 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button	PASSED	0.331 s
3	Then The user should see output in the Output console	PASSED	0.012 s

Verify that user able to logout from the Graph data structure



#	Step / Hook Details	Status	Duration
1	Given The user is in the Graph data structure page	PASSED	0.023 s
2	When The User clicks signout button	PASSED	0.000 s
3	Then The user should signout successfully	PASSED	0.000 s