CALCULUS TA SESSION FOR GROUP 1 OCTOBER 7 (VERSION 1)

(1) Differentiable and Continuous

$$f(x) = \begin{cases} \frac{\sin^2(ax)}{x}, & x > 0\\ |2x+1| - |2x-1| + b\cos x, & x \le 0 \end{cases}$$

- (a) For what values of a and b will f(x) be continuous at x = 0?
- (b) For what values of a and b will f(x) be differentiable at x = 0?

(2) Differentiable and Continuous 1041 A1 Midterm Problem 1 Let a function

$$f(x) = \begin{cases} x^{\alpha} \sin\left(\frac{1}{x^{\beta}}\right), & x > 0\\ 0, & x = 0\\ \frac{\sin(x^{\beta})}{1 - \cos x}, & x < 0 \end{cases}$$

- (a) For what values of α and β will f(x) be continuous at x = 0?
- (b) For what values of α and β will f(x) be differentiable at x = 0?

Hint: (a) $\alpha > 0$ and $\beta > 0$ (b) $\alpha > 1$ and $\beta > 3$

(3) Find limit

Determine α , β such that

$$\lim_{x \to \infty} \sqrt{4x^2 - 3x + 2} - \alpha x + \beta = 0$$

(4) Find limit

Compute the following limit

$$\lim_{\to \infty} x(\sqrt{x^6 - 3x^5 + 1} - x^3) \tan\left(\frac{1}{x^3}\right)$$

(5) Find inverse function Find $\sin \sec^{-1} x$ for $x \le -1$.

(6) Find inverse function

Find $\sin \sec^{-1} x$. **Hint:** $\frac{\sqrt{x^2-1}}{|x|}$. Note that range of the \cos^{-1} is $[0,\pi]$ so $\sin([0,\pi]) \ge 0$.

(7) Find slant asymptotes 1041 A1 Midterm Problem 9 Let $f(x) = (x^3 + x^2)^{1/3}$. Find all asymptotes of f(x). Hint: $y = x + \frac{1}{3}$