

1 Venn diagrams

TikZ Library `venn`

```
\usetikzlibrary{venn} %  $\LaTeX$  and plain  $\TeX$   
\usetikzlibrary[venn] % Con $\TeX$ t
```

This library provides some styles and options for drawing Venn diagrams.

This is a library that allows one to draw Venn diagrams. It is meant to be an alternative to the `venndiagram` package. It provides a very similar functionality. However, there are two differences. While the `venndiagram` package uses macros to highlight the sets, in the library this is done with pgf keys. This allows the user highlight $(A \cup B) \setminus (A \cap B)$ with a simple key `\Venn{op={ $(AuB)/(AnB)$ }}`. What is more, sometimes it is necessary to customize diagrams beyond what is foreseen in packages/libraries. For instance, some may need an easy access to the paths in order to, say, use them for intersections. Most of the more advanced options are described in section 1.2. Section 1.1 deals with the basic options.


1.1 Basic options

The `venn` library has some options and styles for drawing Venn diagrams.

`/tikz/Venn diagram` (no value)

Installs a basic Venn diagram along with the `\Venn` macro.

The macro `\Venn` allows one to draw intersections, unions and on. The character `n` stands for \cap , i.e. an intersection, and `u` for \cup , i.e. a union.



```
\begin{tikzpicture}[Venn diagram]  
  \Venn{AnB}  
\end{tikzpicture}
```

The most basic parameters are listed next.

`/tikz/venn/style` (initially `fill=red`)

The fill style of the sets.

`/tikz/venn/frame` (initially `thick`)

Style of the frame.

`/tikz/venn/frame margin` (initially `3mm`)

Distance between the frame and the sets.

/tikz/venn/radius (initially 1.2cm)


Radius of the circles.

/tikz/venn/distance (initially 1cm)

Distance of the centers of the circles from the origin.

/tikz/venn/lines (initially thin)

Style of the circles.




```
\begin{tikzpicture}[Venn diagram={
style={fill=orange},
frame/.style={blue,dashed},
frame margin=2mm,
lines/.style={purple,semithick},
circle B/.style={cyan,thick}}]
\Venn{CuB}
\end{tikzpicture}
```

As one can see, it is possible to give circles their individual styles. Whether or not this is a good idea is another question. Note also that there is no precaution taken for the case that a user changes the distance too large such that the circles do not intersect.

/tikz/venn/number of sets (initially 3)


Number of sets. Only 2 or 3 are fully supported.



```
\begin{tikzpicture}[Venn diagram=
{number of sets=2,
style={fill=orange}}]
\Venn{AnB}
\end{tikzpicture}
```

/tikz/venn/labels (initially {"A","B","C"})

Changes the labels (or names) of the sets. The names of the sets are to be used in the operations of the sets. Note that the number of entries in this list needs to be at least as large as the number of sets.



```
\begin{tikzpicture}[Venn diagram=
{labels={"X_1","X_2","X_3"}}]
\Venn{X_1uX_2={fill=blue,opacity=0.5},
X_2uX_3={fill=red,opacity=0.5}}
\end{tikzpicture}
```

`/tikz/venn/label math` (initially true)


Changes the labels (or names) of the sets. The names of the sets are to be used in the operations of the sets. Note that the number of entries in this list needs to be at least as large as the number of sets.

`/tikz/venn/all labels` (initially empty)

Style for all labels.

`/tikz/venn/label (set)` (initially empty)

Style for a specific label.




```
\begin{tikzpicture}[Venn diagram={%
labels={"marmot","koala","duck"},
all labels/.style={font=\sfamily},
label koala/.style=yellow,
label math=false}]
\Venn{marmotukoala={fill=blue,opacity=0.5},
duck={fill=red,opacity=0.5}};
\path[fill=blue,
venn/and={marmot and koala}];
\node[venn/and={marmot and koala},
rotate=30,anchor=west,text=white]
{\tikzname ling};
\end{tikzpicture}
```

`/tikz/venn/offset angle` (initially 0)

Rotation angle of the diagram.

The `-` character indicates an exclusion. That is, `-B,AuC` means “exclude B and highlight the intersection of A and C , $A \cap C$ ”.




```
\begin{tikzpicture}[Venn diagram={
offset angle=60}]
\Venn{-B,AuC}
\end{tikzpicture}
```

Some users may find it inconvenient to adopt to this way of “reverted” thinking. That’s why there is the **op** key.


/tikz/venn/op

(initially empty)

Supports the syntax some set \ some other set. It is to be entered in the form (valid set)/(another valid set) with the valid sets being the ones discussed above (without any minus).



```
\begin{tikzpicture}[Venn diagram]
\Venn{op={ (BuC)/(A) }}
\end{tikzpicture}
```



```
\begin{tikzpicture}[Venn diagram]
\Venn{op={ (AuB)/(AnB) }}
\end{tikzpicture}
```

/tikz/venn/every Venn diagram

(no value)

Style that applies to all Venn diagrams.


1.2 Advanced options

The options discussed in section 1.1 will allow one to draw most of the standard sets, but not all. Sometimes one may want to access the building blocks to highlight more complicated sets.

`/tikz/venn/and`

(no value)

Intersection of two sets.




```
\begin{tikzpicture}[Venn diagram]
\path[fill=blue,venn/and={A and B}];
\end{tikzpicture}
```

`/tikz/venn/union`


(no value)

Union of two sets.



```
\begin{tikzpicture}[Venn diagram]
\path[fill=orange,venn/union={A and C}];
\end{tikzpicture}
```

It may be important to know that one can use `Venn diagram` in scopes. Each of the corresponding `local bounding boxes` has the name `Venn Box` but one can give them additional names.



```

\begin{tikzpicture}
\begin{scope}[Venn diagram,local bounding box=AnB]
\Venn{AnB}
\end{scope}
\path (AnB.north) node[above] {$A\cap B$};
\begin{scope}[Venn diagram={style={fill=blue}},xshift=6cm,local bounding box=AuC]
\Venn{AuC}
\end{scope}
\path (AuC.north) node[above] {$A\cup C$};
\end{tikzpicture}


```

`/tikz/current reverse clip` (no value)

This style has been adapted from <https://tex.stackexchange.com/a/127045>. It allows one to invert a clip selection. Notice that the orientation of the clip paths matters. Therefore there is `/tikz/current reverse clip` available which reverts the direction of the bounding box path.

`/tikz/center prefix` (initially c)

This key specifies the prefix of the coordinates of the center.



```

\begin{tikzpicture}
\begin{scope}[Venn diagram={style={fill=blue},
labels={"X","Y","Z"},xshift=6cm,local bounding box=auto}
\Venn{op={XnY}/(Z)}}
\end{scope}
\path (AuC.north) node[above] {using \texttt{\textbackslash Venn}};
\begin{scope}[Venn diagram,local bounding box=by hand]
\clip (cC) circle[radius=\pgfkeysvalueof{/tikz/venn/radius}] [current reverse clip];
\path[fill=blue,venn/and={A and B}];
\end{scope}
\path (AnB.north) node[above] {'by hand'};
\end{tikzpicture}

```


`/tikz/venn/set` (no value)

This style inserts the path of a given set.

`/tikz/even odd clip` (no value)

This style has been adapted from <https://tex.stackexchange.com/a/76216>. It allows one to apply the even odd rule to clips.

This key allows us to shade more complicated sets such as $A \cup ((B \cup C) \setminus (B \cap C))$.




```

\begin{tikzpicture}[Venn diagram]
\clip[even odd clip,venn/set=B,venn/set=C];
\fill[orange,venn/set=A];
\end{tikzpicture}

```

`/tikz/venn/add foreground paths` (no value)

Allows one to add more sets.



```

\begin{tikzpicture}[Venn diagram={%
labels={"A","B","C","D","E"},
number of sets=5,
offset angle=36,
distance=1.1cm,
radius=0.9cm,
add foreground paths={
\draw (0,0)
coordinate[label={[anchor=center]\texttt{F}}]
(cF) circle
[radius=\pgfkeysvalueof{/tikz/venn/radius}];
}
}]
\clip[even odd clip,venn/set=D,venn/set=E];
\fill[orange,venn/set=F];
\end{tikzpicture}

```