

Edexcel GCSE

Mathematics B 1388

Paper 5513

November 2006

advancing learning, changing lives

Mark Scheme (Results)

NOTES ON MARKING PRINCIPLES

1 **Types of mark**

M marks: method marks

A marks: accuracy marks

B marks: unconditional accuracy marks (independent of M marks)

2 **Abbreviations**

cao –correct answer only

ft –follow through

isw –ignore subsequent working

SC: special case

oe –or equivalent (and appropriate)

dep –dependent

indep - independent

3 **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

4 **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

5 **Follow through marks**

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

6 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

7 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

8 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

9 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

5513 - Section A

No	Working	Answer	Mark	Notes
1	$\frac{1}{2} \times (7+3) \times 6 \times 20$	600 cm^3	3	M1 for $\frac{1}{2} \times (7+3) \times 6$ (=30)oe M1 for “30” $\times 20$ A1 cao
2	(a)	6^{13}	1	B1 cao
	(b)	6^{-8} or $\frac{1}{6^8}$	1	B1 cao
	(c)	1	1	B1 cao
3	$12x + 6y = 15$ $12x - 20y = 28$ $26y = -13$ $y = -\frac{1}{2}$ $4x - 1 = 5$	$x = 1\frac{1}{2}$ oe $y = -\frac{1}{2}$ oe	4	M1 for coefficients of x or y the same followed by correct operation, condone one arithmetical error A1 cao for non-eliminated variable M1 (dep on 1 st M1) for correct substitution of their found value in one equation A1 cao (need both) SC : B1 for one correct answer only if Ms not awarded
4	(i)	E	3	B1 cao
	(ii)	C		B1 cao
	(iii)	F		B1 cao
5	(a)	0.3	2	B1 cao
		0.8, 0.2, 0.8		B1 cao
	(b)	0.7×0.2 0.14 oe	2	M1 for 0.7×0.2 A1
6		$n = 1.495$ $r = 0.45$	2	B1 for 1.495 or 1.494 $\dot{9}$ B1 cao

5513 - Section B				
No	Working	Answer	Mark	Notes
1	0.6×300	180	2	M1 for 0.6×300 A1 cao
2	$3x - 6 < 8 - 2x$ $3x + 2x < 8 + 6$	$x < \frac{14}{5}$ oe	3	M1 for $3x - 6 < 8 - 2x$ or $x - 2 < \frac{8}{3} - \frac{2x}{3}$ M1 (ft from $ax + b < cx + d$ $a, b, c, d \neq 0$) for correct method to isolate the terms in x A1 $x < \frac{14}{5}$ oe as final answer
3	$c + 2 = 5p$ $\frac{c + 2}{5}$	$p = \frac{c + 2}{5}$ oe	2	M1 for a valid correct operation A1
4	$\frac{210 \times 46}{20}$	483 g	2	M1 for $\frac{210 \times 46}{20}$ oe (eg 10.5 x 46) A1 cao
5	$x = \frac{-7 \pm \sqrt{7^2 - 4 \times 3 \times -5}}{2 \times 3}$ $x = \frac{-7 \pm \sqrt{109}}{6}$ $x = 0.5734, -2.907$	0.5734 -2.907	3	M1 for substitution into quadratic formula (condone incorrect signs) A1 for $x = \frac{-7 \pm \sqrt{109}}{6}$ or $x = \frac{-7 \pm 10.4(4030651...)}{6}$ A1 for 0.573(3844182...) and -2.90(6717751)
6		Rotation of 90° anticlockwise about (0,0)	3	B1 for Rotation B1 for 90° anticlockwise or 270° clockwise B1 for (0,0) (SC if no marks : B1 for a diagram showing correct reflection in the x axis and correct reflection in $y = x$)

5513 - Section B				
No	Working	Answer	Mark	Notes
7	$0.5 \times 12 \times 12 \times \sin 50 (=55.15\dots)$ $\frac{50}{360} \times \pi \times 6^2 (=15.707\dots)$ “55.15” – “15.70”	39.4	4	M1 for $0.5 \times 12 \times 12 \times \sin 50 (=55.15\dots)$ M1 for $\frac{50}{360} \times \pi \times 6^2 (=15.707\dots)$ M1 (dep on at least one previous M1) for “55.15” – “15.707” A1 39.4 – 39.5