

Introduction to Operating Systems I

Benjamin Brewster

Except as noted, all images copyrighted with Creative Commons licenses,
with attributions given whenever available

Tools versus Theory

- C++? Java? *nix? Apple? You're CS majors, not *nix majors!
- After this class, you should be able to hold an intelligent conversation about any operating system by studying a model OS like UNIX






*NIX

- Why *nix?
 - Stable: good luck crashing it
 - Powerful: dense commands
 - Standard: used everywhere
- Worldwide Device Shipments in 2015 (smartphones, tablets, laptops and PCs)
 - Android (Linux): 1.3 billion
 - Windows: 283 million
 - iOS (UNIX): 276 million
 - OSX (UNIX): 21 million
 - Others (Some Linux): 550 million

****NIX is 82.3% of non-Other OSs shipped***

What is an Operating System?

- A software program that sits between software applications and the computational hardware



```
public void processData()
{
    do
    {
        int data = getData();
        if(data < 0)
            performOperation1(data);
        else
            performOperation2(data);
    }
    while(hasMoreData());
}
```

Why are OSs Important?

- Most applications interact with the OS in some fashion
- As a programmer, you will need to:
 - Use the capabilities of the OS to do most anything
 - Be aware of the policies and limitations of the OS



Goals of an Operating System

- Universal Goals
 - Provide **convenient** software interface to **hardware resources**
 - Maximize **utilization** of hardware
 - Solve **contention**
 - Provide **services**
- Common Goals
 - Provide security
 - Protect against other buggy applications/crashes
 - Control access to your data by others
 - Support software development
 - Provide standardized software libraries
 - Including a standardized user interface



Definitions

- Program
 - A **stored** algorithm or plan of execution
- Process
 - A program that has been loaded **into memory** and **is executing**
- Thread
 - A **line of execution** in a process



```
public void processData()
{
    do
    {
        int data = getData();
        if(data < 0)
            performOperation1(data);
        else
            performOperation2(data);
    }
    while(hasMoreData());
}
```

```
public void processData()
{
    do
    {
        int data = getData();
        if(data < 0)
            performOperation1(data);
        else
            performOperation2(data);
    }
    while(hasMoreData());
}
```

```
public void processData()
{
    do
    {
        int data = getData();
        if(data < 0)
            performOperation1(data);
        else
            performOperation2(data);
    }
    while(hasMoreData());
}
```

Standard OS Services

1. Process and thread management

- Starting a new program (becomes a process & thread)
- Ending a process/thread
- Debugging programs/processes



Standard OS Services

1. Process and thread management

- Starting a new program (becomes a process & thread)
- Ending a process/thread
- Debugging programs/processes

2. File and input/output management

- Organizing bits into meaningful structures: **Files**
- Providing interfaces for reading and writing to files
- Communicating with external devices
- Organizing files: **Directories**



Standard OS Services

3. Interprocess communication (IPC)
 - Signals, pipes, network sockets (TCP/IP)
 - Including between two different computers



Standard OS Services

3. Interprocess communication (IPC)
 - Signals, pipes, network sockets (TCP/IP)
 - Including between two different computers
4. Process coordination
 - Contention management leads to shared access



Interacting With the OS

- Users
 - via Graphical User Interface (GUI)
 - via Command Line Shell (| - | 4 > < 0 | 2 \$)
- Programs
 - via Functions
 - System calls
 - Application Programming Interface (API) - Functions
 - via Network communication
 - Message-based
 - Connection-based



Enjoy!

- If you're not having fun, you're (probably) doing it wrong.

