

NCERT: Class XII

Pavan Kumar P - FWC22088

13.4.4 Find the probability distribution of

- (i) number of heads in two tosses of a coin.
- (ii) number of tails in the simultaneous tosses of three coins.
- (iii) number of heads in four tosses of a coin.

Solution:

(a) number of heads in two tosses of a coin.

Given, number of trials = $n = 2$

probability of getting head for one coin = $p = \frac{1}{2}$

probability of not getting a head = $q = 1 - p = \frac{1}{2}$

let X represent the number of heads in two tosses of a coin

\therefore the values of $X = \{0, 1, 2\}$

by using binomial distribution

$$P(X) = {}^nC_X p^X q^{n-X} \quad (13.4.1.1)$$

X	0	1	2
$P(X)$	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{1}{4}$

Table 13.4.1.1: Probability Distribution of X

(b) number of tails in the simultaneous tosses of three coins.

Given, number of trials = $n = 3$

probability of getting tail for one coin = $p = \frac{1}{2}$

probability of not getting tail = $q = 1 - p = \frac{1}{2}$

let X represents the number of tails in simultaneous tosses of three coins \therefore the values of $X = \{0, 1, 2, 3\}$

by using binomial distribution

$$P(X) = {}^nC_X p^X q^{n-X} \quad (13.4.2.2)$$

X	0	1	2	3
$P(X)$	$\frac{1}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{8}$

Table 13.4.2.2: Probability Distribution of X

(c) **number of heads in four tosses of a coin.**

given, number of trials $n = 4$

probability of getting a head for one coin = $p = \frac{1}{2}$

probability of not getting a head = $q = 1 - p = \frac{1}{2}$

let X represents the number of tails in simultaneous tosses of three coins

\therefore the values of $X = \{0, 1, 2, 3, 4\}$

by using binomial distribution

$$P(X) = {}^nC_X p^X q^{n-X} \quad (13.4.3.3)$$

X	0	1	2	3	4
$P(X)$	$\frac{1}{16}$	$\frac{4}{16}$	$\frac{6}{16}$	$\frac{4}{16}$	$\frac{1}{16}$

Table 13.4.3.3: Probability Distribution of X