
## 1 | Exercises

## 1.1 | interpreting in terms of area



## 1.3 | subtracting integrals

I expect

$$\int_{1}^{2} f(x)dx = \int_{1}^{5} f(x)dx - \int_{2}^{5} f(x)dx = -3 - 4 = -7$$

In fact, I expect

$$\int_{a}^{b} f(x)dx + \int_{b}^{c} f(x)dx = \int_{a}^{c} f(x)dx$$

1.4 | show 
$$\int_a^b x^2 dx = \frac{b^3 - a^3}{3}$$

(see attached pages)

Exr0n · 2020-2021 Page 1 of 2

Keep in mind

$$\sum_{k=1}^{n} af(x) = a \sum_{k=1}^{n} f(x)$$

$$\sum_{k=1}^{n} (a+f(x)) = an + \sum_{k=1}^{n} f(x)$$

$$\int_{a}^{b} x^{2} dx = \lim_{n \to \infty} \sum_{k=1}^{n} \left( \frac{b-a}{n} \left( a + k \frac{b-a}{n} \right)^{2} \right)$$

$$= \lim_{n \to \infty} \frac{b-a}{n} \sum_{k=1}^{n} \left( a + k \frac{b-a}{n} \right)^{2}$$

$$= \lim_{n \to \infty} \frac{b-a}{n} \sum_{k=1}^{n} \left( a^{2} + \left( k \frac{b-a}{n} \right)^{2} + 2ak \frac{b-a}{n} \right)$$

$$= \lim_{n \to \infty} \frac{b-a}{n} \sum_{k=1}^{n} a^{2} + \sum_{k=1}^{n} \left( k \frac{b-a}{n} \right)^{2} + \sum_{k=1}^{n} 2ak \frac{b-a}{n}$$

$$= \lim_{n \to \infty} \frac{b-a}{n} \left( a^{2}n + \sum_{k=1}^{n} k^{2} \left( \frac{b-a}{n} \right)^{2} + 2a \frac{b-a}{n} \sum_{k=1}^{n} k \right)$$

$$= \lim_{n \to \infty} \frac{b-a}{n} \left( a^{2}n + n \left( \frac{b-a}{n} \right)^{2} \sum_{k=1}^{n} k^{2} + 2a \frac{b-a}{n} \sum_{k=1}^{n} k \right)$$

Exr0n · 2020-2021 Page 2 of 2