Source:

1 | lamar chain rule

1.1 | 4

$$\frac{\partial}{\partial w}\sqrt{w^3 + 8w^2} = \frac{\left(3w^2 + 16w\right)}{2\sqrt{w^3 + 8w^2}}$$

1.2 | 8

$$\frac{\partial}{\partial x}\tan\left(1 - 2e^x\right) = -2e^x\sec^2\left(1 - 2e^x\right)$$

1.3 | 9

$$\frac{\partial}{\partial z}\cos\left(\sin\left(z\right) + z^2\right) = -\sin\left(\sin x + x^2\right)\left(\cos x + 2x\right)$$

1.4 | 13

$$\frac{\partial}{\partial z}e^{12z-z^6} = e^{12z-z^6} (12 - 6z^5)$$

1.5 | 42

$$\frac{\partial}{\partial v} \sqrt{\frac{e^v}{7+2v}} = \frac{1}{2\sqrt{\frac{e^v}{7+2v}}} \frac{(7+2v)e^v - 2e^v}{(7+2v)^2} = \frac{(5+2v)e^v}{2(7+2v)^2\sqrt{\frac{e^v}{7+2v}}}$$

1.6 | 43

$$\frac{\partial}{\partial x}\sqrt{x^2 + \sqrt{1+4x}} = \frac{1}{2\sqrt{x^2 + \sqrt{1+4x}}} \left(2x + \frac{4}{2\sqrt{1+4x}}\right) = \frac{x + \frac{1}{\sqrt{1+4x}}}{\sqrt{x^2 + \sqrt{1+4x}}}$$