Source: KBhBIO101Viruses

# 1 | Virus Infections and Lifecycle

# 1.1 | Viral Life Cycle, an Overview

- 1. Attachment => protein contact between virus and host
- 2. Viral entry/Uncoating => shedding the protein layer
- 3. **Biosynthesis** => make baby viruses
  - 1. Genome Replication: transcribe DNA/RNA
  - 2. Genome Expression: read DNA/RNA to make proteins
- 4. Viral genome integration => retrovirus only
- 5. Assembly => put it all togethr
- 6. Viral Exit => mature virons leave

### Viral Entry Option 1: Direct Injection/insertion

- · Insert genome through the bi-layer
- · Leave the rest behind
- Tada!

### Option 2: Endocytosis

- Trick the host cell into introducing the virus as food
- Endocytosis!
- Bam

#### Option 3: Fusion

- · Virus fuse with cell membrane
- · Shed the protein coat once in
- Shazam!

#### All of these involve attachment first, which usually takes two steps.

This process causes the organism-specific response to viruses:

- 1. Attachment: adhere roughly to random sugar proteins
- 2. Binding: roll over slowly, and bind to the entry receptor it needs

# Uncoating

- · Virus triggers early endosome
  - Causes pH dependent protein denaturation
  - Causing the capsid to fall apart
  - Triggering late endosome => releasing genome

### Viral Replication Key questions:

- How are viral mRNAs produced from the viral genome? => virus will hijack the ribosomes in the host cells. So, it is more important to ask how the mRNAs are produced to tell ribosomes what to do
- What serves as the template for viral genome replication => replication will need a polymeraese; but the source and mechanism is dependent on viral genome structure/composition




Figure 1: Screen Shot 2020-10-12 at 11.04.53 PM.png

#### **DNA Viruses**

How are viral mRNAs produced from the viral genome?

- Viral DNA enters, through RNA polymerase II in the host cell, mRNA is produced
- mRNAs then read by ribosomes, and there we go

What serves as the templates for viral genome replication?

- Viral DNA serves as template for host cell DNA polymerase
- · Viral genome copied repeatedly
- Virus, then, will be replicated within the nucleus due to it needing the polymerase to copy DNA

Except! Poxvirade carry their own polymerase, so they replicate in the cytoplasm.




Figure 2: Screen Shot 2020-10-12 at 11.09.46 PM.png

### **RNA Viruses**

How are viral mRNAs produced from the viral genome?

Packaging Does not require ATP. Just sealed in.

### Viral Exis Lysis

Replicate so much that the membrane burst.

## **Budding**

Trigger...

- · Trigger extocytosis
- Meanwhile, send virus's own spikes to the membrane
- · On exit by extocytosis, steal a part of the newly-spikey membrane with it to serve as new casing