

#flo #ref #ret #incomplete

1 | Final Exploration

Note: I did a dive into trying to label the axes of a word vector space, and I also tried to do some stuff with summarization models, but neither of those projects worked out within the time frame. Delegated to summer they go. Instead, here are my notes on

1.1 | Neuromorphic Computing!

Cool talk

- Talks about autonomous drone racing
 - only possible recently due to tech limitations
 - Bird brain vs Drone “brain”
 - Parrot
 - 50mW, 2.2G
 - Can learn words
 - Can nav new environments at 35km/h
 - Can learn to manipulate cups for drinking
 - Drone
 - 18000 mW, 40g
 - Pre trained flying at walking pace
 - Can’t learn anything online
 - Main idea is the birds adaptability
 - Can learn to “really understand what a cup can be useful for” despite it not being in its evolutionary past
 - way beyond current autonomous drones
 - We have a lot to learn from nature!
- Deep learning is very power hungry
 - increasingly so – grew by 300,000x in the last 6 years
 - not on a trajectory to close the gap with the parrot!
- Deep learning has slow generalization
 - Training currently is mostly offline and batched
 - example of a child looking at a few pictures of a cat: they can now easily tell what is a cat, and can even recognize cartoons of a cat.
- looking to the brain!
 - they implemented neural networks with temporal states in each neuron
 - with some course of evolution
 - current tools break down on these new models
 - aren’t differentiable, can’t do stochastic descent, ect.
- motivates a different type of computing?
 - memory elements is embedded in the synaptic neurons

- redefines what is efficient
 - conventional is forced into vectorized approach
 - their new chip doesn't have floating point numbers, multiply accumulators, or off-chip DRAM
 - but they can do all this amazing stuff
 - highlights that they are genuinely operating in a totally different paradigm
 - results!
 - sensing domain
 - in spiking event based paradigm
 - IO no longer a bottleneck
 - can natively send event from sensor to chip, can do gesture reg with just 15mW for both the camera and chip combined
 - early new live learning
 - doing new things with touch
 - and created odor recognition...?
 - 3000x more efficient than deep autoencoder
 - robotics and drone space
 - adaptive robotic arms that can learn real world forces like friction and remap itself
 - iCub scene understanding
 - can use visual cues to and live learning for directionality
 - event based camera input for horizon tracking with crazy specs
 - super small 35 neuron network to achieve smooth MAV landings
 - like some kind of insect brain
 - abstract
 - graph search can use inherent parallelism to be over 100x faster
 - with "temporally propagated wavefronts"
 - much better and faster similarity search
 - can easily model heat diffusion
 - combinatorial optimization 40x faster, 2000x lower energy
 - like real world train scheduling problems
 - can map problem space onto energy and time gain for their new neuromorphic techniques
- Screen Shot 2021-06-11 at 3.48.43 PM.png
- gains mostly in RNNs instead of feed forward
 - like the brain
 -