SQA Assignment 1 – Spring 2016

Due: Monday, February 29, 2016 (beginning of class)

Problem Descriptions:

The purpose of this assignment is to reinforce the material on program graphs from lecture.

For each of the four problems below:

- (15 pts) 1. Draw the program graph. You must use line numbers to label all nodes in the graph. Do not use the statements or statement fragments themselves as nodes labels.
- (5 pts) 2. Compute the cyclomatic number using each of the three methods discussed in class and shown below. Show your work.

```
# conditions + 1
|E| - |V| + 2
# Regions + 1
```

(5 pts) 3. Calculate the P* using the given conditions under each problem. Show your work.

Problem 1:

```
void Q1(){
2.
         S1();
         if (C1 || (C2 || C3)){
3.
             S2();
4.
             for ( int i = 0; C4; i++ ) {
5.
                 if(C5){
6.
7.
                      S3();
                 }
8.
                 else {
9.
10.
                      S4();
                 }
11.
                 S5();
12.
             }
13.
14.
             S6();
15.
         }
         else {
16.
             if ( C6 | | C7 ) {
17.
18.
                 S7();
19.
             }
             else {
20.
                 S8();
21.
22.
             }
23.
             S9();
24.
         }
         S10();
25.
26.}
```

For P*, suppose the *for* loop (Line 5) is executed exactly 5 times.

Problem 2:

```
1. void Q2() {
2.
       S1();
       if ( C1 ) {
3.
4.
         do{
           if ( C2 | | C3 ) {
5.
6.
             S2();
7.
            }
8.
            S3();
         }while (C4)
9.
10.
11.
      else{
12.
         if(C5) {
13.
            S4();
14.
         }
         else {
15.
           if(C6){
16.
17.
              S5();
18.
            }
         }
19.
20.
       }
      S6();
21.
22. }
```

For P*, suppose the *do* loop (Line 4) is executed exactly 3 times.

Problem 3:

```
1. void Q3() {
2.
        S1();
        for ( int i = 0; C1; i++ ) {
3.
4.
             S2();
             if ( C2 ) {
5.
                 S3();
6.
7.
             }
             else{
8.
                 S4();
9.
             }
10.
11.
        }
        if ( C3 ) {
12.
             S5();
13.
14.
        }
        else{
15.
16.
             if (C4) {
17.
                 S6();
18.
             }
             else{
19.
                 S7();
20.
            }
21
22.
         }
         S8();
23.
24. }
```

For P*, suppose the *for* loop (Line 3) is executed exactly 10 times.

Problem 4:

```
1. void Q4 () {
        S1();
2.
        if ( C1 || C2) {
3.
4.
             while ( C3 ) {
                 If (C4) {
5.
6.
                      S2();
                 }
7.
                 S3();
8.
             }
9.
10.
             S4();
11.
        }
        else{
12.
            S5();
13.
            while (C5) {
14.
15.
                 S6();
16.
            }
        }
17.
        S7();
18.
19. }
```

For P*, suppose the *while* loop (Line 4) is executed exactly 5 times, and the *while* loop (Line 14) is executed 1, 2, or 3 times.