

# Preliminary Title

Preliminary Description

Group Number: 107

Joar Heimonen, Christian Vu, Naly Keli

`contact@joar.me`

`chvu002@student.kristiania.no`

`nake002@student.kristiania.no`

March 29, 2025

## Abstract

Preliminary Abstract

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>Lightside Instruments AS</b>	<b>3</b>
<b>3</b>	<b>Technical background</b>	<b>3</b>
3.1	NETCONF and YANG . . . . .	3
3.2	Node-RED . . . . .	4
3.3	Grafana . . . . .	4
<b>4</b>	<b>Work methodology</b>	<b>4</b>
4.1	Research Question . . . . .	4
4.2	Scoping Review . . . . .	4
4.2.1	Search strategy . . . . .	4
4.2.2	Inclusion and Exclusion Criteria . . . . .	6
4.2.3	PRISMA flow diagram . . . . .	6
4.3	Scrum . . . . .	8
4.4	Kanban . . . . .	8
4.5	Waterfall . . . . .	8
4.6	Extreme Programming . . . . .	8
4.7	DevOps . . . . .	8
<b>5</b>	<b>NETCONF and YANG sensor management</b>	<b>8</b>
5.1	Node-RED . . . . .	8
5.1.1	node-yuma123 . . . . .	8
5.1.1.1	easyNetconf . . . . .	8
5.2	Grafana . . . . .	8
<b>6</b>	<b>NETCONF Security</b>	<b>8</b>
	<b>References</b>	<b>9</b>

# 1 Introduction

There are many paradigms of commercial sensor management and monitoring. Organizations can use anything from PLC (programmable Logic Controllers) to IoT devices to manage and monitor their sensors. For commercial use some of these alternatives are more popular than others. There are also a large amount of different higher level protocols like MQTT, HTTP and SNMP that can be used to manage and monitor sensors. We propose using the NETCONF protocol with YANG sensor models for management. This work will be done in collaboration with Lightside Instruments AS.

This document will cover the following three topics:

- **Work methodology:** An indept analysis of the knowledge base around work methods like Scrum, Kanban, and Waterfall. With a focus on how our work methodology differs from these.
- **NETCONF and YANG sensor management:** A qualitative analysis of the NETCONF and YANG protocols and how they can be used to manage sensors.
- **NETCONF Security:** A qualitative analysis of the security aspects of the NETCONF protocol.

**Writer's note:**  
*unprecise, replace: "can use anything from..." and all other vague statements.*

## 2 Lightside Instruments AS

Lightside Instruments is a company specializing in developing instruments with model based network management for use in networking, network interconnect testing and telemetry. They design their instruments with YANG (RFC7950) models and NETCONF (RFC6241) [4] protocol. The instruments are based on IETF standards and drafts, and are implemented with software tools available in Debian, programmable logic and open hardware [9].

## 3 Technical background

### 3.1 NETCONF and YANG

NETCONF [4] is a model based Network Configuration Protocol. Each NETCONF device presents the aquiring device with a YANG [3] data model con-

sisting of the device state and parameters. Each data model has a set of constraints making them error correcting.

### **3.2 Node-RED**

Node-RED [10] is an open source low code programming tool for event driven applications. It is developed by IBM and is based on Node.js [11]. Node-RED is used to connect hardware devices and APIs through a visual programming interface.

### **3.3 Grafana**

Grafana [6] is an open source data visualization tool. It is used to visualize arbitrary data from different data sources.

## **4 Work methodology**

### **4.1 Research Question**

This meta study examines the claims that Scrum, Kanban, Waterfall, Extreme Programming and DevOps increases worker productivity substantiated by empirical evidence.

### **4.2 Scoping Review**

#### **4.2.1 Search strategy**

The following is our search strategy for the scoping review. We will be searching for quantitative studies on the efficiency of the following work methodologies:

- Scrum
- Kanban
- Waterfall
- Extreme Programming
- DevOps

We will be searching the following databases:

- IEEE Xplore [8]
- ACM Digital Library [1]
- Google Scholar [5] (Meta database)

We will also be searching the following industry websites:

- Agile Alliance [2]
- Scrum.org [7]
- DevOps Institute [12]
- Scrum Alliance [14]

Our search will consist of a set of primary and secondary keywords. The primary keywords are:

- Scrum
- Kanban
- Waterfall
- Extreme Programming
- DevOps

The secondary keywords are:

- Effectiveness
- Efficiency
- Productivity
- Performance
- Success
- Failure

The search will be done using the following search string:

(Scrum OR Kanban OR Waterfall OR "Extreme Programming" OR DevOps)  
AND  
(Effectiveness OR Efficiency OR Productivity OR Performance OR Success OR Failure)

**Writer's  
note:**  
*This  
section be-  
comes a bit  
monotone,  
consider  
fewer lists.*

#### 4.2.2 Inclusion and Exclusion Criteria

The systematic review will include articles meeting the following criteria:

- Published after January 1, 2020
- Published in English
- Relevant to the research question
- Empirical evidence
- Quantitative studies
- On of the 20 first results from each database
- Evaluating the effectiveness of the following methodologies:
  - Scrum
  - Kanban
  - Waterfall
  - Extreme Programming
  - DevOps

#### 4.2.3 PRISMA flow diagram

*Figure 1* shows the PRISMA [13] flow diagram for the scoping review. The PRISMA flow diagram is a standardized way of reporting the results of a scoping review.




Figure 1: PRISMA flow diagram for systematic review of software development methodologies

**4.3 Scrum**

**4.4 Kanban**

**4.5 Waterfall**

**4.6 Extreme Programming**

**4.7 DevOps**

## **5 NETCONF and YANG sensor management**

**5.1 Node-RED**

**5.1.1 node-yuma123**

**5.1.1.1 easyNetconf**

**5.2 Grafana**

## **6 NETCONF Security**



## References

- [1] *ACM Digital Library*. <https://dl.acm.org/>. (Visited on 03/28/2025).
- [2] *Agile Alliance*. <https://www.agilealliance.org/>. June 2015. (Visited on 03/28/2025).
- [3] Martin Björklund. *The YANG 1.1 Data Modeling Language*. Request for Comments RFC 7950. Internet Engineering Task Force, Aug. 2016. DOI: [10.17487/RFC7950](https://doi.org/10.17487/RFC7950). (Visited on 01/12/2025).
- [4] Rob Enns et al. *Network Configuration Protocol (NETCONF)*. Request for Comments RFC 6241. Internet Engineering Task Force, June 2011. DOI: [10.17487/RFC6241](https://doi.org/10.17487/RFC6241). (Visited on 01/12/2025).
- [5] *Google Scholar*. <https://scholar.google.com/>. (Visited on 03/28/2025).
- [6] *Grafana: The Open and Composable Observability Platform*. <https://grafana.com/>. (Visited on 01/20/2025).
- [7] *Home — Scrum.Org*. <https://www.scrum.org/index>. (Visited on 03/28/2025).
- [8] *IEEE Xplore*. <https://ieeexplore.ieee.org/Xplore/home.jsp>. (Visited on 03/28/2025).
- [9] *Lightside Instruments AS – YANG Model Network Managed Instruments*. (Visited on 01/20/2025).
- [10] *Low-Code Programming for Event-Driven Applications : Node-RED*. <https://nodered.org/>. (Visited on 03/29/2025).
- [11] *Node.Js — Run JavaScript Everywhere*. <https://nodejs.org/en>. (Visited on 03/29/2025).
- [12] *Organisations-*. <https://www.peoplecert.org/Organisations>. (Visited on 03/28/2025).
- [13] *PRISMA Statement*. <https://www.prisma-statement.org>. (Visited on 03/28/2025).
- [14] *Scrum Alliance - Find Courses for Scrum and Agile Certifications*. <https://www.scrumalliance.org>. (Visited on 03/28/2025).

© 2025 Joar Heimonen, Christian Vu, Naly Keli  
This work is licensed under a [Creative Commons Attribution-Sharealike 4.0 International License](#).