#### eistoolbox manual v0.1

written by Juan J. Montero-Rodriguez

# **Contents**

1	Introduction	2
	1.1 Current capabilities	2
	1.2 Planned updates	2
2	Using the eistoolbox	3
	Using the eistoolbox 2.1 Quick start guide	3
3		
	Algorithms         3.1 fminsearchbnd	5
4	Statistics	6
	4.1 Linear regressions	6
	4.2 Chi-square goodness of fit	
	4.3 Error estimates for individual parameters	
5	Licenses for included software	7
	5.1. Zfit	7

## Introduction

**eistoolbox** is a toolbox for MATLAB® used for batch fitting Electrochemical Impedance Spectroscopy (EIS) data to equivalent circuits.

Presently it is alpha software, and it will evolve over time.

### 1.1 Current capabilities

It can accept any number of input files, both in CSV and Gamry DTA formats.

The CSV files should contain three columns with the impedance data, in the order: FREQ,REAL,IMAG. The imaginary part can be positive or negative; the absolute value is taken inside the program before plotting. The fitting algorithm uses the "fminsearch" function, implemented using the Zfit library from Jean-Luc Dellis. It accepts any type of circuit model, built with serial and parallel elements, in the Zfit circuit string format. The currently implemented elements are: resistors, capacitors, inductors and constant-phase elements (CPE). The Warburg element can be implemented by using a CPE and setting the second parameter to 1/2.


### 1.2 Planned updates


In the future it will accept Levenberg-Marquard, Nelder-Mead, BFGS and Powell algorithms. It will also include the error percentages of every fitting parameter, as well as the Pearson coefficient and correlation plot of the fitting results.

# Using the eistoolbox

### 2.1 Quick start guide

- 1. Add files using the "Add file..." button
- 2. Write the circuit string and fitting parameters (circuit string formatting)
- 3. Click the "Fit" button
- 4. Save the results using the "Save..." button





# **Algorithms**

### 3.1 fminsearchbnd

Currently it supports only the fminsearchbnd function from Zfit.m

# **Statistics**

The program computes the following statistical parameters:

### 4.1 Linear regressions

Real of fitted vs Real of measured Imag of fitted vs Imag of measured MAG of fitted vs MAG of measured

### 4.2 Chi-square goodness of fit

$$\chi^2 = \sum_{i}^{n} \frac{(Observed_i - Expected_i)^2}{Expected_i}$$

Observed= fitted data Expected= measured data

### 4.3 Error estimates for individual parameters

ToDo

## Licenses for included software

#### **5.1** Zfit

The original file was released in 2005 and it is available here:

https://de.mathworks.com/matlabcentral/fileexchange/19460-zfit

Copyright (c) 2005, Jean-Luc Dellis All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.