

---

# ME 190 Lab 1- MatLab Refresher and Data Handling

## Table of Contents

Summary .....	1
Exercise 1 - Matrix Generation and Manipulation .....	1
Exercise 2 - Simple Indexing .....	2
Exercise 3 - Multiplication Table .....	4
Part A - Times Table .....	4
Part - B .....	5
Part - C .....	7
Problem 4 .....	11
Problem 5 .....	12

Justin Garcia 9/2/2016 Lab Section 4

## Summary

In this lab my partner and I learned to use the basic functions of MatLab to create vectors and matrices and manipulate their contents. We also used the linspace and logspace commands to create large vectors with regular spacing. This lab was also an opportunity to learn how to create basic scripts and generating a lab report using the publish feature. My partner and I also learned how to read in data from Microsoft Excel and how to plot data and create graphs that overlapped and had different line representations. In order to accomplish the tasks, we used the handouts that were referred to in the lab manual as well as the resources provided by MatLab online to correctly enter commands into the console. I am happy with the instruction provided by this lab and learned how to use the basic elements of MatLab. The power of the software makes me want to learn more.

%-----

## Exercise 1 - Matrix Generation and Manipulation

```
B = 5:13
C = 13:-1:5
D = B.*C
E = [B(1:3),C(4:6),D(7:9)]
F = [B(1:3);C(4:6);D(7:9)]
G = [linspace(10,100,10);logspace(1,2,10)]
```

%-----

B =

5      6      7      8      9      10      11      12      13

*C* =

13	12	11	10	9	8	7	6	5
----	----	----	----	---	---	---	---	---

*D* =

65	72	77	80	81	80	77	72	65
----	----	----	----	----	----	----	----	----

*E* =

5	6	7	10	9	8	77	72	65
---	---	---	----	---	---	----	----	----

*F* =

5	6	7
10	9	8
77	72	65

*G* =

*Columns 1 through 7*

10.0000	20.0000	30.0000	40.0000	50.0000	60.0000	70.0000
10.0000	12.9155	16.6810	21.5443	27.8256	35.9381	46.4159

*Columns 8 through 10*

80.0000	90.0000	100.0000
59.9484	77.4264	100.0000

## Exercise 2 - Simple Indexing

```
x = -100:100;  
y = x.^3 + 60*x.^2 -50;  
  
miny = min(y)  
maxy = max(y)  
  
negmaxy = max(y(y<0))  
posminy = min(y(y>0))  
  
indexnegmaxy = find(y== -50)  
indexposminy = find(y == 9)  
  
firstindexpos = find(y > 0,1)  
firstposy = y(42)
```

```
yzero2thousand = find(y>0 & y<1000)
valyzero2thousand = y(yzero2thousand)
%-----

miny =

    -400050

maxy =

    1599950

negmaxy =

    -50

posminy =

     9

indexnegmaxy =

     41     101

indexposminy =

    100

firstindexpos =

     42

firstposy =

    3431

yzero2thousand =

     97     98     99    100    102    103    104    105

valyzero2thousand =

    846    463    182     9    11    198    517    974
```

## Exercise 3 - Multiplication Table

### Part A - Times Table

```
table size

row=5
col=5

x2 = 1:col
y2 = (1:row)'
z = y2*x2

% generate table and output
table = z

zmiddle = z(2:end-1,2:end-1)
zvector = zmiddle(:)
zsum = sum(zvector)

row =

    5

col =

    5

x2 =

    1    2    3    4    5

y2 =

    1
    2
    3
    4
    5

z =

    1    2    3    4    5
    2    4    6    8   10
    3    6    9   12   15
    4    8   12   16   20
```

5      10      15      20      25

*table* =

1	2	3	4	5
2	4	6	8	10
3	6	9	12	15
4	8	12	16	20
5	10	15	20	25

*zmiddle* =

4	6	8
6	9	12
8	12	16

*zvector* =

4  
6  
8  
6  
9  
12  
8  
12  
16

*zsum* =

81

## Part - B

row2 = 6  
col2 = 7

x3 = 1:col2  
y3 = (1:row2)'  
z2 = y3\*x3

table67 = z2  
zmiddle2 = z2(2:end-1,2:end-1)  
zvector67 = zmiddle2(:)  
zsum67 = sum(zvector67)

row2 =

6

*col2* =

7

*x3* =

1      2      3      4      5      6      7

*y3* =

1  
2  
3  
4  
5  
6

*z2* =

1	2	3	4	5	6	7
2	4	6	8	10	12	14
3	6	9	12	15	18	21
4	8	12	16	20	24	28
5	10	15	20	25	30	35
6	12	18	24	30	36	42

*table67* =

1	2	3	4	5	6	7
2	4	6	8	10	12	14
3	6	9	12	15	18	21
4	8	12	16	20	24	28
5	10	15	20	25	30	35
6	12	18	24	30	36	42

*zmiddle2* =

4	6	8	10	12
6	9	12	15	18
8	12	16	20	24
10	15	20	25	30

*zvector67* =

4  
6  
8  
10  
6  
9  
12  
15  
8  
12  
16  
20  
10  
15  
20  
25  
12  
18  
24  
30

zsum67 =

280

## Part - C

```
row3 = 10  
col3 = 10
```

```
x4 = 1:col3  
y4 = (1:row3)'  
z3 = y4*x4
```

```
table10 = z3  
vector10x10 = table10(:)  
vector10x10 = find(vector10x10 > 20 & vector10x10 < 70)  
size(vector10x10)  
%-----
```

row3 =

10

col3 =

10

*x4* =

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

*y4* =

1  
2  
3  
4  
5  
6  
7  
8  
9  
10

*z3* =

1	2	3	4	5	6	7	8	9	10
2	4	6	8	10	12	14	16	18	20
3	6	9	12	15	18	21	24	27	30
4	8	12	16	20	24	28	32	36	40
5	10	15	20	25	30	35	40	45	50
6	12	18	24	30	36	42	48	54	60
7	14	21	28	35	42	49	56	63	70
8	16	24	32	40	48	56	64	72	80
9	18	27	36	45	54	63	72	81	90
10	20	30	40	50	60	70	80	90	100

*table10* =

1	2	3	4	5	6	7	8	9	10
2	4	6	8	10	12	14	16	18	20
3	6	9	12	15	18	21	24	27	30
4	8	12	16	20	24	28	32	36	40
5	10	15	20	25	30	35	40	45	50
6	12	18	24	30	36	42	48	54	60
7	14	21	28	35	42	49	56	63	70
8	16	24	32	40	48	56	64	72	80
9	18	27	36	45	54	63	72	81	90
10	20	30	40	50	60	70	80	90	100

*vector10x10* =

1  
2  
3  
4  
5



6  
7  
8  
9  
10  
2  
4  
6  
8  
10  
12  
14  
16  
18  
20  
3  
6  
9  
12  
15  
18  
21  
24  
27  
30  
4  
8  
12  
16  
20  
24  
28  
32  
36  
40  
5  
10  
15  
20  
25  
30  
35  
40  
45  
50  
6  
12  
18  
24  
30  
36  
42  
48  
54

60  
7  
14  
21  
28  
35  
42  
49  
56  
63  
70  
8  
16  
24  
32  
40  
48  
56  
64  
72  
80  
9  
18  
27  
36  
45  
54  
63  
72  
81  
90  
10  
20  
30  
40  
50  
60  
70  
80  
90  
100

`vector10x10 =`

27  
28  
29  
30  
36  
37  
38  
39  
40

45  
46  
47  
48  
49  
50  
54  
55  
56  
57  
58  
59  
60  
63  
64  
65  
66  
67  
68  
69  
73  
74  
75  
76  
77  
78  
83  
84  
85  
86  
87  
93  
94  
95  
96


*ans* =

44      1

## Problem 4

```
A = xlsread('Lab1Excel.xlsx');  
  
figure(1);  
ax1 = subplot(2,1,1);  
sin = plot(A(:,1),A(:,2),'b','LineWidth',2);  
hold on;  
cos = plot(A(:,1),A(:,3),'--r','LineWidth',2);  
title('Sine and Cosine');  
xlabel('x values');
```

```
ylabel('y values');  
ax2 = subplot(2,1,2);  
exp = plot(A(:,1),A(:,4),'og','LineWidth',2);  
axis(ax2,[0 2 0 10]);  
title('Exponential');  
xlabel('x values');  
ylabel('y values');  
%
```



## Problem 5

```
A = xlsread('Lab1Excel.xlsx');  
figure(2);  
sin2 = plot(A(:,1),A(:,2),'b','LineWidth',2);  
axis(sin2, [0 10 -1 1]);  
% 6th order polynomial is the lowest polynomial order that provides a  
% reasonable fit
```

Error using message

In 'MATLAB:axis:UnknownOption', data type supplied is incorrect for parameter {1}.

Error in axis (line 204)

error(message('MATLAB:axis:UnknownOption', cur\_arg));

Error in lab\_1 (line 122)

```
axis(sin2, [0 10 -1 1]);
```

*Published with MATLAB® R2016a*