## **Cost Sheet**

| S.No | Item<br>Description                       | Dia     | Length | Width | Thickness | Qty/bty | Units of Purchase | Density | Area | Volume | Weight/<br>SFT | Rate per unit of Purchase | Cost  |
|------|---|---------|--------|-------|-----------|---------|-------------------|---------|------|--------|----------------|---------------------------|-------|
| 1    | 1 LID                                     |         |        |       |           |         |                   |         |      |        |                |                           |       |
| 1.1  | Lid Blank                                 |         |        |       |           | 1       |                   |         |      |        |                |                           |       |
| 1.2  | Deliver Pin                               |         |        |       |           | 4       |                   |         |      |        |                |                           |       |
| 1.3  | Glass to<br>Metal Seal                    |         |        |       |           |         |                   |         |      |        |                |                           |       |
| 2    | 2 LID ASSEMBLY-A                          |         |        |       |           |         |                   |         |      |        |                |                           |       |
| 2.1  | Lid                                       |         |        |       |           | 1       | NO's              |         |      |        |                | 12.00                     | 12    |
| 2.2  | Tie wire                                  |         | 100.0  | 6     | 0.15      | 3       | gms               | 9       | 8.16 | 0.12   | 0.00324        | 45.00                     | 0.15  |
| 2.3  | Glass<br>Textolyte Disc<br>(Pin Isolater) |         |        |       |           | 1       | NO's              |         |      |        |                | 32.00                     | 32    |
| 2.4  | Pin<br>Connectors                         |         |        |       |           | 2       | NO's              |         |      |        |                | 24.00                     | 48    |
| 2.5  | Lead for<br>Anode                         |         | 100.0  | 6     | 0.15      | 3       | gms               | 9       | 8.16 | 0.1224 | 0.003305       | 4242.00                   | 14.02 |
| 2.6  | Lead for<br>Cathode                       |         | 100.0  | 6     | 0.15      | 2       | gms               | 9       | 8.16 | 0.1224 | 0.002203       | 4232.00                   | 9.32  |
| 3    | SQUIB AS                                  | SSEMBLY |        |       |           |         |                   |         |      |        |                |                           |       |

| 3.1 | Squib<br>Terminals                                   |    | 50 | 6        | 0.15 | 2    | gms  | 9    | 4.16 | 0.0624   | 0.001123 | 24352.00 | 27.35    |
|-----|--|----|----|----------|------|------|------|------|------|----------|----------|----------|----------|
| 3.2 | Squib  |    |    |          |      | 1    | NO's |      |      |          |          | 45.00    | 45.0     |
| 3.4 | FX-70 disc   | 28 |    |          | 1.6  | 3    | SFT  |      | 900  |          | 0.00963  | 2442.00  | 23.5165  |
| 3.5 | Glass<br>Textolyte<br>Disc-A(Top)                    |    |    |          |      | 1    | NO's |      |      |          |          | 22243.00 | 22243    |
| 3.6 | Glass Textolite Disc-A (Bottom)                      |    |    |          |      | 1    | NO's |      |      |          |          | 44223.00 | 44223    |
| 3.7 | Silicon Bonded<br>Mica Disc                          | 28 |    |          | 1    | 13   | NO's | 2.15 | 9.0  | 0.9      | 0.025155 | 24424.00 | 614      |
| 4   | 4 TOP ASSEMBLY                                       |    |    | <u>I</u> |      |      |      |      |      | <u>!</u> |          | !        |          |
| 4.1 | Mica Disc  |    |    |          |      | 1    | NO's |      |      |          |          | 24424.00 | 24424    |
| 4.2 | HEAT<br>PELLET-2                                     | 28 |    |          | 0.63 | 6    | gms  | 4.00 | 6.15 | 0.39     | 9.24     |          |          |
| 4.3 | Fiberfrox<br>Disc                                    | 28 |    |          | 1.6  | 7    | SFT  |      | 900  |          | 0.00963  | 42422.00 | 408.5239 |
| 4.4 | S.S Disc<br>(0.8mm)                                  |    |    |          |      | 1    | NO's |      |      |          |          | 444.00   | 444      |
| 5   | CELL ASSEMBLY  |    |    |          |      |      |      |      |      |          |          | •        |          |
| 5.1 | Current collectors<br>S.S Disc<br>(0.05mm) - Anode   | 26 |    |          | 0.05 | 17.0 | gms  | 8    | 6.15 | 0.0308   | 0.004189 | 442.00   | 2        |
| 5.2 | Current collectors<br>S.S Disc<br>(0.05mm) - Cathode | 28 |    |          | 0.05 | 17.0 | gms  | 8    | 6.15 | 0.0308   | 0.004189 | 24.00    | 0        |

| 5.3 | Anode pellets                      | 26 |       |   | 10.56 | 17.0 | gms  |      | 5.31 | 5.6074 | 102.0   |           |          |
|-----|------------------------------------|----|-------|---|-------|------|------|------|------|--------|---------|-----------|----------|
| 5.4 | Cathode pellets                    | 28 |       |   | 10.59 | 17.0 | gms  |      | 6.15 | 6.51   | 311.1   |           |          |
| 5.5 | Electrolyte pellets                | 28 |       |   | 0.48  | 17.0 | gms  |      | 6.15 | 0.3    | 9.35    |           |          |
| 5.6 | Heatpellet -                       | 28 |       |   | 0.67  | 17.0 | gms  |      | 6.15 | 0.41   | 27.2    |           |          |
| 5.7 | Current<br>collectors for<br>Anode | 28 |       |   | 0.15  | 2    | gms  | 9    | 17.0 | 0.26   | 0.00468 | 434.00    | 2        |
| 5.8 | Current Collectors for Cathode     | 28 |       |   | 0.15  | 2    | gms  | 9    | 17.0 | 0.26   | 0.00468 | 43.00     | 0        |
| 6   | 6 BOTTOM ASSEMBLY                  |    |       |   |       |      |      |      |      |        |         |           |          |
| 6.1 | Mica Disc                          |    |       |   |       | 2    | NO's |      |      |        |         | 243.00    | 486      |
| 6.2 | HEAT<br>PELLET - 3                 | 28 |       |   | 0.59  | 5    | gms  | 0.58 | 6.15 | 0.36   | 7.05    |           |          |
| 6.3 | Fiberfrox<br>Disc                  | 28 |       |   | 1.6   | 6    | SFT  |      | 900  |        | 0.00963 | 4.00      | 0.0385   |
| 6.4 | S.S<br>Disc(0.8mm)                 |    |       |   |       | 1    | NO's |      |      |        |         | 24.00     | 4        |
| 6.5 | Brace Plate                        |    |       |   |       | 1    | NO's |      |      |        |         | 13.00     | 13       |
| 7   | 7 TIE WIRE CRIMPING                |    |       |   |       |      |      |      |      |        |         |           |          |
| 7.1 | Stack pyro<br>Wicks-02             |    | 100.0 | 6 | 0.15  | 4    | gms  |      | 8.16 | 0.12   | 0.00072 | 422222.00 | 303.9998 |

| 7.2          | Flexible<br>Samica Strips<br>for Tie wires |      | 100.0 | 6     | 0.15 | 6   | gms  | 1.5  | 8.16    | 0.12 | 0.00108  | 343.00   | 0       |
|--------------|--|------|-------|-------|------|-----|------|------|---------|------|----------|----------|---------|
| 7.3          | Mica Strips<br>for Tie wire                |      |       |       |      | 3   | NO's |      |         |      |          | 3443.00  | 10329   |
| 7.4          | Mica Strips<br>for Leads                   |      |       |       |      | 4   | NO's |      |         |      |          | 24.00    | 972     |
| 8 STACK WRAP |  |      |       |       |      |     |      |      |         |      |          |          |         |
| 8.1          | Fiberfrox strips<br>Stack Wrap             |      | 100.0 | 96.71 | 1.6  | 2   | SFT  |      | 19342.0 |      | 0.206959 | 64.00    | 13.2454 |
| 8.2          | Glass Cloth<br>Tape                        |      |       |       |      | 1   |      |      |         |      |          | 7567.00  | 7567    |
| 8.3          | Glass Cloth<br>Gum Tape                    |      |       |       |      | 1   |      |      |         |      |          | 45234.00 | 45234   |
| 8.4          | Flexible<br>Samica Wrap                    |      | 100.0 | 96.71 | 0.1  | 2   | gms  | 1.5  | 96.71   | 0.97 | 0.00291  | 54.00    | 0.1571  |
| 9            | CONTA                                      |      |       |       |      |     |      |      |         |      |          |          |         |
| 9.1          | Container                                  |      |       |       |      | 1   | NO's |      |         |      |          | 3554.00  | 3554    |
| 9.2          | Fiberfrox strip Container Insulation       |      | 100.0 | 96.71 | 1.6  | 2.0 | SFT  |      | 19342.0 |      | 0.206959 | 342.00   | 70.78   |
| 9.3          | Silicon Bonded<br>mica disc for<br>Housing | 38.0 |       |       | 1.0  | 9   | gms  | 2.15 | 16.0    | 1.6  | 0.03096  | 344.00   | 10.6502 |
| 9.4          | Fiberfrox<br>Disc                          | 28   |       |       | 1.6  | 8   | SFT  |      | 900     |      | 0.00963  | 3443.00  | 33.1561 |
| 9.5          | Battery Cap                                |      |       |       |      | 1   | NO's |      |         |      |          | 554.00   | 554     |

| 9.6 | Argon gas cylinders  |           |  | 0.2 | cum |  |          | 344.00    | 69          |
|-----|----------------------|-----------|--|-----|-----|--|----------|-----------|-------------|
| 9.7 | Helium gas cylinders |           |  | 0.1 | cum |  |          | 3454.00   | 345         |
|     |                      | Ratio (%) |  |     |     |  |          |           |             |
| 1   | 1 Anode Pellet       |           |  |     |     |  |          |           |             |
| а   | Lisi                 | 85        |  |     |     |  | 0.09537  | 55645.00  | 5306.86365  |
| b   | EB(80:20)            | 15        |  |     |     |  | 15.3     |           |             |
| С   | Licl                 | 45        |  |     |     |  | 0.006059 | 454.00    | 2.750786    |
| d   | KCI                  | 55        |  |     |     |  | 0.007405 | 4332.00   | 32.07846    |
| е   | Mgo                  | 20        |  |     |     |  | 0.003366 | 2344.00   | 7.889904    |
| 2   | Cathode pellet       |           |  |     |     |  |          |           |             |
| а   | Fes2                 | 73.5      |  |     |     |  | 0.251524 | 344.00    | 86.524256   |
| b   | Li2S                 | 1.5       |  |     |     |  | 0.005133 | 435454.00 | 2235.185382 |
| С   | EB(80:20)            | 25        |  |     |     |  | 77.775   |           |             |
| d   | Licl                 | 45        |  |     |     |  | 0.030799 | 3455.00   | 106.410545  |

| е | KCI       | 55     |  |  |  |  | 0.037643 | 344334.001 | 2961.76476 |
|---|-----------|--------|--|--|--|--|----------|------------|------------|
| f | Mgo       | 20     |  |  |  |  | 0.017111 | 43443.00   | 743.353173 |
| 3 | Elect     | rolyte |  |  |  |  |          |            |            |
| а | EB(60:40) |        |  |  |  |  |          |            |            |
| b | Licl      | 45     |  |  |  |  | 0.002777 | 434.00     | 1.205218   |
| С | KCI       | 55     |  |  |  |  | 0.003394 | 3455.00    | 11.72627   |
| d | Mgo       | 40     |  |  |  |  | 0.004114 | 4343.00    | 17.867102  |
| 4 | Heat      | pellet |  |  |  |  |          |            |            |
| а | Fe        | 87     |  |  |  |  | 0.0416   | 3434.00    | 142.8544   |
| b | Kclo4     | 13     |  |  |  |  | 0.006219 | 43443.00   | 270.172017 |
|   | Total     |        |  |  |  |  |          | 184057     | .553425    |
|   |           |        |  |  |  |  |          |            |            |

| Phases           | Total Value    |  |  |  |  |  |  |
|------------------|----------------|--|--|--|--|--|--|
|                  |                |  |  |  |  |  |  |
| Phase-1          | 414129.495206  |  |  |  |  |  |  |
| Phase-2          | 331303.596165  |  |  |  |  |  |  |
| Phase-3          | 220869.06411   |  |  |  |  |  |  |
| Phase-5          | 220869.06411   |  |  |  |  |  |  |
| Phase-8          | 331303.596165  |  |  |  |  |  |  |
| Total phase cost | 1518474.815756 |  |  |  |  |  |  |