

Qty/bty

Item

Description

Dia

Length

100.0

50

6

6

0.15

0.15

Width

Thickness

S.No

2.6

3

3.1

Lead for Cathode

Squib Terminals

SQUIB ASSEMBLY

Units of

Purchase

Density

9

9

8.16

4.16

0.1224

0.0624

0.002203

0.001123

4232.00

24352.00

9.32

27.35

Area

Weight/

SFT

Volume

Rate per unit of

Purchase

Cost

1	LID								
1.1	Lid Blank			1					
1.2	Deliver Pin			4					
1.3	Glass to Metal Seal								
2	LID ASSEMBLY-A								
2.1	Lid			1	NO's			12.00	12

2.1	Lid				1	NO's					12.00	12
2.2	Tie wire	100.0	6	0.15	3	gms	9	8.16	0.12	0.00324	45.00	0.15
2.3	Glass Textolyte Disc (Pin Isolater)				1	NO's					32.00	32

Glass Textolyte Disc (Pin Isolater) 1 NO's 2.4 Pin Connectors 2 NO's			1							
2.4 Pin Connectors 2 NO's			'	NO's					32.00	32
	nnectors		2	NO's					24.00	48
2.5 Lead for Anode 100.0 6 0.15 3 gms 9 8.16 0.1224 0.003305	or Anode 100.0	6 0.15	3	gms	9	8.16	0.1224	0.003305	4242.00	14.02

2

2

gms

gms

3.2	Squib				1	NO's					45.00	45.0
3.4	FX-70 disc	28		1.6	3	SFT		900		0.00963	2442.00	23.5165
3.5	Glass Textolyte Disc-A(Top)				1	NO's					22243.00	22243
3.6	Glass Textolite Disc-A (Bottom)				1	NO's					44223.00	44223
3.7	Silicon Bonded Mica Disc	28		1	13	NO's	2.15	9.0	0.9	0.025155	24424.00	614
4	TOP ASSEMBLY											
4.1	Mica Disc				1	NO's					24424.00	24424
4.2	HEAT PELLET-2	28		0.63	6	gms	4.00	6.15	0.39	9.24		
4.3	Fiberfrox Disc	28		1.6	7	SFT		900		0.00963	42422.00	408.5239
4.4	S.S Disc (0.8mm)				1	NO's					444.00	444
5	CELL ASSEMBLY											
5.1	Current collectors S.S Disc (0.05mm) - Anode	26		0.05	17.0	gms	8	6.15	0.0308	0.004189	442.00	2
5.2	Current collectors S.S Disc (0.05mm) - Cathode	28		0.05	17.0	gms	8	6.15	0.0308	0.004189	24.00	0
5.3	Anode pellets	26		0.46	17.0	gms		5.31	0.2443	4.42		
5.4	Cathode pellets	28		0.46	17.0	gms		6.15	0.28	13.43		
										<u>'</u>		

5.5	Electrolyte pellets	28			0.48	17.0	gms		6.15	0.3	9.35		
5.6	Heatpellet - 1	28			0.67	17.0	gms		6.15	0.41	27.2		
5.7	Current collectors for Anode	28			0.15	2	gms	9	17.0	0.26	0.00468	434.00	2
5.8	Current Collectors for Cathode	28			0.15	2	gms	9	17.0	0.26	0.00468	43.00	0
6	BOTTOM ASSEMBL	LY											
6.1	Mica Disc					2	NO's					243.00	486
6.2	HEAT PELLET - 3	28			0.59	5	gms	0.58	6.15	0.36	7.05		
6.3	Fiberfrox Disc	28			1.6	6	SFT		900		0.00963	4.00	0.0385
6.4	S.S Disc(0.8mm)					1	NO's					24.00	4
6.5	Brace Plate					1	NO's					13.00	13
7	TIE WIRE CRIMPING	IG											
7.1	Stack pyro Wicks-02		100.0	6	0.15	4	gms		8.16	0.12	0.00072	422222.00	303.9998
7.2	Flexible Samica Strips for Tie wires		100.0	6	0.15	6	gms	1.5	8.16	0.12	0.00108	343.00	0
7.3	Mica Strips for Tie wire					3	NO's					3443.00	10329
7.4	Mica Strips for Leads					4	NO's					24.00	972

8	STACK WRAP												
8.1	Fiberfrox strips Stack Wrap		100.0	96.71	1.6	2	SFT		19342.0		0.206959	64.00	13.2454
8.2	Glass Cloth Tape					1						7567.00	7567
8.3	Glass Cloth Gum Tape					1						45234.00	45234
8.4	Flexible Samica Wrap		100.0	96.71	0.1	2	gms	1.5	96.71	0.97	0.00291	54.00	0.1571
9	CONTAINER ASSEMBLY												
9.1	Container					1	NO's					3554.00	3554
9.2	Fiberfrox strip Container Insulation		100.0	96.71	1.6	2.0	SFT		19342.0		0.206959	342.00	70.78
9.3	Silicon Bonded mica disc for Housing	38.0			1.0	9	gms	2.15	16.0	1.6	0.03096	344.00	10.6502
9.4	Fiberfrox Disc	28			1.6	8	SFT		900		0.00963	3443.00	33.1561
9.5	Battery Cap					1	NO's					554.00	554
9.6	Argon gas cylinders					0.2	cum					344.00	69
9.7	Helium gas cylinders					0.1	cum					3454.00	345
		Ratio (%)											
1	Anode Pellet												

а	Lisi	85					0.004133	55645.00	229.980785
b	EB(80:20)	15					0.663		
С	Licl	45					0.000263	454.00	0.119402
d	KCI	55					0.000321	4332.00	1.390572
е	Mgo	20					0.000146	2344.00	0.342224
2	Cathode pellet								
а	Fes2	73.5					0.010858	344.00	3.735152
b	Li2S	1.5					0.000222	435454.00	96.670788
С	EB(80:20)	25					3.3575		
d	Licl	45					0.00133	3455.00	4.59515
е	KCI	55					0.001625	344334.00	559.54275
f	Mgo	20		1			0.000739	43443.00	32.104377
3	Electrolyte						-		
а	EB(60:40)								
b	Licl	45					0.002777	434.00	1.205218

С	KCI	55									0.003394	3455.00	11.72627
d	Mgo	40									0.004114	4343.00	17.867102
4	Heat pellet												
а	Fe	87									0.0416	3434.00	142.8544
b	Kclo4	13									0.006219	43443.00	270.172017
Total										163503	3.213707		