# Information Management (MySQL) <sup>1</sup>

A Study Guide for Students of Sorsogon State University - Bulan Campus $^2$ 

Jarrian Vince G. Gojar<sup>3</sup>

January 24, 2025

<sup>&</sup>lt;sup>1</sup>A course in the Bachelor of Science in Computer Science.

 $<sup>^2</sup>$ This book is a study guide for students of Sorsogon State University - Bulan Campus taking up the course Information Management.

<sup>3</sup>https://github.com/godkingjay



# Contents

C	onter	ıts																	ii
Li	st of	Figur	es																iii
Li	st of	Table	S																iv
1			ion to M	•	•														2
	1.1		is MySQI																
	1.2	MySQ	L Elemen																
		1.2.1	Tables .																
		1.2.2	Columns																
		1.2.3	Rows																
		1.2.4	Data Ty	pes															
			1.2.4.1	Nu	meric	e Dat	a Typ	oes											. 3
			1.2.4.2	$\operatorname{Ch}$	aract	er an	d Str	ing I	Oata	a T	уp	es							. 3
			1.2.4.3	Da	te an	d Tir	ne Da	ata T	уре	es .									. 3
			1.2.4.4	Bir	ary l	Data	Type	s .											. 3
			1.2.4.5	Bo	olean	Data	а Тур	e .											. 3
		1.2.5	NULL V	/alue	s														. 3
		1.2.6	Commer	nts.										 •				•	. 4
2	Mai	naging	Databas	ses															5
	2.1	Creati	ng a Data	abas	e														. 5
	2.2	Showi	ng Databa	ases															. 5
	2.3	Select	ing a Data	abas	e														. 5
	2.4	Remo	ving a Dat	taba	se .										 •	 •			. 6
3	Mai		Tables																7
	3.1	Creati	ng a Tabl	le .										 •		 •		•	. 7
4	Ref	erence	S																8

# List of Figures

# List of Tables

1 1	Example of a	table																			9
1.1	Lixample of a	table .	 	 •	 •	 •	 •	 •	•	 	•	•	•	•	•	•	•	•	•	•	

# List of Codes

1.1	Example of a comment in SQL code	4
2.1	Creating a new database in MySQL	5
2.2	Showing all databases in MySQL	5
2.3	Selecting a database in MySQL	5
2.4	Removing a database in MySQL	6

## **Preface**

"You can have data without information, but you cannot have information without data."  $\label{eq:can}$ 

– Daniel Keys Moran

Jarrian Vince G. Gojar https://github.com/godkingjay

### 1

## Introduction to MySQL

### 1.1 What is MySQL?

MySQL is an open-source relational database management system (RDBMS). An RDBMS is a type of database management system (DBMS) that stores data in a structured format, using rows and columns. It is a software that is used to manage the creation, modification, and maintenance of a database. MySQL is a popular choice for database management in web applications and is used by many high-profile websites, including Facebook, Twitter, and YouTube.

### 1.2 MySQL Elements

#### 1.2.1 Tables

A **table** is a collection of related data stored in rows and columns. Each row in a table represents a record, and each column represents a field. Tables are the basic building blocks of a database and are used to store and organize data in a structured format.

id	name	age
1	Alice	25
2	Bob	30
3	Charlie	35

Table 1.1: Example of a table

Table ?? shows an example of a table with three columns: id, name, and age. Each row in the table represents a record with a unique id value, and each column represents a field in the record.

#### 1.2.2 Columns

A **column** is a vertical arrangement of data in a table. Each column represents a field in the table and contains data of a specific type. Columns are used to store different types of data, such as numbers, text, dates, and more.

In the example table above, the columns are **id**, **name**, and **age**. The **id** column stores unique identifiers for each record, the **name** column stores the names of the individuals, and the **age** column stores the ages of the individuals.

#### 1.2.3 Rows

A row is a horizontal arrangement of data in a table. Each row represents a record in the table and contains data for each column in the table. Rows are used to store individual records in the table.

In the example table above, each row represents a record with data for the **id**, **name**, and **age** columns. The first row contains data for Alice, the second row contains data for Bob, and the third row contains data for Charlie.

#### 1.2.4 Data Types

A data type is a classification of data based on the type of values it can hold. MySQL supports a wide range of data types, including numeric, string, date, and time data types. Data types are used to specify the type of data that can be stored in a column in a table.

#### 1.2.4.1 Numeric Data Types

Numeric data types are used to store numeric values, such as integers, decimals, and floating-point numbers. MySQL supports a variety of numeric data types, including INT, DECIMAL, FLOAT, DOUBLE, TINYINT, SMALLINT, MEDIUMINT, and BIGINT.

#### 1.2.4.2 Character and String Data Types

Character and string data types are used to sto andre text values, such as names, addresses, and descriptions. MySQL supports a variety of character and string data types, including CHAR, VARCHAR, and TEXT.

#### 1.2.4.3 Date and Time Data Types

Date and time data types are used to store date and time values, such as birthdates, appointment times, and event dates. MySQL supports a variety of date and time data types, including **DATE**, **TIME**, **DATETIME**, and **TIMESTAMP**.

#### 1.2.4.4 Binary Data Types

Binary data types are used to store binary data, such as images, audio files, and video files. MySQL supports a variety of binary data types, including **BLOB**, **MEDIUMBLOB**, and **LONGBLOB**.

#### 1.2.4.5 Boolean Data Type

The **BOOLEAN** data type is used to store boolean values, such as true or false. In MySQL, boolean values are represented as 1 for true and 0 for false.

#### 1.2.5 NULL Values

A **NULL** value is a special value that represents the absence of a value. NULL values are used to indicate that a column does not contain any data. In MySQL, columns can be defined to allow NULL values, which means that the column can contain NULL values in addition to other values.

#### 1.2.6 Comments

Comments are used to add explanatory notes to the SQL code. Comments are ignored by the MySQL server and are used to document the code for reference. Comments can be added to SQL code using the - or /\* \*/ syntax.

```
-- This is a single-line comment

/*
This is a multi-line comment
that spans multiple lines

*/

SELECT * FROM users; -- This is a comment at the end of a line
```

Code 1.1: Example of a comment in SQL code

Code 1.1 shows an example of comments in SQL code. Comments can be added to SQL code using the - syntax for single-line comments and the /\* \*/ syntax for multi-line comments.

## Managing Databases

### 2.1 Creating a Database

To create a new database in MySQL, you can use the **CREATE DATABASE** statement followed by the name of the database. The following example creates a new database named **database\_name**:

```
CREATE DATABASE database_name;
```

Code 2.1: Creating a new database in MySQL

Code 2.1 shows an example of creating a new database in MySQL using the **CREATE DATABASE** statement. The statement creates a new database named **database\_name**. Once the database is created, you can use it to store tables and data.

### 2.2 Showing Databases

To display a list of all databases in MySQL, you can use the **SHOW DATABASES** statement. The following example shows a list of all databases in MySQL:

```
SHOW DATABASES;
```

Code 2.2: Showing all databases in MySQL

Code 2.2 shows an example of displaying a list of all databases in MySQL using the **SHOW DATABASES** statement. The statement lists all databases that are currently available in the MySQL server.

### 2.3 Selecting a Database

To select a database in MySQL, you can use the **USE** statement followed by the name of the database. The following example selects the **database\_name** database:

```
USE database_name;
```

Code 2.3: Selecting a database in MySQL

Code 2.3 shows an example of selecting a database in MySQL using the **USE** statement. The statement selects the **database\_name** database, which allows you to perform operations on the tables and data in that database.

### 2.4 Removing a Database

To remove a database in MySQL, you can use the **DROP DATABASE** statement followed by the name of the database. The following example removes the **database\_name** database:

DROP DATABASE database\_name;

Code 2.4: Removing a database in MySQL

Code 2.4 shows an example of removing a database in MySQL using the **DROP DATABASE** statement. The statement deletes the **database\_name** database and all tables and data stored in that database.

#### **Exercises**

- 1. Create a new database named "employees".
- 2. Display a list of all databases in MySQL.
- 3. Select the "employees" database.
- 4. Remove the "employees" database.

3

# Managing Tables

3.1 Creating a Table

## 4

# References

- A. Books
  - •
- B. Other Sources
  - •