

Credentials Tutorials

Crisis Relief

Table of Contents

1. [SSH Access to Cloud Server](#)
 - a. [Securely Connect to the Server Via SSH](#)
 - b. [Notes](#)
2. [SSH Access to Database](#)
 - a. [Securely Connect to the Database Server Via SSH](#)
 - b. [Notes](#)

SSH Access to Cloud Server

Securely Connect to the Server Via SSH

1. Open console/terminal

- a. If not already, change the current working directory to the repo's path:

```
csc648-848-05-sp25-T05
```

2. *Only for the first time:* Ensure the correct permissions on the PEM file.

- a. Run the following command: *omit quotation marks*

```
"chmod 400 ./application/credentials/CSC648Team5PairKey.pem"
```

3. Run the following command:

```
"ssh -i ./application/credentials/CSC648Team5PairKey.pem  
ec2-user@crisisrelief.duckdns.org"
```

Notes

- Site URL: <http://crisisrelief.duckdns.org:3000/>
- SSH Username: ec2-user
- Port: 3000

SSH Access to Database

Securely Connect to the Database Server Via SSH

1. Open console/terminal

- a. If not already, change the current working directory to the repo's path:

```
csc648-848-05-sp25-T05
```

2. *Only for the first time*: Ensure the correct permissions on the PEM file.

- a. Run the following command: *omit quotation marks*

```
"chmod 400 ./application/credentials/DatabaseKeyPair.pem"
```

3. Run the following command:

```
"ssh -i ./application/credentials/DatabaseKeyPair.pem
```

```
ec2-user@crisisreliefdatabase.duckdns.org:3000/"
```

Notes:

- Database URL:
jdbc:postgresql://crisisreliefdatabase.duckdns.org:5432/crisisdatabase
- Database Username: crisisuser
- Database Password: Penknife8AnointerEngorge
- Port: 5432