

simdutf library

- C++11 compiler
- Grab simdutf.h and simdutf.cpp from
<https://github.com/simdutf/simdutf/releases/download/v1.0.0/singleheader.zip>

Validating UTF-8

```
#include <iostream>

#include "simutf.cpp"
#include "simutf.h"

int main() {
    const char *source = "1234";
    bool validutf8 = simutf::validate_utf8(source, strlen(source));
    if (validutf8) {
        std::cout << "valid UTF-8" << std::endl;
        return EXIT_SUCCESS;
    } else {
        std::cerr << "invalid UTF-8" << std::endl;
        return EXIT_FAILURE;
    }
}
```

```
c++ example1.cpp -std=c++11
```

Predicting UTF-16 size

```
#include <iostream>

#include "simutf.cpp"
#include "simutf.h"

int main() {
    const char *source = "1234";
    size_t expected_utf16words = simutf::utf16_length_from_utf8(source, strlen(source));
    std::cout << "expected UTF-16 words: " << expected_utf16words << std::endl;
    return EXIT_SUCCESS;
}
```

Converting UTF-16

```
#include <iostream>

#include "simutf.cpp"
#include "simutf.h"

int main() {
    const char *source = "1234";
    size_t utf8_length = strlen(source);
    size_t expected_utf16words = simutf::utf16_length_from_utf8(source, utf8_length);
    std::unique_ptr<char16_t[]> utf16_output{new char16_t[expected_utf16words]};
    size_t utf16words =
        simutf::convert_utf8_to_utf16(source, utf8_length, utf16_output.get());
    std::cout << "wrote " << utf16words << " UTF-16 words." << std::endl;
    return EXIT_SUCCESS;
}
```

Validating UTF-16

```
#include <iostream>

#include "simutf.cpp"
#include "simutf.h"

int main() {
    const char16_t * source = u"1234";
    bool validutf16 = simutf::validate_utf16(source, 4);
    if (validutf16) {
        std::cout << "valid UTF-16" << std::endl;
        return EXIT_SUCCESS;
    } else {
        std::cerr << "invalid UTF-16" << std::endl;
        return EXIT_FAILURE;
    }
}
```

Predicting UTF-8 size

```
#include <iostream>

#include "simutf.cpp"
#include "simutf.h"

int main() {
    const char16_t * source = u"1234";
    size_t expected_utf8words = simutf::utf8_length_from_utf16(source, 4);
    std::cout << "expected UTF-8 words: " << expected_utf8words << std::endl;
    return EXIT_SUCCESS;
}
```

Converting UTF-16

```
#include <iostream>

#include "simdutf.cpp"
#include "simdutf.h"

int main() {
    const char16_t * source = u"1234";
    size_t expected_utf8words = simdutf::utf8_length_from_utf16(source, 4);
    std::unique_ptr<char[]> utf8_output{new char[expected_utf8words]};
    size_t utf8words =
        simdutf::convert_utf16_to_utf8(source, 4, utf8_output.get());
    std::cout << "wrote " << utf8words << " UTF-8 words." << std::endl;
    return EXIT_SUCCESS;
}
```