

ASSIGNMENT 5

SOWMYA BANDI

Download all python codes from

<https://github.com/CRAMYATULASI/ASSIGNMENT6/tree/main/ASSIGNMENT6/CODES>

Latex-tikz codes from

<https://github.com/CRAMYATULASI/ASSIGNMENT6/tree/main/ASSIGNMENT6>

1 QUESTION No 2.51

Find the intervals in which the function

$$f(x) = x^2 - 4x + 6 \quad (1.0.1)$$

is

- 1) increasing
- 2) decreasing

2 SOLUTION

Given equation can be written as

$$y = x^2 - 4x + 6 \quad (2.0.1)$$

$$\Rightarrow x^2 - 4x - y + 6 = 0 \quad (2.0.2)$$

From above equation,

$$\mathbf{V} = \begin{pmatrix} a & b \\ b & c \end{pmatrix} = \begin{pmatrix} 1 & 0 \\ 0 & 0 \end{pmatrix} \quad (2.0.3)$$

$\therefore a > 0$, the vertex of the parabola turns from decreasing to increasing.

From the graph(Fig.2.1),

- 1) f is increasing in interval $(2, \infty)$
- 2) f is increasing in interval $(-\infty, 2)$

Plot of Tangent to the given curve -




Fig. 2.1