OTC Data Plots

Kara Dobson

August 12, 2020

TITLE: OTC data plots AUTHORS: Kara Dobson

COLLABORATORS: Phoebe Zarnetske, Mark Hammond, Pat Bills, Moriah Young

DATA INPUT: CSV files are located in the HOBO_data folder in the shared Google drive

DATA OUTPUT: Plots of each graph are in the HOBO plot.pdf in Github

note: plots are saved for each station and merged into a final figure at the bottom of the script

PROJECT: warmXtrophic

DATE: July 2020

Guide

Page 2: Yearly average air temperatures between KBS and UMBS

Page 3: Monthly average air temperatures between KBS and UMBS for all years

Page 4: Average July air temperatures between KBS and UMBS

Page 5: KBS - Comparing PAR to HOBO between 2017-2019

Page 6: KBS - Another comparison of PAR to HOBO from 2017-2019

Page 7: KBS - Comparing PAR to HOBO for multiple 2019 dates & a linear regression between 2019 warmed chamber PAR and HOBO

Page 8: UMBS linear regression between warmed temp and PAR

Page 9: KBS soil temperature over time

Page 10: KBS soil moisture over time


Page 11: 1H sensor average air temperature by month over all years

Page 12: 2H sensor average air temperature by month over all years


Page 13: 3H sensor average air temperature by month over all years

Yearly average chamber temperatures during the day for the growing season (I defined this as April-August from $7~\mathrm{AM}$ - $7~\mathrm{PM}$, but this could easily be changed)


p-value < 0.001 for all




Monthly averages during the growing season, over time (KBS on top and UMBS on bottom) — these could be separated to see individual months over time (i.e. July temps over each year, as shown on the next page)




Average July temperatures during the day time - KBS shows a smaller difference between warmed + ambient in later years than UMBS




 $\rm KBS$ - Comparing PAR to HOBO from 2017-2019; only one day is shown for each year because PAR measurements were only taken on one day at KBS for 2017 and 2018




 ${\rm KBS}$ - Again, comparing PAR to HOBO, this time in line format - PAR in dashed lines




KBS- Comparing PAR to HOBO for only 2019 because multiple PAR measurements were taken that year - PAR in dashed lines




KBS - Simple linear regression between temp and par: F(1,3)=32.21, p-value = 0.011




UMBS - Simple linear regression between temp and par: F(1,13) = 1.45, p-value = 0.25



Soil temperature over time - varies between ambient or warmed treatments no sig difference for 2018 (p-value = 0.87)




Soil moisture over time - ambient retains more moisture (p-value < 0.001 for all)




These plots average the chamber temperatures for each month over all years for each treatment $\frac{1}{2}$

1H sensor



2H sensor



3H sensor

