Please check the examination details bel	ow before ente	ering your candidate information			
Candidate surname	Other names				
Centre Number Candidate No					
Pearson Edexcel International Advanced Level					
Time 1 hour 30 minutes	Paper reference	WST01/01			
Mathematics					
International Advanced Subsidiary/Advanced Level Statistics S1					
You must have: Mathematical Formulae and Statistica	al Tables (Ye	ellow), calculator			

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. If a calculator is used instead of the tables, the value should be given to an equivalent degree of accuracy.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 6 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each guestion.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

 Turn over





1. The company *Seafield* requires contractors to record the number of hours they work each week. A random sample of 38 weeks is taken and the number of hours worked per week by contractor Kiana is summarised in the stem and leaf diagram below.

Stem	Lea	f											Key : 3 2 means 32
1	4	4	4	5	5	5	6	6	9	9	9	(11)	
2	1	2	2	3	3	4	4	4	w	9		(10)	
3	2	3	4	4	5	6	7	7	7	9		(10)	
4	1	1	2	3								(4)	
5	1	9										(2)	
6	4											(1)	

The quartiles for this distribution are summarised in the table below.

Q_1	Q_2	Q_3
x	26	y

(a) Find the values of w, x and y

(3)

Kiana is looking for outliers in the data. She decides to classify as outliers any observations greater than

$$Q_3 + 1.0 \times (Q_3 - Q_1)$$

(b) Showing your working clearly, identify any outliers that Kiana finds.

(2)

(c) Draw a box plot for these data in the space provided on the grid opposite.

(3)

(d) Use the formula

skewness =
$$\frac{(Q_3 - Q_2) - (Q_2 - Q_1)}{(Q_3 - Q_1)}$$


to find the skewness of these data. Give your answer to 2 significant figures.

(2)

Kiana's new employer, *Landacre*, wishes to know the average number of hours per week she worked during her employment at *Seafield* to help calculate the cost of employing her.

(e) Explain why *Landacre* might prefer to know Kiana's mean, rather than median, number of hours worked per week.

(1)





Question 1 continued

uestion 1 continued							
	Only	ıse this grid if	f vou noo	d to modrow v	your hov nl	ot.	
	Only	ise tills grid i	you need	u to reuraw y	our box pr	ot.	
10	20	30	40	50	60	70 Hours	
				(lotal for	Question	l is 11 marks)	



2. Stuart is investigating the relationship between Gross Domestic Product (GDP) and the size of the population for a particular country.

He takes a random sample of 9 years and records the size of the population, t millions, and the GDP, g billion dollars for each of these years.

The data are summarised as

$$n = 9$$
 $\sum t = 7.87$ $\sum g = 144.84$ $\sum g^2 = 3624.41$ $S_{tt} = 1.29$ $S_{tg} = 40.25$

(a) Calculate the product moment correlation coefficient between t and g

(3)

(b) Give an interpretation of your product moment correlation coefficient.

(1)

(c) Find the equation of the least squares regression line of g on t in the form g = a + bt

(4)

(d) Give an interpretation of the value of b in your regression line.

(1)

(e) (i) Use the regression line from part (c) to estimate the GDP, in billions of dollars, for a population of $7\,000\,000$

(2)

(ii) Comment on the reliability of your answer in part (i). Give a reason, in context, for your answer.

(1)

Using the regression line from part (c), Stuart estimates that for a population increase of x million there will be an increase of 0.1 billion dollars in GDP.

(f) Find the value of x

(2)

Question 2 continued



Question 2 continued

(Total for Question 2 is 14 marks)



3. Gill buys a bag of logs to use in her stove. The lengths, *l* cm, of the 88 logs in the bag are summarised in the table below.

Length (l)	Frequency (f)
$15 < l \leqslant 20$	19
$20 < l \leqslant 25$	35
$25 < l \leqslant 27$	16
$27 < l \leqslant 30$	15
30 < <i>l</i> ≤ 40	3

A histogram is drawn to represent these data.

The bar representing logs with length $27 < l \le 30$ has a width of 1.5 cm and a height of 4 cm.

(a) Calculate the width and height of the bar representing log lengths of $20 < l \le 25$

(3)

(b) Use linear interpolation to estimate the median of l

(2)

The maximum length of log Gill can use in her stove is 26 cm. Gill estimates, using linear interpolation, that *x* logs from the bag will fit into her stove.

(c) Show that x = 62

(1)

Gill randomly selects 4 logs from the bag.

(d) Using x = 62, find the probability that all 4 logs will fit into her stove.

(2)

The weights, W grams, of the logs in the bag are coded using y = 0.5w - 255 and summarised by

$$n = 88 \qquad \qquad \sum y = 924 \qquad \sum y^2 = 12\,862$$

- (e) Calculate
 - (i) the mean of W

(3)

(ii) the variance of W

(3)



Question 3 continued



Question 3 continued

Question 3 continued	
(Tat	tal for Question 3 is 14 marks)
(10)	



4. The events H and W are such that

$$P(H) = \frac{3}{8}$$

$$P(H) = \frac{3}{8} \qquad P(H \cup W) = \frac{3}{4}$$

Given that H and W are independent,

(a) show that
$$P(W) = \frac{3}{5}$$

(4)

The event N is such that

$$P(N) = \frac{1}{15} \qquad P(H \cap N) = P(N)$$

(b) Find P(N'|H)

(2)

Given that W and N are mutually exclusive,

(c) draw a Venn diagram to represent the events H, W and N giving the exact probabilities of each region in the Venn diagram.

(5)



Question 4 continued



Question 4 continued

Question 4 continued
(Total for Question 4 is 11 marks)
(Total for Question 7 is 11 marks)



5. A red spinner is designed so that the score R is given by the following probability distribution.

r	2	3	4	5	6	
P(R=r)	0.25	0.3	0.15	0.1	0.2	

(a) Show that $E(R^2) = 15.8$

(1)

Given also that E(R) = 3.7

(b) find the standard deviation of R, giving your answer to 2 decimal places.

(2)

A yellow spinner is designed so that the score Y is given by the probability distribution in the table below. The cumulative distribution function F(y) is also given.

у	2 3		4	5	6	
P(Y=y)	0.1	0.2	0.1	а	b	
F(<i>y</i>)	0.1	0.3	0.4	С	d	

(c) Write down the value of d

(1)

Given that E(Y) = 4.55

(d) find the value of c

(5)

Pabel and Jessie play a game with these two spinners.

Pabel uses the red spinner.

Jessie uses the yellow spinner.

They take turns to spin their spinner.

The winner is the first person whose spinner lands on the number 2 and the game ends. Jessie spins her spinner first.

(e) Find the probability that Jessie wins on her second spin.

(2)

(f) Calculate the probability that, in a game, the score on Pabel's first spin is the same as the score on Jessie's first spin.

(3)



Question 5 continued



Question 5 continued

Question 5 continued	
	(Total for Orosztion 5 to 14
	(Total for Question 5 is 14 marks)



6.	A manufacturer	fills	bottles	with	oil.
-----------	----------------	-------	---------	------	------

The volume of oil in a bottle, Vml, is normally distributed with $V \sim N(100, 2.5^2)$

(a) Find P(V > 104.9)

(3)

(b) In a pack of 150 bottles, find the expected number of bottles containing more than 104.9 ml

(2)

(c) Find the value of v, to 2 decimal places, such that P(V > v | V < 104.9) = 0.2801

(6)



Question 6 continued



Question 6 continued
(Total for Question 6 is 11 marks)
TOTAL FOR PAPER: 75 MARKS

