Please check the examination deta	ils below before entering your ca	ndidate information
Candidate surname	Other nam	nes
Pearson Edexcel International Advanced Level	Centre Number	Candidate Number
Time 1 hour 30 minutes	Paper reference W	FM02/01
Mathematics		
International Advanced Further Pure Mathema	•	nced Level
You must have: Mathematical Formulae and Stat	istical Tables (Yellow), calo	Total Marks

Candidates may use any calculator allowed by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear.
 Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 8 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.
- Good luck with your examination.

Turn over ▶







1. (a) Express $\frac{2}{r(r^2-1)}$ in partial fractions.

(3)

(b) Hence find, in terms of n,

$$\sum_{r=2}^{n} \frac{1}{r(r^2-1)}$$

Give your answer in the form

$$\frac{n^2 + An + B}{Cn(n+1)}$$

where A, B and C are constants to be found.

1	5	1	
1	J	,	

	bla
Question 1 continued	



Question 1 continued	Leave blank

	Leave blank
Question 1 continued	
	Q1
(Total 8 marks)	



2. The transformation T from the z-plane, where z = x + iy, to the w-plane, where w = u + iv, is given by

$$w = \frac{z+2}{z-i} \quad z \neq i$$

The transformation T maps the circle |z| = 2 in the z-plane onto a circle C in the w-plane.

Find (i) the centre of C,

(ii) the radius of C.

(8)

	I
uestion 2 continued	



Question 2 continued	l		

	Leave blank
Question 2 continued	
	Q2
(Total 8 marks)	
(Total 8 marks)	



3. The curve C, with pole O, has polar equation

$$r = 1 + \cos \theta, \quad 0 \leqslant \theta \leqslant \frac{\pi}{2}$$

At the point A on C, the tangent to C is parallel to the initial line.

(a) Find the polar coordinates of A.

(4)

(b) Find the finite area enclosed by the initial line, the line OA and the curve C, giving your answer in the form $a\pi + b\sqrt{3}$, where a and b are rational constants to be found.

-	1
-	6 1
	.

	Leave
	blank
Question 3 continued	



Question 3 continued	

Leave
blank
biank

Q3

(Total 10 marks)



4. Given that

$$y\frac{\mathrm{d}^2 y}{\mathrm{d}x^2} - 4\left(\frac{\mathrm{d}y}{\mathrm{d}x}\right)^2 + 3y = 0$$

(a) show that

$$\frac{\mathrm{d}^3 y}{\mathrm{d}x^3} = \frac{28}{y^2} \left(\frac{\mathrm{d}y}{\mathrm{d}x}\right)^3 - \frac{24}{y} \left(\frac{\mathrm{d}y}{\mathrm{d}x}\right)$$

(5)

Given also that y = 8 and $\frac{dy}{dx} = 1$ at x = 0

(b) find a series solution for y in ascending powers of x, up to and including the term in x^3 , simplifying the coefficients where possible.

(4)

	Leave
	blank
Question 4 continued	
	1



Question 4 continued	l	

	Leave blank
Question 4 continued	
	Q4
(Total 9 marks)	



$\left 2x^2 + x - 3 \right > 3(1 - x)$			
	[Solutions based entirely on graphical or numerical methods are not acceptable.]	(7	

	Leave
	blank
Question 5 continued	



Question 5 continued		

Question 5 continued	Leave blank
	Q5
(Total 7 marks)	
. ,	



6. (a) Find the general solution of the differential equation

$$\frac{d^2y}{dx^2} - 6\frac{dy}{dx} + 8y = 2x^2 + x$$

(8)

(b) Find the particular solution of this differential equation for which y = 1 and

$$\frac{\mathrm{d}y}{\mathrm{d}x} = 0 \text{ when } x = 0$$

(5)

	Leave
	blank
Question 6 continued	



Q6

(Total 13 marks)



7. (a) Use de Moivre's theorem to show that

$$\tan 4\theta \equiv \frac{4\tan\theta - 4\tan^3\theta}{1 - 6\tan^2\theta + \tan^4\theta}$$

(6)

(b) Use the identity given in part (a) to find the 2 positive roots of

$$x^4 + 2x^3 - 6x^2 - 2x + 1 = 0$$

giving your answers to 3 significant figures.

(3)

	Leav blank
Question 7 continued	- Clairi



Question 7 continued	

Question 7 continued	
	(Total 9 marks)



8. (a) Show that the substitution $v = y^{-2}$ transforms the differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} + 6xy = 3xe^{x^2}y^3 \qquad x > 0 \tag{I}$$

into the differential equation

$$\frac{\mathrm{d}v}{\mathrm{d}x} - 12vx = -6xe^{x^2} \qquad x > 0 \tag{II}$$

(5)

(b) Hence find the general solution of the differential equation (I), giving your answer in the form $y^2 = f(x)$.

(6)



	Leave
	blank
Question 8 continued	



	(Total 11 marks)	
		Q