

Monoliths to microservices: App Transformation


Hands-on Technical Workshop



Reactive microservices




The 2 faces of reactive





Execution model (single core)



Blocking

- Example: CGI, early versions of server side JavaScript.
- Can only scale horizontally

Multi thread

- Example: Java EE, Tomcat, Spring (non reactive)
- Scales horizontally and vertically

Non blocking

- Example: NodeJS, Eclipse Vert.x, Akka, Spring reactive
- Scales horizontally and vertically






Eclipse Vert.x

Vert.x is a toolkit to build distributed and reactive systems


- Asynchronous Non-Blocking development model
- Simplified concurrency (event loop)
- Reactive microservice, Web applications, IOT
- Ideal high-volume, low-latency applications
- Un-opinionated
- Understands clustering in its core architecture

Home - http://www.vertx.io






Vert.x event loop



Handle Thousands of Requests With Few Threads



Vert.x ecosystem





Lab 4: Reactive microservices with Eclipse Vert.x

- Explore Vert.x Maven project
- Create an API gateway
- Run Vert.x locally
- Deploy Vert.x on OpenShift



Lab: Reactive microservices with Eclipse Vert.x




Goal for lab

In this lab you will learn:

- How Event-based architectures supercharge microservice apps
- Use cases for reactive applications
- Develop microservices using Eclipse Vert.x
- Interact with other microservices without blocking
- Learn the basics of Reactive programming







LAB: REACTIVE MICROSERVICES

WEB: bit.ly/RH-MS-lab-guides
SLIDES (PDF): bit.ly/RH-MS-lab-slides

SCENARIO 6

BUILDING REACTIVE MICROSERVICES

Wrap-up and discussion




Result of lab

In this lab you learned how to:

- Build reactive web application that are non-blocking
- Asynchronously call out to external service using Callbacks, Handlers and Futures
- Deploy the application to OpenShift








Eclipse Vert.x offer much more



Service discovery






Vert.x vs. Node.js

Vert.x

- Multi-threaded
- Polyglot (Java, JavaScript, Scala, and more)
- Supports reactive programming using RxJava, RxJS, etc


NodeJS


- Single threaded
- JavaScript only
- Support reactive programming using RxJS





Free e-books





http://vertx.io/docs/



Thank you



LinkedIn: linkedin.com/company/red-hat

YouTube: youtube.com/user/RedHatVideos

Facebook: facebook.com/redhatinc

Twitter: twitter.com/RedHatNews

Google+: plus.google.com/+RedHat



LinkedIn: linkedin.com/company/microsoft/

YouTube: youtube.com/user/MSCloudOS

Facebook: facebook.com/microsoftazure/

Twitter: twitter.com/azure

Azure Friday: channel9.msdn.com/Shows/Azure-Friday

Azure | Channel 9: channel 9.msdn.com/Blogs/Azure

