p.adj

## palmitoyltransferase activity

scriptional repressor activity, RNA polymerase II transcription regulatory region sequence-specific DNA binding guanyl ribonucleotide binding

ribonucleoside binding

double-stranded DNA binding

purine nucleoside binding

**GTP** binding

protein-cysteine S-palmitoyltransferase activity

transcription factor activity, RNA polymerase II proximal promoter sequence-specific DNA binding

sequence-specific double-stranded DNA binding

proximal promoter sequence-specific DNA binding

nucleoside binding

G-protein coupled peptide receptor activity

ribonucleotide binding

GTPase activity

guanyl nucleotide binding

size

1.00

1.2

1.50

1.75

2.00

p.adjust

0.1998791

purine ribonucleotide binding

transcription regulatory region sequence-specific DNA binding

RNA polymerase II proximal promoter sequence-specific DNA binding

RNA polymerase II regulatory region sequence-specific DNA binding

RNA polymerase II regulatory region DNA binding

purine nucleotide binding

transcriptional repressor activity, RNA polymerase II proximal promoter sequence-specific DNA binding

RNA polymerase II transcription factor activity, sequence-specific DNA binding

purine ribonucleoside binding

peptide receptor activity

neuropeptide receptor activity protein-cysteine S-acyltransferase activity

purine ribonucleoside triphosphate binding

S-acyltransferase activity