

Antoine Grimaldi
Institut de Neurosciences de la Timone, CNRS / Aix-Marseille Université
27, Bd. Jean Moulin, 13385 Marseille Cedex 5, France
<https://laurentperrinet.github.io/>
Email: antoine.grimaldi@univ-amu.fr

Marseille, February 20, 2023

Dear editor,

Please find enclosed the revised manuscript entitled “Learning heterogeneous delays in a layer of spiking neurons for fast motion detection” for your consideration as an article in *Biological Cybernetics*. Both authors have been involved with the work, have approved the manuscript and agreed to its revision. The original submission ID is a7f45f8e-87d6-4a30-ac7f-9f0c94e2592a.

Our manuscript describes a novel method inspired by neuroscience to overcome some challenges faced in computer vision, notably when dealing with large amounts of data, by using an event-based representation. By using heterogeneous delays on different synapses, this novel spiking neuron method is able to detect spiking motifs and we validate the method on synthetic event-based data. Results show that this method could provide a path for future spiking neural network algorithms using less energy for a similar performance as their analog counterparts. This work is the extension of a previous study on a simpler event-based dataset with a simplified model. Our contribution here is to offer a better formal description of the model, an application on a more ecological task and testing of the influence of various parameters of the validation dataset.

Given the substantial modifications we did to the original manuscript to reduce and clarify the different sections we do not provide a tracked changes version of the revision (such a document can be provided if needed). We provide a point by point response to the reviewers with references to the manuscript.

Sincerely yours,

Antoine Grimaldi

REVIEWER REPORTS

In the following we will give response to reviewers in

framed boxes.

Reviewer #1

Overall, we would like to thank Reviewer 1 for its comments that allowed us to focus on reshaping the manuscript and give clearer and shorter explanation of the work we submit in your journal. Because we did major modifications in the manuscript, we do not provide a tracked changes version of the revision but we can easily provide one if needed.

1. There is a lack of an intuitive figure to show the HD-SNN model used in this paper.

We provide such a figure in the new manuscript: Figure 3, P9

2. The MLR model used in the experimental part was presented in authors' another work. Therefore, the changes on the MLR model are suggested to be highlighted and contrasted graphically.

The main differences with the previous study are in the task to solve (section 2.1) and in the analysis of the results. The response of the model is tested on different sets of motion cloud stimuli with a control of the parameters of such stimuli generation (section 3.2). Regarding the MLR model, main differences with the previous ones are reported in the methods (P8, L269).

3. The title of section 2.2.1 is "a generative model for raster plots", but actually this section introduces basic terms and symbols. Section 2.2.2 is named "detecting spiking motifs", but most of the content seems to introduce the generation process of raster plots, while only the last paragraph introduces the detection of motif. It is recommended that the content of these two sections be reorganized and that references to Figure 1(b)(c)(d) be added where appropriate during the description.

We removed these sections to have a more concise explanation of the model and focused on resolving the motion detection task. We hope the manuscript is now more concise and clear to the point.

4. The adjustment of weights and delays needs more detailed elaboration, preferably given in mathematical formulas.

We improved the mathematical formulation of the model in sections 2.2.1 and 2.2.2 and hope that it clarifies the general framework we use. Regarding training, it is described more clearly in P8, L295. Demonstration of the mechanism and the analogy with Hebbian learning was done in [Grimaldi et al., 2022] and was not reproduced here. We hope this new version offers a clearer methodology.

5. In Figure 4, it is claimed that the kernels are very similar for the ON polarities, and different kernels are selective to the different motion directions. However, in terms of these two observations, I think they are not very significant, so I suggest a more intuitive way to reflect them, such as quantifying the similarity between the ON kernels, and the angle between the kernels and the vector of the standard motion directions.

We gave a better explanation of the symmetry assumption in the methods (P8, L293) and how this new model uses this invariance in its computation like observed in complex cells. Indeed, we don't want the polarity to have an impact on the classification and then this observation does not apply to the revised manuscript as it is a prior and not an emergent property.

6. There are few experiments and lack of comparative experiments. Since the model has an improvement based on MLR model, it is suggested to increase the comparison with MLR model and HOTS model on other datasets, such as N-MNIST and other neuromorphic datasets, so as to show the advantages of the proposed model in computational consumption.

The reviewer is making a good point but regarding the deadline for the revision and some objectives we focused on to improve the manuscript we could not apply the model on DVS recordings.

7. Some sections are verbose, such as the discussion.

We significantly changed the introduction (section 1), the methods (section 2) and the discussion (section 4) to address this comment. We hope to provide a more concise and clear explanation of our study.

8. There are some minor errors in the text, and it is recommended to check the full text: 1) In the first paragraph on page 8, "a presynaptic address b_s " should be "a postsynaptic address b_s "; 2) Whether W_b in the first formula should be K_b ? And d in it lacks description. 3) "PGs" should be given in its full name when it first appears. 4) There is no subgraph label of (a), (b) and (c) in Fig. 3, but the expression of Fig. 3-(a)/(b)/(c) appears many times. 5) The content of paragraph 1 on page 13 is repeated.

We corrected these minor errors and thank the reviewer for reporting them.

Reviewer #2

Key results: Please summarize what you consider to be the outstanding features of the work. Using a single layer of spiking neurons with heterogeneous delays to learn spatio-temporal spiking motifs

We would like to thank reviewer #2 for his comments. We have thoroughly revised the manuscript to take them into account.

The work presented here is very similar to the author's other work, "Learning hetero-synaptic delays for motion detection in a single layer of spiking neurons" 10.1109/ICIP46576.2022.9897394. This must be addressed and cited with an explanation of how this work presented is an extension of this previous publication. Abstract, Fig 6 and the main result is presented in the previous work. Arguably some of the figures from the previous publication would be nice to see in this publication as it helps with the visualisation of the problem. One suggestion for the extension to make the work unique would be to extend with some event-camera data, as it is mentioned multiple times within the publication. There are also a number of citations that could have been added that did appear in the other publication, while also including other motion detection/segmentation or previous work on event-based optical flow, which is a very similar problem.

In fact, there was no mention of this previous work in the original manuscript, as this 4-page paper had not yet been published in the proceedings of the conference at which it had been presented. As mentioned in the responses to reviewer #1 in this cover letter, we have now added this citation [Grimaldi and Perrinet, 2022]. In addition, in this submitted manuscript we describe the main differences from that previous study: the use of a more ecological task (Section 2.1), a complete formulation of the model (Section 2.2), and the improvements made in this particular model (P8, L269). We also provide citations to studies using similar methods (P7, L243). Further results are presented, especially the testing of the learned model with parametric textures.

References

- [Grimaldi et al., 2022] Grimaldi, A., Boutin, V., Ieng, S.-H., Benosman, R., and Perrinet, L. (2022). A robust event-driven approach to always-on object recognition. 00000 tex.ids= Grimaldi2022, Grimaldi2022a, Grimaldi22pami tex.bdsk-url-2: <https://doi.org/10.36227/techrxiv.18003077.v1> tex.date-modified: 2022-01-20 09:10:37 +0100 tex.grants: aprovis3D publisher: TechRxiv url: https://www.techrxiv.org/articles/preprint/A_robust_event-driven_approach_to_always-on_object_recognition/18003077/1.
- [Grimaldi and Perrinet, 2022] Grimaldi, A. and Perrinet, L. U. (2022). Learning hetero-synaptic delays for motion detection in a single layer of spiking neurons. In *2022 IEEE International Conference on Image Processing (ICIP)*, pages 3591–3595. ISSN: 2381-8549.