




Bottom view



| Numero item | Quantità | Materiale |
|-------------|----------|--------------------------|
| 1 | 1 | DD11 / 1.0332 |
| 2 | 1 | DD11 / 1.0332 |
| 3 | 1 | DD11 / 1.0332 |
| 4 | 1 | DD11 / 1.0332 |
| 5 | 1 | DD11 / 1.0332 |
| 6 | 1 | DD11 / 1.0332 |
| 7 | 2 | DD11 / 1.0332 |
| 8 | 1 | DD11 / 1.0332 |
| 9 | 1 | DD11 / 1.0332 |
| 10 | 1 | DD11 / 1.0332 |
| 11 | 1 | DD11 / 1.0332 |
| 12 | 2 | DD11 / 1.0332 |
| 13 | 2 | DD11 / 1.0332 |
| 14 | 4 | Tubtara M8 |
| 15 | 24 | press nut M6 |
| 16 | 2 | DD11 / 1.0332 |
| 17 | 1 | DD11 / 1.0332 |
| 19 | 2 | DD11 / 1.0332 |
| 20 | 2 | DD11 / 1.0332 |
| 21 | 1 | DD11 / 1.0332 |
| 22 | 2 | DD11 / 1.0332 |
| 23 | 2 | St 37-2 |
| 24 | 1 | DD11 / 1.0332 |
| 25 | 1 | DD11 / 1.0332 |
| 26 | 1 | DD11 / 1.0332 |
| 27 | 2 | weld threaded stud M6x12 |
| 28 | 4 | Tubtara M6 |
| 29* | 2 | weld_threaded_stud_M6x20 |
| 30* | 1 | DD11 / 1.0332 |

This sheet refer only to unpainted areas

ATTENTION
PROTECT ALL UNPAINTED AREAS WITH
CONDUCTIVE PAINT
GF AGIE-CHARMILLES N° 535.022.437

 UNPAINTED AREA



Protect the threads
from painting
Proteggere il filetti
dalla verniciatura

PAINTED



Color and aspect
according to order


**PAINT SPECIFICATIONS
ACCORDING TO DOCUMENT**

| | | | | | | | | | | | |
|--|--|--|--|-----------------|--|----------------------------------|--|--------------|--|-----------------|--|
| Material : | | | | Weight: 37.8 kg | | General Tolerance: ISO 2768 - cK | | | | Scale | |
| Enclosures Tec: <input type="checkbox"/> Doc C/S: <input type="checkbox"/> OUT: <input type="checkbox"/> | | | | Master Part: -- | | | | | | 1:10 | |
| TANK | | | | | | Name | | Date | | H Size A1 | |
| | | | | | | Tade L | | 03/11/2017 | | | |
| | | | | | | Appvd Pedrini B | | 05.12.2019 | | | |
| | | | | | | Rev Padlina M | | 10.09.2020 | | | |
| | | | | | | Solid Edge | | | | | |
| <div><div>+GF+</div><div>AgieCharmilles</div></div> | | | | | | Page | | Part Number: | | Rev Lev | |
| | | | | | | N° 1 | | 535012008 | | 08 | |
| | | | | | | T 4 | | | | | |



Spigoli arrotondati R2
Rounded edges R2

| | | | | | | | |
|--------------------------------------|--|------------------------|--|---|--|--|--|
| Material : _____ | | Weight: 37.9 kg | | General Reference: ISO 276 - cK | | Scale: 1.5 | |
| Enclosures Tec: [-] Doc C/S: [-] | | Master Part: [-] | | Name _____ | | Date _____ | |
| TANK | | | | Drawn _____ | | Date 03/11/2017 | |
| | | | | Appr'd _____ | | Pedrinli B | |
| | | | | Rev _____ | | Pedrina M | |
| | | | | | | 10.09.2020 | |
| | | | | Solid Edge | |  Part Number: 535012008 | |
| +GF+ | | AgieCharmilles | |  Rev Len: 08 | | | |



Distance between centers $\pm 0,2$
 Intersassi





General tolerances for dimensioning in coordinates
 Tolleranze generali per quotature in coordinate $\pm 0,2$

Spigoli arrotondati R2
 Rounded edges R2

| | | | | | | | | | | | | | |
|--|--|------------------------|--|-------------------------------|--|------------------------|--|-----------------|--|----------------------------------|--|------------|--|
| Material : <input type="checkbox"/> | | Doc C/S: -- | | OUT: <input type="checkbox"/> | | Master Part: -- | | Weight: 37.8 kg | | General Tolerance: ISO 2768 - cK | | Scale: 1:2 | |
| Enclosures Tec: <input type="checkbox"/> | | Drawn: Task L | | Date: 03/11/2017 | | Name: Date: | | | | | | | |
| Approved: Padina B | | Date: 05.12.2019 | | Rev: Padina M | | Date: 10.09.2020 | | | | | | | |
| Rev: Padina M | | Date: 10.09.2020 | | Rev: Padina M | | Date: 10.09.2020 | | | | | | | |
| TANK | | Part Number: 535012008 | | Rev: 08 | | Solid Edge | | | | | | | |
| +GF+ | | AgieCharmilles | | Page: 1 | | Part Number: 535012008 | | | | | | Rev Lev | |
| | | | | | | | | | | | | Rev Lev | |

Distance between centers ± 0,2
Interassi
General tolerances for dimensioning in coordinates ± 0,2
Tolleranze generali per quotature in coordinate
Spigoli arrotondati R2
Rounded edges R2

3



Spigoli arrotondati R2
Rounded edges R2
Distance between centers $\pm 0,2$
Interassi
General tolerances for dimensioning in coordinates $\pm 0,2$
Tolleranze generali per quotature in coordinate $\pm 0,2$

✓ $\begin{matrix} -0,1 \\ -0,5 \end{matrix}$ $\begin{matrix} +0,3 \end{matrix}$

| | | | |
|-------------------|-----------------|----------------------------------|----------------------|
| Material : | Weight: 37.8 kg | General Tolerance: ISO 2768 - cK | Scale 1:5 |
| Enclosures Tec: - | Doc C/S: -- | OUT: - | Master Part: -- |
| TANK | | Name | Date |
| | | Drawn | Tadè L 03/11/2017 |
| | | Appvd | Pedrinì B 05.12.2019 |
| | | Rev | Padlina M 10.09.2020 |
| | | Solid Edge | |
| +GF+ | | Page | Part Number: |
| | | N: 4 | 535012008 |
| | | T: 4 | Rev Lev 08 |