

## **Pharmacy Drug Policy Checklist**

**POLICY NAME** Adalimumab Products POLICY # 1843P Criteria Coverage Criteria for Pediatric Crohn's Disease and Active Adult Crohn's Disease See Crohn's Disease Immunomodulator Therapies policy **Coverage Criteria for Rheumatoid Arthritis** See Rheumatoid Arthritis Immunomodulator Therapies policy **Coverage Criteria for Juvenile Idiopathic Arthritis** See Polyarticular Juvenile Idiopathic Arthritis Immunomodulator policy **Coverage Criteria for Plaque Psoriasis** See Plague Psoriasis Immunomodulator Therapies policy **Coverage Criteria for Active Psoriatic Arthritis** See Psoriatic Arthritis Immunomodulator Therapies policy Coverage Criteria for Ankylosing Spondylitis and Other Spondyloarthropathies See Ankylosing Spondylitis Immunomodulator Therapies policy **Coverage Criteria for Ulcerative Colitis** See Ulcerative Colitis Immunomodulator Therapies policy

Coverage Criteria for Hidradenitis Suppurativa	
	See Hidradenitis Suppurativa Immunomodulator Therapies policy
Cov	erage Criteria for Arthritis Associated with Hidradenitis Suppurativa
	Diagnosis of Arthritis associated with Hidradenitis Suppurativa
	Prescribed by a rheumatologist (musculoskeletal doctor)
	Documented failure to respond to a minimum 3 month trial, intolerance, or contraindication to a DMARD (Disease Modifying Anti-Rheumatic Drug): Methotrexate, Arava (leflunomide), Plaquenil (hydroxychloroquine), or sulfasalazine
Cov	erage Criteria for Uveitis
	Diagnosis of Uveitis
	Prescribed by an ophthalmologist (eye doctor) or a specialist in the treatment of uveitis
	Documented failure to respond to topical glucocorticoids (such as prednisolone eye drops)
	Documented failure to respond to systemic glucocorticoids or immunosuppressive agents (such as prednisone or methotrexate)
Cov	erage Criteria for Pyoderma Gangrenosum
	Ordered by a specialist
	Diagnosis of refractory pyoderma gangrenosum not responding to standard therapy (such as prednisone or cyclosporine)
Excl	usion Criteria – Any of the following prevents coverage
	Allergic reaction to murine proteins or humanized monoclonal antibody
	Inadequate response to initial or previous adalimumab therapy
	Patients with active infections, latent tuberculosis, or symptomatic or deteriorating congestive heart failure
	Health Alliance does not cover more than one immunomodulator at a time because of the possible increased risk for infections and potential drug interactions
	Off-label (non-FDA-Approved) dosing frequencies

Only certain NDCs of adalimumab biosimilars will be considered for coverage, please reference statement of policy for covered NDCs