POLICY NAME Growth Hormone POLICY # 565P

Criteria

Preferred Formulary Agents	
	Omnitrope and Norditropin are the preferred short-acting growth hormone (GH) products. Coverage of any non-preferred short-acting agent requires a documented 3-month trial and failure of BOTH Omnitrope and Norditropin, or a documented intolerance or contraindication to BOTH Omnitrope and Norditropin.
	Coverage of Sogroya requires a documented 3-month trial and failure of BOTH Ngenla and Skytrofa, or a documented intolerance or contraindication to BOTH Ngenla and Skytrofa.
Trea	atment of Pediatric Growth Hormone Deficiency
	Applicable products: Genotropin, Humatrope, Norditropin, Nutropin, Omnitrope, Saizen, Zomacton, Skytrofa, Sogroya, Ngenla
	Documented failure of two growth hormone stimulation tests
	Failure is defined as a peak serum growth hormone level <10ng/ml
	Diagnostic imagery of the brain has excluded the possibility of a tumor
	The member's medical history exhibits one of the following:
	• >3 standard deviations below the mean height for specific age and sex
	 Between 2 and 3 standard deviations below the mean height for specific age and sex and less than 25th percentile for mean growth velocity (GV) over the previous year
	 Pre-treatment 1 year height velocity >2 SD below the mean
	Diagnosis of congenital growth hormone deficiency
	 Previously treated cranial radiation therapy or tumor with decreasing growth rate
	Approval Time
	Initial: 12 months
	 Re-approval: 12 months provided there is a documented growth velocity 2cm/year following at least one year of GH therapy

Treatment of small for gestational age (SGA) children

Applicable products: Genotropin, Humatrope, Norditropin, Omnitrope, Zomacton

	Documentation of birth weight or length 2 SD below the mean for gestational age
year	s of age
	Child remains 2 SD below the median height for their specific age
	Approval Time: • Initial: 12 months
	Re-approval: 12 months provided there is a documented growth velocity 2cm/year following at least one year of GH therapy
Trea	tment of Prader-Willi Syndrome
	Applicable products: Genotropin, Norditropin, Omnitrope
	Diagnosis of Prader-Willi syndrome
	Documentation indicates no upper airway obstruction present
	If less than 30 months of age the member's pretreatment height is >2 SD below the mean and diagnosis of a slow growth velocity, OR
	If greater than 30 months of age the member's pretreatment height is >2 SD below the mean and 1-year weight velocity is > 1 SD below the mean or a pretreatment 1-year height velocity >2 SD below the mean
	Approval Time Initial: 12 months Re-approval: 12 months provided there is a documented growth velocity 2cm/year following at least one year of GH therapy, AND Body composition has improved
	tment of Children with Short Stature Homebox-Containing Gene (SHOX) ciency
	Applicable products: Humatrope, Zomacton
	Diagnosis of SHOX confirmed by molecular or genetic analysis
	Member is 3 years of age
	Pretreatment height is >2 SD below the mean and 1-year height velocity is > 1 SD below the mean or a pretreatment 1-year height velocity >2 SD below the mean
	Approval Time Initial: 12 months Re-approval: 12 months provided there is a documented growth velocity 2cm/year following at least one year of GH therapy

Treatment of Turner syndrome	
	Applicable products: Genotropin, Humatrope, Norditropin, Nutropin, Omnitrope, Zomacton
	Diagnosis of Turner's syndrome confirmed by karyotype study
	If less than 30 months of age the member's pretreatment height is >2 SD below the mean and diagnosis of a slow growth velocity, OR
	If greater than 30 months of age the member's pretreatment height is >2 SD below the mean and 1-year height velocity is > 1 SD below the mean or a pretreatment 1-year height velocity >2 SD below the mean
	Approval Time Initial: 12 months Re-approval: 12 months provided there is a documented growth velocity 2cm/year following at least one year of GH therapy
Trea	Itment of Noonan Syndrome
	Applicable product: Norditropin
	Member's 1-year height velocity >2 SD below the mean
	Member's pretreatment height is >2 SD below the mean and 1-year height velocity is > 1 SD below the mean
	Approval Time • Initial: 12 months • Re-approval: 12 months, provided there is a documented growth velocity 2cm/year following at least one year of GH therapy

Trea	tment of Growth Failure Due to Chronic Renal Insufficiency
	Applicable product: Nutropin
	Diagnosis of chronic renal insufficiency
	If less than 30 months of age the member's pretreatment height is $>$ 2 SD below the mean and diagnosis of a slow growth velocity, OR
	If greater than 30 months of age the member's pretreatment height is >2 SD below the mean and 1-year height velocity is >1 SD below the mean or a pretreatment 1-year height velocity >2 SD below the mean
	Documentation that other metabolic, endocrine, and nutritional abnormalities are treated and stabilized • Acidosis

- Malnutrition
- Secondary hypothyroidism

	 Initial: 12 months Re-approval: 12 months, provided there is a documented growth velocity 2cm/year following at least one year of GH therapy
Trea	tment of Adult Growth Hormone Deficiency Due to Pituitary Damage
	Applicable products: Genotropin, Humatrope, Norditropin, Nutropin, Omnitrope, Saizen, Zomacton, Sogroya
	Documented pituitary disease or brain injury involving pituitary
	Member has a diagnosis of at least one other pituitary hormone deficiency and each deficiency is optimally treated
	GH deficiency is confirmed by laboratory analysis
	Deficiency defined as peak GH response less than 5ng/ml
	Member's QoL-AGHDA score is 11 points
poin	at = 1 answer in the affirmative
	Approval Time
	 Initial: 12 months Re-approval: 12 months if the member's Qol-AGHDA score has improved by at least 7 points
	Itment of Adult Growth Hormone Deficiency who were Previously Treated for liatric Growth Hormone Deficiency
	Applicable products: Genotropin, Humatrope, Norditropin, Nutropin, Omnitrope, Saizen, Zomacton, Sogroya
	Previous treatment of pediatric growth hormone deficiency
	Documentation which states the member's growth velocity is <2cm/year and nearing their maximum adult height
	Discontinuation of previous growth hormone use for at least one month following completion of linear growth
	Completion of an IGF-1 test which indicates the level is low for the member's pretreatment age and gender
	Completion of a growth hormone stimulation test with results <5ng/ml
	Member's QoL-AGHDA score is 11 points

☐ Approval Time

point = 1 answer in the affirmative	
	Approval Time • Initial: 12 months • Re-approval: 12 months if the member's Qol-AGHDA score has improved by at least 7 points
Trea	tment of Early Adult-Onset Growth Hormone Deficiency
	Applicable products: Genotropin, Humatrope, Norditropin, Nutropin, Omnitrope, Saizen, Zomacton, Sogroya
	Completion of an IGF-1 test which indicates the level is low for the member's pretreatment age and gender References
	Completion of a growth hormone stimulation test with results <5ng/ml
	Member's QoL-AGHDA score is 11 points
poin	at = 1 answer in the affirmative
	Approval Time Initial: 12 months Re-approval: 12 months if the member's Qol-AGHDA score has improved by at least 7 points
Trea	tment of HIV-Associated Wasting Algorithm
	Applicable product: Serostim
	Diagnosis of HIV/AIDS
	Active treatment with antiretroviral therapy
	Documented BMI of 18.5kg/m2
	Approval Time • Initial: 12 months • Re-approval: 12 months with documentation that the member's BMI improved or stabilized in response to treatment
Trea	tment of Short Bowel Syndrome
	Applicable product: Zorbtive
	Diagnosis of short bowel syndrome
	Documented administration of specialized nutritional support

	Approval Time			
	Lifetime: 8 week			
xcl	usion Criteria – Any of the following prevents coverage			
	Idiopathic short stature is considered a clinical description and not a diagnosis of an illness, injury or disease. Due to this, coverage of growth hormone for the treatment of idiopathic short stature (ISS) is not considered medically necessary.			
	ISS is generally considered a normal variant of growth			
	 Long-term benefits of intervention are unclear 			
	 Predictions of adult height, with or without treatment, are imprecise 			
	Most patients with ISS have normal psychosocial functioning			
	• Short stature could not be established as the cause of problems with peer relationships			
	The effects have not been adequately studied			
	 Short stature has a minimal impact on peer perceptions of social behavior, friendship, or pee acceptance 			
	Treatment with growth hormone for ISS is controversial			
	 Majority of children with short stature will experience some catch-up growth during puberty without growth hormone treatment 			
	 Effects of growth hormone are modest and some children with ISS don't respond to treatmer CPT Codes HCPCS Codes J2941 Injection, somatropin, 1 mg 			

☐ No previous history of growth hormone treatment