POLICY NAME Alopecia Areata Products POLICY # 3236P

## Criteria

Coverage Criteria	
	Diagnosis of severe alopecia areata defined as Severity of Alopecia Tool (SALT) score of ≥50 indicating at least 50% hair loss
	Age 18 years or older for Olumiant, age 12 years or older for Litfulo
	Current alopecia episode lasting at least 6 months without spontaneous regrowth
	Prescribed by or in consultation with a dermatologist (skin doctor)
	<ul> <li>Documented trial and failure to one of the following therapies or clinical contraindication to all:</li> <li>Oral (by mouth), intralesional (injection) or topical (applied to skin) corticosteroid</li> <li>Topical (applied to the skin) immunotherapy (such as diphenylcyclopropenone or squaric acid dibutyl ester)</li> <li>Conventional oral (by mouth) immunosuppressant (such as methotrexate or azathioprine)</li> </ul>
Exclusion Criteria – Any of the following prevents coverage  Not covered for use in patients with a diffuse hair loss pattern or other forms of alopecia such as	
	140t 0040100 for 400 in patients with a unitage than 1000 pattern of other forms of alopedia such as

androgenic alopecia or chemotherapy (cancer treatment) induced hair loss

cyclosporine, or other potent immunosuppressants

Cannot be used in combination with other JAK inhibitors, biologic immunomodulators,