

Pharmacy Drug Policy Checklist

POLICY NAME Evkeeza (evinacumab) POLICY # 2837P

Criteria

Coverage Criteria for Homozygous Familial Hypercholesterolemia (HoFH)	
	Documented diagnosis of Homozygous Familial Hypercholesterolemia, confirmed by gene mutations or a supported clinical diagnostic tool
	 Defined as hyperlipidemia due to a genetic or inherited condition that causes high levels of LDL, or "bad" cholesterol
	Documentation of ACC/AHA 10-year risk calculation of 7.5% or greater
	LDL cholesterol level greater than 100mg/dL within the last 30 days
	Age 5 years or older
	Ordered by or in consultation with a cardiologist (doctor of the heart and blood vessels), endocrinologist (hormone doctor), or lipid specialist, to be used in combination with a low-fat diet and exercise
	Member is currently taking a statin drug at the highest tolerated dose, plus ezetimibe, plus a PCSK9 inhibitor (Praluent or Repatha) for at least 90 days, but has not had adequate lipid-lowering response
	 Defined as an inability to decrease LDL level by 50% with claims history showing that member has filled at least 150 days of all medications in the last 6 months, OR
	 Defined as an ability to decrease the LDL level by 50% or more, but the member still does not reach the target LDL goal with claims history showing that member has filled at least 150 days of all medications in the last 6 months
	Documented intolerance to statin therapy (defined as severe myalgias/muscle aches and/or creatine kinase levels greater than 10 times the upper limit of the lab reference range)
	Request for coverage is reviewed by both a pharmacist and medical director
FDA-Approved Dosing	
	Dose: 15 mg/kg every 4 weeks