POLICY NAME Hemgenix (etranacogene dezaparvovec)

POLICY #

3168P

Criteria

Coverage Criteria for Hemophilia B	
	Males with diagnosis of moderate or severe hemophilia B
	Diagnosis of moderate or severe hemophilia B defined as an inherited deficiency of factor IX
	with a factor IX activity level ≤2% of normal (≤0.02 IU/mL)
	Ages 18 years or older
	Ages to years or order
	Prescribed by or in consultation with a hematologist (doctor of blood disorders) or hemophilia specialist
	Documentation to support a current or historical life-threatening hemorrhage OR repeated, serious spontaneous bleeding episodes
	Documentation must include number of bleeds within the year prior to request of Hemgenix
	Previous use of Factor IX prophylaxis therapy for ≥ 2 months
	Review of chart notes and labs documenting diagnosis and confirming that patient has met all of the above requirements for treatment with Hemgenix by both a pharmacist and medical director
Exclusion Criteria – Any of the following prevents coverage	
	Diagnosis of any other inherited or acquired hemophilia (ex: hemophilia A, hemophilia C, etc)
	Documented factor IX inhibitors
	Any documented active hepatitis C infection, uncontrolled HIV infection or evidence of advanced cirrhosis
	Previous treatment with any hemophilia B gene therapy