Importing Libraries

```
In [1]: import numpy as np
    import pandas as pd
    import seaborn as sns
    import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]: df=pd.read_csv("rainfall_lakshadweep.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	C	
0	4002	LAKSHADWEEP	1901	22.6	86.4	114.8	263.8	37.3	459.0	0.0	0.0	46.7	18	
1	4003	LAKSHADWEEP	1902	99.3	9.6	32.6	40.4	179.1	374.2	413.3	170.0	214.3	38	
2	4004	LAKSHADWEEP	1903	63.5	95.0	0.0	29.5	144.1	212.4	261.8	202.0	292.1	7	
3	4005	LAKSHADWEEP	1904	0.0	0.0	13.5	13.2	143.3	261.3	256.0	38.9	219.9	1	
4	4006	LAKSHADWEEP	1905	62.4	0.0	0.0	0.0	166.7	400.7	68.7	377.5	107.5	23	
109	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	1'	
110	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	14	
111	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	7	
112	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	16	
113	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	16	
444		44.4 marrier vi 20. andrumana												

114 rows × 20 columns

Data Cleaning and Data Preprocessing

```
In [5]:
        df.info()
         <class 'pandas.core.frame.DataFrame'>
         Int64Index: 103 entries, 0 to 113
         Data columns (total 20 columns):
              Column
                            Non-Null Count
                                             Dtype
          0
              index
                            103 non-null
                                             int64
          1
              SUBDIVISION
                            103 non-null
                                             object
                            103 non-null
          2
              YEAR
                                             int64
          3
              JAN
                            103 non-null
                                             float64
          4
              FEB
                            103 non-null
                                             float64
          5
              MAR
                            103 non-null
                                             float64
          6
                            103 non-null
                                             float64
              APR
          7
              MAY
                            103 non-null
                                             float64
          8
                            103 non-null
                                             float64
              JUN
          9
              JUL
                            103 non-null
                                             float64
          10
                            103 non-null
                                             float64
              AUG
          11
              SEP
                            103 non-null
                                             float64
          12
              OCT
                            103 non-null
                                             float64
                            103 non-null
                                             float64
          13
              NOV
              DEC
                            103 non-null
                                             float64
          14
          15
              ANNUAL
                            103 non-null
                                             float64
                            103 non-null
                                             float64
          16
              Jan-Feb
          17
              Mar-May
                            103 non-null
                                             float64
```

103 non-null

103 non-null

dtypes: float64(17), int64(2), object(1)

Line chart

Jun-Sep

memory usage: 16.9+ KB

19 Oct-Dec

18

```
In [6]: df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
              <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
              <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
              <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
              <AxesSubplot:>, <AxesSubplot:>], dtype=object)
                                                FEB
                                MAR
         100
250
500
                                                APR
                MAY 🔨
                                                JUN
         588
                4006
                AUG
         506
                                SEP
        OCT
                                NOV
                                                DEC
                                             ANNUAL
                lan-Feb
                Mar-May
                Jun-Sep
```


float64

float64

Line chart

In [7]: df.plot.line()


Out[7]: <AxesSubplot:>



Bar chart

In [8]: df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart

In [10]: df.plot.area()

Out[10]: <AxesSubplot:>





Box chart

inderEARANFEBMARAPRMAYJUN JULAUGSEPOCTNOVDANNJalanFatsjinlar@etpDec

Pie chart


```
In [12]: df.plot.pie(y='ANNUAL' )
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





Scatter chart


```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



Seaborn

In [14]: sns.pairplot(df)

Out[14]: <seaborn.axisgrid.PairGrid at 0x25e8a1d2940>




In [15]: sns.distplot(df['ANNUAL'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: F utureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-le vel function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[15]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>



In [16]: sns.heatmap(df.corr())

Out[16]: <AxesSubplot:>

