Importing Libraries

```
In [1]: import numpy as np
    import pandas as pd
    import seaborn as sns
    import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]: df=pd.read_csv("rainfall_telangana.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	
0	3197	TELANGANA	1901	6.9	41.8	7.8	45.2	22.0	123.6	237.8	177.2	77.7	75.5	
1	3198	TELANGANA	1902	0.0	0.0	0.2	10.7	7.3	52.4	146.3	142.8	190.5	41.7	
2	3199	TELANGANA	1903	12.9	4.6	0.0	9.9	40.7	99.2	505.2	246.7	191.9	155.8	
3	3200	TELANGANA	1904	0.0	0.0	10.8	0.8	14.7	104.2	139.5	50.0	162.3	44.4	
4	3201	TELANGANA	1905	0.0	4.3	12.8	27.6	32.2	129.5	82.4	237.3	179.1	19.6	
110	3307	TELANGANA	2011	0.0	11.9	2.6	25.6	9.3	83.9	268.2	225.9	107.6	13.9	
111	3308	TELANGANA	2012	6.7	0.0	0.2	14.0	8.4	124.4	300.3	229.9	202.4	83.6	
112	3309	TELANGANA	2013	2.4	29.0	0.2	24.4	8.5	213.4	453.8	230.6	161.4	205.9	
113	3310	TELANGANA	2014	0.2	2.9	58.3	10.3	73.3	62.3	146.0	205.2	146.8	29.6	
114	3311	TELANGANA	2015	17.5	0.0	43.0	65.7	23.3	266.9	104.4	160.5	158.3	15.6	
115 r	115 rows × 20 columns													

Data Cleaning and Data Preprocessing

In [5]:

```
df.info()
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
     Column
                   Non-Null Count
                                    Dtype
 0
     index
                   115 non-null
                                    int64
 1
     SUBDIVISION
                   115 non-null
                                    object
                   115 non-null
 2
     YEAR
                                    int64
 3
     JAN
                   115 non-null
                                    float64
 4
     FEB
                   115 non-null
                                    float64
 5
     MAR
                   115 non-null
                                    float64
 6
                   115 non-null
                                    float64
     APR
 7
     MAY
                   115 non-null
                                    float64
 8
                   115 non-null
                                    float64
     JUN
 9
     JUL
                   115 non-null
                                    float64
 10
     AUG
                   115 non-null
                                    float64
 11
     SEP
                   115 non-null
                                    float64
 12
     OCT
                   115 non-null
                                    float64
                   115 non-null
                                    float64
 13
     NOV
     DEC
                   115 non-null
                                    float64
 14
 15
     ANNUAL
                   115 non-null
                                    float64
                   115 non-null
                                    float64
 16
     Jan-Feb
 17
     Mar-May
                   115 non-null
                                    float64
 18
     Jun-Sep
                   115 non-null
                                    float64
 19 Oct-Dec
                   115 non-null
                                    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```


Line chart

```
In [6]: df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>], dtype=object)
                ΙAΝ
                MAR
         106
                MAY
         JUN
                16JF~
                AUG
                SEP
                                              NOV
                                              DEC
                              lan-Feb
         208
                Jun-Sep
                              Oct-Dec
```

Line chart

In [7]: df.plot.line()


Out[7]: <AxesSubplot:>



Bar chart

In [8]: df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart


In [10]: df.plot.area()

Out[10]: <AxesSubplot:>




Box chart


```
In [11]: df.plot.box()
Out[11]: <AxesSubplot:>
```



Pie chart

```
In [12]: df.plot.pie(y='ANNUAL' )
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```






Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
```


Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>



Seaborn

In [14]: sns.pairplot(df)

Out[14]: <seaborn.axisgrid.PairGrid at 0x2d116e7bac0>




In [15]: sns.distplot(df['ANNUAL'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: F utureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-le vel function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[15]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>



In [16]: sns.heatmap(df.corr())

Out[16]: <AxesSubplot:>

