Importing Libraries

```
In [1]: import numpy as np
    import pandas as pd
    import seaborn as sns
    import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]: df=pd.read_csv("rainfall_rayalseema.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	3312	RAYALSEEMA	1901	7.0	50.2	0.0	12.1	38.9	53.0	73.4	60.3	109.0	81.6
1	3313	RAYALSEEMA	1902	10.0	0.2	1.7	11.0	36.8	73.6	41.3	148.3	181.7	188.5
2	3314	RAYALSEEMA	1903	30.0	0.1	0.0	3.6	80.5	67.5	127.5	140.6	219.7	95.3
3	3315	RAYALSEEMA	1904	14.8	0.0	1.7	7.1	58.8	39.8	75.1	19.4	84.7	111.5
4	3316	RAYALSEEMA	1905	6.5	6.8	17.0	18.3	44.2	66.1	50.9	219.3	36.5	180.2
110	3422	RAYALSEEMA	2011	8.0	12.1	0.0	34.6	33.0	44.5	128.9	163.6	71.2	107.5
111	3423	RAYALSEEMA	2012	2.7	0.0	2.5	32.7	38.8	47.0	139.7	120.0	69.5	113.7
112	3424	RAYALSEEMA	2013	1.3	30.6	11.5	26.8	38.9	73.8	95.7	110.3	163.2	169.3
113	3425	RAYALSEEMA	2014	0.2	0.7	12.5	5.1	46.7	66.3	68.7	115.1	81.4	104.6
114	3426	RAYALSEEMA	2015	1.9	0.0	13.4	73.4	39.7	73.0	43.1	123.6	136.3	106.7
115 r	115 rows × 20 columns												

115 rows × 20 columns

Data Cleaning and Data Preprocessing

```
In [5]: df.info()
```

```
Data columns (total 20 columns):
     Column
                   Non-Null Count
                                    Dtype
 0
     index
                   115 non-null
                                    int64
 1
                   115 non-null
     SUBDIVISION
                                    object
 2
     YEAR
                   115 non-null
                                    int64
 3
     JAN
                   115 non-null
                                    float64
 4
     FEB
                   115 non-null
                                    float64
 5
                                    float64
     MAR
                   115 non-null
 6
                   115 non-null
                                    float64
     APR
 7
                                    float64
     MAY
                   115 non-null
 8
     JUN
                   115 non-null
                                    float64
 9
     JUL
                   115 non-null
                                    float64
 10
     AUG
                   115 non-null
                                    float64
                                    float64
 11
     SEP
                   115 non-null
 12
     OCT
                   115 non-null
                                    float64
                                    float64
     NOV
                   115 non-null
 13
 14
     DEC
                   115 non-null
                                    float64
                                    float64
 15
     ANNUAL
                   115 non-null
     Jan-Feb
                   115 non-null
                                    float64
 16
 17
     Mar-May
                   115 non-null
                                    float64
```

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114

19 Oct-Dec 115 non-null float64 dtypes: float64(17), int64(2), object(1) memory usage: 18.9+ KB

115 non-null

float64

Line chart

Jun-Sep


18

```
In [6]: df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>], dtype=object)
                                               ΙΑΝ
                                               FEB
                MAY
                UN
        IUL
                                              AUG
                                              SEP
                                              OCT
                                              NOV
                                              DEC
                              ANNUAL
                                            Jan-Feb
                Mar-May
                Oct-Dec
                   20
                               60
                                          100
```

Line chart

```
In [7]: df.plot.line()
Out[7]: <AxesSubplot:>


3500
3000
3000
3000
FEB
```



Bar chart

```
In [8]: df.plot.bar()
```


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart


```
In [10]: df.plot.area()
```

Out[10]: <AxesSubplot:>




Box chart

```
In [11]: df.plot.box()
Out[11]: <AxesSubplot:>
```



Pie chart


```
In [12]: df.plot.pie(y='ANNUAL' )
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```




SUBDIVISION

Seaborn

In [14]: sns.pairplot(df)

Out[14]: <seaborn.axisgrid.PairGrid at 0x1fec1e732b0>




In [15]: sns.distplot(df['ANNUAL'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: F utureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-le vel function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[15]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>



In [16]: sns.heatmap(df.corr())

Out[16]: <AxesSubplot:>

