

Importing Libraries

```
In [18]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

```
In [19]: df=pd.read_csv("rainfall_kerala.csv")
df
```

Out[19]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	C
0	3887	KERALA	1901	28.7	44.7	51.6	160.0	174.7	824.6	743.0	357.5	197.7	26
1	3888	KERALA	1902	6.7	2.6	57.3	83.9	134.5	390.9	1205.0	315.8	491.6	35
2	3889	KERALA	1903	3.2	18.6	3.1	83.6	249.7	558.6	1022.5	420.2	341.8	35
3	3890	KERALA	1904	23.7	3.0	32.2	71.5	235.7	1098.2	725.5	351.8	222.7	32
4	3891	KERALA	1905	1.2	22.3	9.4	105.9	263.3	850.2	520.5	293.6	217.2	38
...
110	3997	KERALA	2011	20.5	45.7	24.1	165.2	124.2	788.5	536.8	492.7	391.2	22
111	3998	KERALA	2012	7.4	11.0	21.0	171.1	95.3	430.3	362.6	501.6	241.1	18
112	3999	KERALA	2013	3.9	40.1	49.9	49.3	119.3	1042.7	830.2	369.7	318.6	25
113	4000	KERALA	2014	4.6	10.3	17.9	95.7	251.0	454.4	677.8	733.9	298.8	35
114	4001	KERALA	2015	3.1	5.8	50.1	214.1	201.8	563.6	406.0	252.2	292.9	30

115 rows × 20 columns



Data Cleaning and Data Preprocessing

```
In [20]: df=df.dropna()
```

```
In [21]: df.columns
```

```
Out[21]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
               'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
               'Mar-May', 'Jun-Sep', 'Oct-Dec'],
              dtype='object')
```


In [22]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column                Non-Null Count  Dtype
---  -
0   index                 115 non-null   int64
1   SUBDIVISION           115 non-null   object
2   YEAR                  115 non-null   int64
3   JAN                   115 non-null   float64
4   FEB                   115 non-null   float64
5   MAR                   115 non-null   float64
6   APR                   115 non-null   float64
7   MAY                   115 non-null   float64
8   JUN                   115 non-null   float64
9   JUL                   115 non-null   float64
10  AUG                   115 non-null   float64
11  SEP                   115 non-null   float64
12  OCT                   115 non-null   float64
13  NOV                   115 non-null   float64
14  DEC                   115 non-null   float64
15  ANNUAL                115 non-null   float64
16  Jan-Feb              115 non-null   float64
17  Mar-May              115 non-null   float64
18  Jun-Sep              115 non-null   float64
19  Oct-Dec              115 non-null   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

In [23]: `df.plot.line(subplots=True)`


Out[23]: array([<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>], dtype=object)



Line chart

In [24]: `df.plot.line()`


Out[24]: `<AxesSubplot:>`



Bar chart

In [25]: `df.plot.bar()`


Out[25]: `<AxesSubplot:>`



Histogram

In [26]: `df.plot.hist()`


Out[26]: `<AxesSubplot:ylabel='Frequency'>`



Area chart

In [27]: `df.plot.area()`


Out[27]: `<AxesSubplot:>`



Box chart

```
In [28]: df.plot.box()
```


```
Out[28]: <AxesSubplot: >
```




Pie chart

```
In [29]: df.plot.pie(y='ANNUAL' )
```

```
Out[29]: <AxesSubplot:ylabel='ANNUAL'>
```







Scatter chart

```
In [30]: df.plot.scatter(x='SUBDIVISION', y='ANNUAL')
```


```
Out[30]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



Seaborn

```
In [31]: sns.pairplot(df)
```

```
Out[31]: <seaborn.axisgrid.PairGrid at 0x27a5c0f3be0>
```




In [32]: `sns.distplot(df['ANNUAL'])`

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[32]: `<AxesSubplot:xlabel='ANNUAL', ylabel='Density'>`



In [33]: `sns.heatmap(df.corr())`

Out[33]: `<AxesSubplot:>`

