

Importing Libraries

```
In [1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]: df=pd.read_csv("rainfall_saurashtra _ kutch.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	2392	SAURASHTRA & KUTCH	1901	1.9	0.0	0.1	0.2	3.2	9.1	87.8	62.5	12.0	3.8
1	2393	SAURASHTRA & KUTCH	1902	0.1	0.0	0.0	0.5	1.1	14.4	92.9	160.0	123.9	1.5
2	2394	SAURASHTRA & KUTCH	1903	0.5	0.0	1.7	0.0	3.1	10.5	337.9	96.1	61.9	11.1
3	2395	SAURASHTRA & KUTCH	1904	1.4	5.8	17.5	0.0	0.0	9.5	111.2	9.4	28.9	0.3
4	2396	SAURASHTRA & KUTCH	1905	1.5	1.0	0.6	0.4	0.0	6.4	254.5	12.3	12.8	0.4
...
110	2502	SAURASHTRA & KUTCH	2011	0.0	1.4	0.0	0.0	0.0	26.0	212.7	290.9	210.1	1.2
111	2503	SAURASHTRA & KUTCH	2012	0.0	0.0	0.0	0.2	0.1	22.4	34.7	34.5	228.5	2.4
112	2504	SAURASHTRA & KUTCH	2013	1.7	0.2	0.1	8.5	0.1	127.7	171.2	83.3	260.2	28.6
113	2505	SAURASHTRA & KUTCH	2014	0.3	0.0	0.1	0.5	2.1	17.3	137.7	118.8	99.2	5.2
114	2506	SAURASHTRA & KUTCH	2015	0.9	0.0	4.4	2.1	0.8	112.6	226.7	10.6	79.9	3.3

115 rows × 20 columns



Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
```

```
In [4]: df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
              'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
              'Mar-May', 'Jun-Sep', 'Oct-Dec'],
              dtype='object')
```


```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null    int64
1   SUBDIVISION     115 non-null    object
2   YEAR            115 non-null    int64
3   JAN             115 non-null    float64
4   FEB             115 non-null    float64
5   MAR             115 non-null    float64
6   APR             115 non-null    float64
7   MAY             115 non-null    float64
8   JUN             115 non-null    float64
9   JUL             115 non-null    float64
10  AUG             115 non-null    float64
11  SEP             115 non-null    float64
12  OCT             115 non-null    float64
13  NOV             115 non-null    float64
14  DEC             115 non-null    float64
15  ANNUAL          115 non-null    float64
16  Jan-Feb        115 non-null    float64
17  Mar-May        115 non-null    float64
18  Jun-Sep        115 non-null    float64
19  Oct-Dec        115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

```
In [6]: df.plot.line(subplots=True)
```


```
Out[6]: array([<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>], dtype=object)
```



Line chart

```
In [7]: df.plot.line()
```


```
Out[7]: <AxesSubplot:~>
```



Bar chart

In [8]: `df.plot.bar()`


Out[8]: <AxesSubplot:>



Histogram

In [9]: `df.plot.hist()`


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



Box chart

```
In [11]: df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```




Pie chart

```
In [12]: df.plot.pie(y='ANNUAL' )
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```







Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
```


```
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



Seaborn

```
In [14]: sns.pairplot(df)
```

```
Out[14]: <seaborn.axisgrid.PairGrid at 0x1abae38eee0>
```




In [15]: `sns.distplot(df['ANNUAL'])`

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[15]: `<AxesSubplot:xlabel='ANNUAL', ylabel='Density'>`



In [16]: `sns.heatmap(df.corr())`

Out[16]: `<AxesSubplot:>`

