

NSF Cooperative Agreement - Computing Section

Lothar Bauerdick¹, Ken Bloom², Sridhara Dasu³, Peter Elmer⁴, David Lange⁵,
Kevin Lannon⁶, Salvatore Rappoccio⁷, Liz Sexton-Kennedy¹, Frank Wuerthwein⁸ and
Avi Yagil⁸

¹Fermi National Accelerator Laboratory

²University of Nebraska – Lincoln

³University of Wisconsin – Madison

⁴Princeton University

⁵Lawrence Livermore National Laboratory

⁶University of Notre Dame

⁷State University of New York – Buffalo

⁸University of California – San Diego

December 11, 2015

1 Software and Computing

1.1 Introduction

The NSF support for software and computing at U.S. universities played a crucial role in the success of the CMS program, having contributed to almost all the published work thus far, including the discovery of the Higgs boson that completed the Standard Model of particle physics. Continued NSF support for software and computing is mandatory for future successes, including the possible discovery of new physics. In this section we briefly describe the current status and future plans of the U.S. CMS software and computing project, focusing on its Tier-2 program, on which U.S. and international CMS physicists rely for extracting physics from the expected large CMS datasets.

The scale of computing resources necessary is directly coupled to the foreseen output from the detector. The trigger rates have been increased by an order of magnitude compared to the original goals at the time of CMS computing technical design report. The discovery of Higgs at low mass and continued investigation of electroweak scale physics requires low trigger thresholds. During the recently started new phase of data acquisition, Run 2 (2015-18) and Run 3 (2021-23) of LHC, about 300 fb^{-1} will be accumulated. This 300 fb^{-1} dataset presents two orders of magnitude increase in data volume compared to the Run 1 (2009-12) dataset. An order of magnitude arises from the increase in integrated luminosity, a factor of three comes from the increased trigger output rate to facilitate continued access to electroweak scale physics, and a final factor of three or so increase is due to greater event-complexity from increased energy and instantaneous luminosity leading to event pileup. As the beam energy has reached more or less the maximum expected, it is highly likely that from here on out analyses will tend to use all the data accumulated over time, from the 3 fb^{-1} at 13 TeV accumulated in 2015 to the 300 fb^{-1} expected by the end of Run 3 in 2025. While the analysis and Monte Carlo production computing needs scale roughly linearly with integrated luminosity, the reconstruction time per event for both data and simulation grows roughly exponentially with instantaneous luminosity. Unfortunately, Moore's law scaling of computing capabilities and evolution of storage have slowed down from $\times 2$ gains every 15-18 months ten years ago to a modest $\times 2$ gain every 4-7 years expected in the future. As a result, the overall computing needs outpace expected technological advances and reasonable funding scenarios by a factor of 2-4 in Run 2 and Run 3, with even larger shortfalls projected for the HL-LHC era.

Our vision for meeting the challenge of growth of computing needs beyond what is affordable via a simple Moore's law extrapolation is threefold. First, we will gain efficiencies by being more agile in the way we use the traditional Fermilab-based Tier-1 and seven university-based Tier-2s center resources. Second, we will grow the resource pool by more tightly integrating resources at all other U.S. CMS universities, DOE and NSF supercomputing centers, and commercial cloud providers as much as possible. Finally, we will pursue an aggressive R&D program towards improvements in software algorithms, data formats, and procedural changes for how we analyze the data we collect and simulate, in order to significantly reduce the computing needs.

The primary goal of our program is to empower physicists at all 48 U.S. CMS member institutions to conveniently analyze CMS data. For the next five years, we propose to capitalize on NSF investment in networking at U.S. universities as well as developments from other NSF projects [AAA, gWMS, OSG, PRP] to integrate resources at U.S. CMS member institutions beyond Tier-1 and Tier-2 centers much more tightly into the centrally operated services infrastructure of the CMS experiment. In this context, effort funded via the Tier-2 program will become responsible to maintain infrastructure in the Science DMZs of U.S. CMS member institutions jointly with IT

professionals at those institutions. The effort funded via this proposal will provide consultation to campus IT organizations and ultimately maintain services on hardware inside the various Science DMZs, in order to support the desired integration of campus IT with CMS IT.

This proposal focuses on the NSF supported university-based computing, especially for the most diverse physicist-driven scientific data analysis activities, as they will require the bulk of the S&C resources requested in this proposal. Other supported activities are also discussed, including a brief look at the computing R&D necessary for the HL-LHC phase (2025+), during which another two orders of magnitude in data volume is expected.

1.1.1 CMS computing model details

The tiered computing model of the LHC experiments, based on a distributed infrastructure of regional centers outlined by the MONARC project [ref](#), includes a Tier-0 center at CERN, seven Tier-1 centers (including one at Fermilab) and about fifty Tier-2 centers (including eight in the U.S., seven of which will be supported by this award).¹ The original model envisioned that only a very specific set of tasks would be performed at each tier of the infrastructure, but in recent years, much more flexibility has been introduced into the system. The technical changes leading to this have largely been pioneered within the U.S., in many cases by university-based personnel supported by the previous NSF award for U.S. CMS operations, especially those at the Tier-2 centers. Some of the innovations have included commissioning the global data transfers matrix across all Tier-1 and Tier-2 sites, initiating the centralized Monte Carlo production, leading the commissioning of the grid worldwide for CMS, introducing the concepts of late-binding WMS, CMS data federation, dynamic data placement, MiniAOD, and global queue across analysis and production processing

CMS uses a variety of data formats tailored for different purposes. Ongoing Run 1 analyses are based on the Run 1 AOD format, comprising 220 kB per event on average. Average AOD event sizes in Run 2 are roughly 500 kB. The growth is partly due to increased pileup, and partly by design, to allow re-running particle-flow reconstruction in its entirety from the AOD. In addition, the high level trigger output rate was increased by a factor of three between Run 1 and Run 2. To contain costs and speed up physics analysis, U.S. CMS initiated the introduction of a refined analysis format called “MiniAOD.” Implemented in collaboration with CERN, this format is 1/10 the size of the AOD, and typically requires somewhere between 1/2 to 1/5 the CPU power to analyze. These reductions are accomplished by storing only more refined information, which thus requires remaking the MiniAOD in response to improved calibrations, or significant improvements of physics objects. During Fall 2015 CMS went through two iterations of MiniAOD, with at least one more to follow before Moriond 2016 conference results. MiniAOD is expected to satisfy the needs of at least 90% of all physics analyses, *i.e.* it is envisioned that a few analyses will require more detailed information not present in the MiniAOD, and will thus need to access the AOD or maybe even the RAW format.

The operational model today is that analysis groups process these primary data samples to produce custom Ntuples for their analyses at a event processing rate of 1-10 Hz or so. The custom Ntuples are then typically analyzed at $\times 100$ larger event rates. The transformation from primary data useful to the entire collaboration to custom data useful only to a handful analyses is thus dramatically accelerating science and reducing computing costs with the drawback that non-negligible

¹The Fermilab facilities are covered by S&C WBS 1; they receive no NSF support and are not discussed further in the proposal. The eighth U.S. Tier-2 center, at Vanderbilt, is supported by the DOE Nuclear Physics program.

Number of Job Slots		Storage (PB)	
Available as of 11/2015			
Purchased	40,698	Purchased	14
Opportunistic	24,502	Opportunistic	-
Total	65,200	Total	14
Average Usage (11/2015)			
Production	15,000	Hosted	10
Analysis	15,000	Local	4
Total	30,000	Total	14

Table 1: Currently available and used number of job slots and storage totals for all the US Tier-2 sites.

amounts of disk space at Tier-2s need to be provisioned to host that custom data.

1.2 University Facilities (WBS 2)

1.2.1 Current Status

The primary university-based facilities are the Tier-2 centers at Caltech, Florida, MIT, Nebraska, Purdue, UC San Diego and Wisconsin. Resources available at these centers funded through prior NSF support are summarized in Table 1. Faculty collaborations at the university level have brought access to significant opportunistic resources on their campuses and on the cloud (37% of the total available to CMS). Often cost of infrastructure at the university Tier-2s is subsidized and the cost of personnel is also lower. Further, friendly competition amongst the sites results in increased productivity of US Tier-2s overall. The seven US Tier-2s rank amongst the top ten providers of the 50 such CMS centers world-wide. Together they provide about 35% of CMS Tier-2 resources. The compute resources at Tier-2s serve both production and physicist analysis cases. The resource utilization at the US Tier-2s in the past month adds up to about 30,000 jobs in steady state split equally between production and analysis workflows. These centers together are hosting 10 PB of CMS centrally and user produced data on their storage systems.

Not only does the U.S. CMS Tier-2 program provide the premier Tier-2 centers in all of CMS, the staff at these centers, working in partnerships with their universities, also provide the intellectual leadership to make radical changes such as those mentioned in Section 1.1.1. With the current proposal we continue this transition, focusing on maintaining leadership in operations of a production infrastructure, and leadership in engineering changes to afford doing ever more demanding physics with fixed hardware budgets. Thus, the investment in personnel at the universities sites brings at least as much value as the investment in the computing equipment.

We continue to request in this proposal 2 FTE at each of the seven Tier-2 institutions. On average, 1.6 FTE of these are necessary at each center to provide high-quality service that results in very high availability, upwards of 95%. The personnel are responsible for all aspects of provisioning these resources, from specifications through deployment to operations, taking advantage of local considerations. The remaining 7×0.4 FTE of effort take on other roles within the larger U.S. CMS software and computing project as described in the later sections of the proposal. CMS benefits from this close connection because of innovations and pioneering deployments initiated at U.S.

Tier-2s, such as the most recent work in testing and commissioning of the world-wide CMS data federation using AAA technologies.

Finally, the US CMS Tier-2 institutions also provide connections to strong physics groups at those universities as well, resulting in prompt feedback for operations with their intense analysis activities.

1.2.2 Future Plans

Tier-2 Resources

To define plans for the future, we use a simple model that scales the present usage of job slot count and storage to future years based expected LHC luminosity plan (see Table 2). For the sake of simplicity, CPU requirements are estimated in units of number of batch slots needed and the storage is determined by the amount of data anticipated to be accumulated and equal amount of MC simulated. In addition to the MiniAOD, we expect to require disk space to accommodate $\sim 10\%$ of the data in AOD format on disk to allow the $\leq 10\%$ of analyses that require such detail.

In Table 2, we start by showing the actual numbers for 2015 scale of operations. We have accumulated about 4 fb^{-1} of data from LHC runs and produced 10 fb^{-1} of simulated data. Including the data simulated and accumulated in Run 1, we are running 30000 production jobs on 1 pb of data at U.S. Tier-2s currently, equally split between production and analysis jobs. We show the current average availability of job slots and storage at the U.S. Tier-2s to start the scaling. We then extrapolate to out years using the LHC run plan, which sets the scale for integrated luminosity.

We assume that the production job slot usage scales as a function of incremental luminosity expected that year. The analysis job slot usage scales as a function of the accumulated by that time, because the analysts will be combining all of the 13 TeV data in Run 2 and Run 3. We expect that the storage in AOD format is limited to 10% of the data volume. The MiniAOD format data is expected to be used by most analysts reducing the needed storage volume. A factor 50% replication across all U.S. Tier-2s is used to provide the necessary speedy access and redundancy.

Note that in addition to the production data, we also have to provide access to custom user data. We also must budget for disk space for the CMS upgrade activities, which are tuning their specification for the technical design reports. Wherever possible the data is not replicated, nor is it assumed to be backed up to tape. Implicit in this operational model is the assumption that the data can be reproduced easily enough if lost due to disk failures at a Tier-2. Finally, there is a need for some RAW data on disk, plus staging space to in front of the Tier-1 tape archive, as well as at the Tier-2s for staging data as it is being reconstructed or simulations as they are being produced.

The 2015 data usage does not mirror the anticipate usage in the out years, which is likely larger due to complexity of events at higher luminosities etc. However, we are projecting starting from current situation for simplicity.

In order to estimate the cost of provisioning the estimated needs in Table 2, we start with the recent actual incurred costs for hardware purchases, which is \$118 per job slot and \$56 per TB. It is well known that Moore's law scaling has slowed down. Based on recent trends we anticipate 20% to 10% reduction in cost of provisioning resources in the out years. With these assumptions we estimate that cost of provisioning resources at U.S. Tier-2s is an average of \$308K and \$473K per year.

The network bandwidth requirement will also scale with increased data size and wide-area distributed computing. Typically sites are connected through 100 Gbps network presently, and we

Year	Luminosity (fb ⁻¹)		Total for US Tier-2s				Per Tier-2	
			Job Slots		Storage (pb)			
	Incr.	Cumul.	Prod.	Ana.	AOD	MiniAOD	Job Slots	Storage (pb)
2015	3	3	15000	15000	3.8	13	5814	2.0
2016	36	40	18000	20000	9	31	5429	5.7
2017	40	80	20000	40000	18	62	8571	11
2018	40	120	20000	60000	27	92	11429	17
2019	0	120	10000	60000	27	92	10000	17
2020	0	120	10000	60000	27	92	10000	17
2021	60	180	30000	90000	40	138	17143	25
2022	60	240	30000	120000	54	184	21429	34
2023	60	300	30000	150000	67	230	25714	42

Table 2: Projection of resources by the year from actual usage in 2015 for out years through 2023, based on LHC luminosity expectation is shown. The cost of resources which satisfy the projected needs, including current Moore’s law scaling, i.e., 20% to 10% reduction in costs per year, ranges between \$308K and \$473K.

expect multi-100 Gbps connections in the coming years. Up to now, networking at Tier-2 centers has always been funded via sources outside the U.S. CMS software and computing project. We expect this to stay that way, and are thus not budgeting any costs for networking as part of this proposal.

This bottoms-up estimate of resource needs and costs are significantly higher than desired. The proposed activities in the following sections will develop several ideas to mitigate the growing needs by innovation. Use of non-traditional resources is the primary future goal. We note that in recent years significant resources were available opportunistically through the Tier-2s. We anticipate to increase this pool in the future. However, we note that innovation needed to use a variety of resources and environments requires R&D that is described in later sections of the proposal.

Two staff members are required to operate each site, to provide full coverage. However, each center can be operated with approximately 1.6 FTE of effort. Each site thus contributes effort to other S&C activities described in the proposal. Many site staff members are former HEP physicists, who have now become experts in computing. They are able to provide wide-ranging expertise in physics software development.

Non-traditional resources

In the past, resources beyond the traditional Tier-1 and Tier-2 sites were generically lumped into the category of Tier-3. The prevailing model of these resources was that they were structured more or less as small Tier-2 sites operated independently of the Tier-2 program by dedicated local administrators. With the rise of significant computing capabilities across U.S. university campuses, and in particular, driven by substantial NSF-ACI investment into networking infrastructure across more than 100 campuses nationwide, this model is changing. The Tier-3 site now functions more as a portal. It provides a local portal for university researchers to access larger-scale U.S. CMS computing resources. It also provides a portal for the CMS central computing infrastructure to access campus computing resources. We propose to strengthen and expand this new model for non-traditional computing resources by seamlessly integrating CMS and campus IT infrastructures

in a way that minimizes administrative effort while maximizing flexibility. This approach is based on the NSF-funded “Pacific Research Platform” and the CMS Connect effort which utilizes the OSG’s CI-Connect platform.

The central hub of our proposal is a single node that will be deployed at each participating institution. This node should be viewed as a “Tier-3 in a box,” a single, self-contained appliance that when deployed into a campus Science DMZ will bridge the CMS and campus infrastructures, enabling local CMS researches to access both sets of resources via a single portal. This node will provide interactive data analysis, batch submission, CVMFS software cache, XRootD data cache, and XRootD an server to export local data. The HTCondor batch systems implemented on these nodes are all connected to the global CMS HTCondor pool via glideinWMS. Similarly any University computing resources are integrated requiring nothing more than ssh access to a U.S. CMS account on the local university cluster. Local CMS university groups will thus be empowered to transparently use any and all local resources the university allows them to share in combination with the entire Tier-1 and Tier-2 system. Official CMS data is cached locally by the node as needed. Private data produced by the local university group is served out to the Tier-1 and Tier-2 system via the XRootD server integrated into the node. Each Tier-2 will also have an XRootD cache in order to transparently cache the private data of any of the local university groups to avoid I/O latencies.

Deployment and maintenance of these nodes will be undertaken as a partnership between local campus IT and U.S. CMS University Facilities personnel, following the model of the PRP. The PRP deploys single nodes into the Science DMZs of 20 institutions across the West Coast, including the US-CMS institutions UC Davis, UC Santa Barbara, UC Riverside, Caltech, and UC San Diego. These pieces of hardware are collaboratively maintained between the campus IT organizations and the PRP and SDSC teams at UCSD. In this model, local campus IT is responsible for the maintaining the hardware and local user accounts, while OS and software service (including necessary OSG and CMSSW element) maintenance is undertaken by a collaboration of U.S. CMS University Facilities personnel and local campus IT effort. This is made manageable with minimal effort beyond the initial deployment by management of OS, U.S. CMS and OSG services, and local configurations via a central Puppet infrastructure.

We are proposing to scale out deployment and operations of this model across the U.S. to as many U.S. CMS institutions as possible, focusing on the 25 institutions that have received ScienceDMZ funding from NSF-ACI since 2012. The hardware costs as well as the human effort to deploy and operate this system will be borne out of the University Facilities portion of this proposal. At a cost of ~\$10,000 per Tier-3 in a box, this is a modest fraction of the total Tier-2 hardware budget across the seven Tier-2s and the five years of this proposal. We fully understand that the above model will not be appropriate for all collaborating institutions within U.S. CMS. We thus augment it with an additional hosted service – CMS Connect – built on the OSG Connect/CI Connect model pioneered by the University of Chicago OSG/ATLAS group. This service will provide identical functionality to the Tier-3 in a box for institutions that are either lacking appropriate network connectivity or a local IT organization that would be capable and/or willing to collaborate on the hardware and user account maintenance. There will be only a single instance of this CMS Connect” infrastructure for all these remaining groups. University groups will generally be better served by the more flexible and customized Tier-3 in a box approach, but with the combination of the two approaches ensures that all groups will be served. Development work on CMS Connect is led by Notre Dame. **Need to settle on hyphenation/spacing convention**

for the “Connects”.

Finally, we will fully integrate cloud services access into this infrastructure in such way that local university groups can use local funds to purchase cloud resources to augment their personal access to computing resources, and thus accelerate their science. We expect to be collaborating on this functionality with the HEPCloud project at Fermilab as well as the Open Science Grid.

In addition to all of the above functionality geared towards data analysis, we propose to also integrate Supercomputing resources at DOE and NSF funded national facilities mostly for the purpose of simulation and reconstruction, i.e. the production of the official CMS datasets. Again, we expect to collaborate heavily with HEPCloud and OSG on the detailed access mechanisms and policies. At this point, December 2015, HEPCloud is focused on AWS, while OSG is working with Comet (NSF) and Cori (DOE) to understand the technical, operational, and security processes for use of these supercomputers via OSG interfaces. **Ken: Still not perfectly happy with this paragraph – is it about having the resources available for universities, or the work needed to be done to make it happen, which would belong in WBS 4?**

1.3 Operations (WBS 3)

In addition to operating the Tier-2 facilities, personnel supported by this project contribute to the operations of the distributed computing system of the CMS experiment. The tasks performed by these staff members support the efficient processing of data and successful execution of both production and analysis computing jobs.

1.3.1 Current Status

U.S. CMS personnel fill a variety of roles in CMS computing operations. MIT staff support Tier-0 operations for the experiment, overseeing the day-to-day operation of the facility, which is of critical importance. Other MIT personnel play leading roles in operating the experiment’s data transfer system and providing support for the distributed grid infrastructure. UCSD maintains the CMS job submission infrastructure. Nebraska provides support for AAA operations and for network performance reliability. Johns Hopkins supports the operation of the Frontier system that provides run conditions and other configuration information for reconstruction and analysis jobs running on the distributed infrastructure. Florida takes responsibility for software distribution throughout the grid sites of the experiment via the CVMFS caching system.

1.3.2 Future Plans

All of these activities are expected to continue in the coming years, as they will always be necessary to the operation of the experiment. They will become even more critical to the success of CMS as the number of sites (including opportunistic sites) grows and highly distributed storage access over the WAN using AAA increases. Additional operations support for smooth operation of U.S. university portals (Tier-3-in-a-box) and efficient harnessing of opportunistic resources is also anticipated.

1.4 Computing Infrastructure and Services (WBS 4)

CMS as a global experiment depends on a variety of computing infrastructure and services (CIS), several of which have been long-term U.S. CMS commitments. In particular, U.S. CMS is tradition-

ally leading in the areas of data management and centralized production workflow management.

To meet two of the three goals outlined in the introduction, increased efficiencies across Tier-1 and Tier-2 and integration of additional resources outside those tiers, requires CIS to become substantially more agile. During LS1, substantial improvements towards a more agile data management infrastructure were made by creating a global XRootD data federation, and development and deployment of a dynamic data placement and management system (DDM). Both efforts were led by NSF-funded personnel. Data management and workflow management development is done at Cornell, XRootD development at UCSD, and DDM development at MIT. Additional support was provided by NSF through the “Any Data, Anytime, Anywhere” (AAA) project to Nebraska, UCSD and Wisconsin.

In the following, we briefly summarize those recent achievements, and then describe necessary future work to be done within the present proposal.

1.4.1 Current Status

Dynamic Data Placement and Management (DDM)

The PhEDEx data distribution system, which underpins the CMS computing infrastructure, was largely manually operated during Run 1. Operators moved large chunks of data on command across the grid as necessary to enable subsequent processing. Not only was this labor intensive, requiring operational attention from workflow teams and also at each site, it was also inefficient. It was observed that much of the disk volume was occupied by data samples that were only rarely used.

The DDM software was developed and commissioned during LS1 to address these shortcomings. DDM is now deployed at all tiers to automatically place data where it is meant to be processed at the time it needs to be there, and then prune the unused but archived data using well-defined policies. For example, the archived full event, *i.e.* raw plus reconstructed quantities (FEVT), is pruned from disk to keep sufficient space for the Tier-0 and Tier-1 reconstruction workflows to execute smoothly. Most importantly, we are able to keep at least one copy of all AOD on disk somewhere in the CMS data federation, and duplicate multiple times as needed for popular data.

DDM uses PhEDEx to manage the actual transfers. It thus replaces decisions made by human operators during Run 1 with algorithms based on dataset “popularity”, *i.e.* use.

CMS Data Federation (AAA)

CMS Data Federation is built to provide seamless international-scale data access under the auspices of the AAA project. AAA removes the requirement of co-location of storage and processing resources through an infrastructure that is transparent to users and highly reliable. It enables greater access to the data, in that users no longer have the burden of purchasing and operating complex disk systems to serve their processors. In fact, any data can be accessed anytime from anywhere with an internet connection. The key to success of AAA is the improved wide-area network access due to enhancements made to our dedicated LHC network.

AAA is made possible by XRootD software, which allows the creation of data federations. A data federation serves a global namespace via a tree of XRootD servers. The CMS data federation is now fully deployed across all tiers of the computing infrastructure. Easy access to this data federation across the wide-area network is democratizing the computing abilities of university groups across the world because sites need not store any data locally. Local campus clusters controlled by non-CMS entities are easily integrated in the CMS computing environment. Temporary access

to dedicated large resources can be purchased on commercial clouds or obtained from national or campus research facilities.

The main advantages of AAA over DDM are that AAA fully supports partial file reads (a typical analysis job accesses less than 10% of the data in each file) and ease of integration of non-traditional resources. The drawback of AAA as deployed today is that data still needs to be placed somewhere in the world first, and replication of datasets need to be controlled according to needs. The two systems thus complement each other perfectly.

Improvements to CMS Workflows

The main objectives of the workflow management middleware is to process data as quickly as possible, maintain uniform load across all resource sites and enable fast recovery in case of a site service interruption, e.g., by relocating jobs on an alternate site, while keep track of the integrity of the combined dataset.

During Run 1 each tier was used for only a small subset of all workflows. This led to inefficiencies and delays in processing due to inflexibility. During LS1, we expanded dramatically what workflows can be run where, making the overall system much more flexible. In addition, all resource usage, distributed analysis and centralized production, is now scheduled via a single global HTCondor pool, allowing for relative prioritization of different activities.

Using Resources Beyond the Tiered System

CMS is in exploratory phase for smoothly integrating opportunistic resources for production and routine use. National research computing sites such as NERSC and SDSC have large resources, but often requiring additional work in adaptation of our software suite to smoothly operate there. Some access restrictions are worked around with user level code, e.g., CVMFS through Parrot and Docker/Shifter containers on Cray supercomputers. Commercial clouds such as AWS have also been used, but have cost-implications placing constraints on workflows. Campus clusters not purchased via U.S. CMS funds are accessible both through their OSG connection if one exists. The CMS High Level Trigger farm (HLT) has been integrated into offline computing operations via its OpenStack Cloud interface. HLT resources are now available for general processing anytime the DAQ is not running.

1.4.2 Future Plans

The PhEDEx data management system has served CMS extremely well for more than ten years. However, it is ill-equipped for the more agile needs of the future. Its internal mechanisms for source selection for a given transfer is much less agile than the bit-torrent-like multi-source client used in XRootD. Its internal back-off mechanism for handling transfer failures leads to long transfer tails, and it is generally very difficult if not impossible to fill modern large-bandwidth network pipes using PhEDEx. A re-design of PhEDEx to address these issues also provides an opportunity to consider discontinuing poorly supported protocols like SRM, as well as duplicative of protocols such as gridftp when XRootD is required for agile operations. The MIT group, which developed DDM, will likely take on this task.

The AAA toolset contains a proxy-cache that is not yet used in CMS. Initial tests indicate that the cache system performs exceptionally well. As we gain more experience with this technology, we may want to transition a sizable fraction of the U.S. CMS disk space at Tier-2s and Tier-3s into XRootD proxy caches to gain additional efficiencies. Development work to this end will be pursued at UCSD.

The entire end-to-end centralized data production process still has far too many human effort intensive aspects. Significantly more automation is needed to make the overall system both more agile and more efficient. Today it is still not uncommon that some resources, especially in U.S. CMS, are oversubscribed while others, especially elsewhere in the world, remain unused. Enforcing dynamically changing processing priorities is also still very difficult due to multiple layers of queuing and workflow restrictions. Significant efficiencies are yet to be gained here. Efforts on workflow management systems will continue at Cornell and Purdue.

Finally, commissioning of resources beyond the tiered system is still at the very beginning, and while having large potential for additional resources, will require significant effort still. Wisconsin is beginning to work on these issues.

1.5 Software and Support (WBS 5)

Multicore computing systems have become ubiquitous in the past decade. However, efficient use of available resources, especially memory volume and access, require adaptation of our software to suitable multithreaded frameworks. Keeping up with technology evolution in the market requires continuous investigation and CMS framework and utilities software development. The Cornell, Princeton and UCSD groups are engaged with central CMS in this essential software development and support.

1.5.1 Current Status

Recent efforts in software at institutions supported by the current NSF award have focused on the development of the MiniAOD format described in Section 1.1.1. Careful pruning of unused collections of objects, packing them in appropriately sized containers resulted in a MiniAOD which is less than 50 kB per event. The MiniAOD is now visualized as the main data format that will be used by bulk of CMS analysts, while niche use cases involving the original AOD format will be supported as needed. In rare cases FEVT access may also be needed. As the MiniAOD improves we anticipate AOD replica counts will become small. Other efforts have included a systematic effort to make the core CMSSW thread-safe and reworking the CMS event display to work conveniently on a variety of platforms.

1.5.2 Future Plans

FIXME: We need to list what is required to be done by the people supported by this WBS.

1.6 Technologies and Upgrade R&D (WBS 6)

The main thrust of the R&D effort of the project is to control the rate of growth of computing required, and thus cost incurred, and to retain flexibility for future changes in computer architecture. There are fundamentally two largely independent effects that drive cost, those that scale with event complexity, or average pileup (PU) per event, and those that scale with integrated luminosity, or total data volume.

The cost of event reconstruction is driven by occupancy of the tracker. Higher instantaneous luminosity leads to higher pileup and occupancy, and with it a near exponential growth in CPU time per event in the pattern recognition step of the track reconstruction. For example, an increase

in the average number of PU events from 20 to 30 was measured to result in an three-fold increase of event reconstruction time in the current CMS software release. This range of PU matches the expected running conditions during 2015-16. To set the scale, the time to reconstruct a 13 TeV $t\bar{t}$ event exceeds the time to simulate the same event at an average PU ~ 25 , which we expect to reach early on in 2016. Any speed-ups of the reconstruction software, especially the tracking pattern recognition, thus directly translate into computing cost savings.

Analysis, MC production, and data reprocessing all scale roughly linearly with total integrated luminosity, or total data volume, leading to the $\times 30$ increase from the beginning of Run 2 in 2015 to the end of Run 3 in 2023 mentioned previously. The software and computing R&D program for the next five years is geared towards two timelines. It is meant to engage in fundamental R&D towards solving the challenges of scaling out computing for the HL-LHC era (2025-2035) but also to provide near term improvements that can be put into production during LS2 (2019-20) in order to address the challenges of Run 3 (2021-23). Given limited resources in personnel, our strategy is to focus on the long term with an eye towards adopting lessons learned in this process to address the Run 3 challenges.

1.6.1 Current Status

During LS1, US-CMS drove multiple developments all focused on overall cost reductions in computing. We led the algorithmic improvements and code optimizations in the pattern recognition software that reduced the reconstruction time per event by $\times Y$ for an average PU ~ 30 . We instigated the introduction of MiniAOD, reducing the event size by $\times 10$ and the average analysis processing time per event by $\times YY$ **figure out what a defensible number of this is given the data we have from the Data Popularity service**. We prepared the core framework to be multithreaded blablabla — Sridhara to fill in text from David Lange here ... And we transitioned the computing infrastructure and services that CMS depends towards a suite of services that are much more agile.

U.S. CMS was the primary driver in all of these, and thus has a solid track record of innovation to be able to do more science given fixed hardware investments. We propose to continue being an innovation leader in global CMS. **Gratuitous, already said earlier, can be cut.**

1.6.2 Future Plans

Reconstruction Software: Cornell, Princeton, and UCSD are collaborating on an ambitious R&D program towards redesigning the core Kalman filter tracking algorithms of CMS for parallel architectures. While the bulk of this R&D is funded at the level of 3 FTE for 3 years via an independent NSF grant [**cite the PIF**], the present proposal includes a modest effort of XX focused on deriving short-term benefits from the independently-funded long term focused R&D agenda. This is particularly interesting in light of the planned roll-out of large Supercomputers at both DOE and NSF based on the next two generations of Intel MIC processors. For example, Cori Phase 2 at NERSC is expected to include 9,300 Intel Knights Landing processors by 2017. Aurora at ANL is expected to deploy 50,000 Intel Knights Hill processors in 2018. Similar plans exists in the NSF for the Stampede Supercomputer at TACC. The degree to which CMS can benefit from these large scale resources for its core processing needs in Run 2 and Run 3 will depend crucially on successfully transitioning lessons learned from the externally funded long term R&D program into production. This transition is within the scope of the present proposal.

R&D towards a new data analysis model: For the HL-LHC era, CMS must contemplate a fundamental shift in the boundary between “primary data” and “custom data”. Already in Run 1, the custom data Ntuples typically were analyzed at event rates ranging from 100 Hz to 10 kHz. Ntuple analysis is even today in many cases I/O rather than CPU limited. In contrast, the production of these custom Ntuples is almost always CPU limited. Even for the MiniAOD of Run 2, typical event processing rates reach little more than a few Hz. There is a trade-off between flexibility and speed. A data format for the entire CMS collaboration must be flexible in content for two reasons. First it needs to satisfy many types of data analyses, and second it must be “forward compatible,” *i.e.* a MiniAOD produced today must still be useful a few months from now when the state of the art in physics object definition, jet energy calibrations, etc. etc. have changed to incorporate a variety of improvements. The R&D questions here include: Can we speed up MiniAOD to the kinds of event processing rates typical for custom Ntuples? If we can, what does it mean for the Tier-2 infrastructure to support I/O limited jobs at large scale? Do we need specialized batch system entry points for I/O limited jobs for which disks need to be co-scheduled? Can we reuse some of the industry standard products for I/O limited jobs, or is this impossible because we would lose the benefits of partial file reads in ROOT I/O?

1.7 Coordination with CMS (WBS 7)

U.S. CMS S&C personnel are well integrated in the CMS-wide coordination efforts and hold management positions.

1.7.1 Current Status

Current support under this category includes S&C coordination at Princeton, reconstruction coordination at Wisconsin and UCSD, and user support at UCSD.

1.7.2 Future Plans

It is anticipated that approximately a third of the management positions in CMS are held by U.S. personnel, of which NSF computing supported personnel needs will have to be covered by this project. The need is likely to remain approximately constant.