CIRCLES

EE1030 : MATRIX THEORY Indian Institute of Technology Hyderabad (EE24BTECH11026)

Srihaas Gunda

I. JEE ADVANCED/IIT-JEE

A. Comprehension Based Question

1) Passage: 1

ABCD is a square of side length 2 units. C_1 is the circle touching all the sides of the square ABCD and C_2 is the *circumcircle* of square ABCD.L is a fixed line in same plane and R is a fixed point.

- 1) If P is any point of C_1 and Q is another point on C_2 , then $\frac{PA^2 + PB^2 + PC^2 + PD^2}{QA^2 + QB^2 + QC^2 + QD^2}$ (2006-5M,-2)
 - a) 075
 - b) 1.25
 - c) 1
 - d) 0.5
- 2) If a circle is such that it touches the line L and the circle C_1 externally, such that both the circles are on the same side of the line, then locus of centre of the circle (2006-5M,-2)
 - a) ellipse
 - b) hyperbola
 - c) parabola
 - d) circle
- 3) A line L'through A is drawn parallel to BD.Point S moves such that its distances from the line BD and the vertex A are equal.If locus of S cuts L' at T_2 and T_3 and AC at T_1 ,then area of $\Delta T_1 T_2 T_3$ is

(2006-5M,-2)

- a) 1/2 sq.units
- b) 2/3 sq.units
- c) 1 sq.units
- d) 2 sq.units

2) *Passage* : 2

A circle C of radius 1 unit is inscribed in an equilateral triangle PQR. The points of contact of C with sides PQ,QR,RP are D,E,F respectively. The line PQ is given by the equation $\sqrt{3}x + y - 6 = 0$ and the point D is $(3\sqrt{3}/2, 3/2)$. Further, it is given that the origin and the centre of C are on same side of line PQ.

4.The equation of circle C is

(2008)

1

1)
$$(x-2\sqrt{3})^2 + (y-1)^2 = 1$$

2)
$$(x - 2\sqrt{3})^2 + (y + 1/2)^2 = 1$$

3)
$$(x - \sqrt{3})^2 + (y - 1)^2 = 1$$

4)
$$(x - \sqrt{3})^2 + (y + 1)^2 = 1$$

B. Assertion & Reason Type Questions

1) Tangents are drawn from point (17,7) to the circle $x^2 + y^2 = 169$.

STATEMENT-1:The tangents are mutually perpendicular.because

STATEMENT-2: The locus of all points from which mutually perpendicular tangents can be drawn to a given circle is $x^2 + y^2 = 338$.

(2007-3M)

- a) Statement-1 is True, statement-2 is True; Statement-2 is a correct explantion for Statement-1.
- b) Statement-1 is True, statement-2 is True; Statement-2 is NOT a correct explantion for Statement-1.
- c) Statement-1 is True, Statement-2 is False
- d) Statement-1 is False, Statement-2 is True.
- 2) Consider $L_1: 2x + 3y + p 3 = 0$ $L_2: 2x + 3y + p + 3 = 0$ where p is a real number, and C: $x^2 + y^2 + 6x - 10y + 30 = 0$ STATEMENT-1:If line L_1 is a chord of circle C, then line L_2 is not always a diameter of circle C and STATEMENT-2:If line L_1 is a diameter of circle C, then line L_2 is not a chord of circle C. (2008)
 - a) Statement-1 is True, statement-2 is True; Statement-2 is a correct explantion for Statement-1.
 - b) Statement-1 is True, statement-2 is True; Statement-2 is NOT a correct explantion for Statement-1.
 - c) Statement-1 is True, Statement-2 is False
 - d) Statement-1 is False, Statement-2 is True.

C. Integer Value Correct Type

1) The centres of two circles C_1 and C_2 each of unit radius are at a distance of 6 units from each other. Let P be the midpoint of the line segment joining the centres of C_1 AND C_2 and C be a circle touching circles C_1 AND C_2 externally. If a common tangent to C_1 and C passing through P is also a common tangent to C_2 and C, then the radius of circle C is

(2009)

- 2) The straight line 2x 3y = 1 divides the circular region $x^2 + y^2 \le 6$ into two parts. If S is (2, 3/4), (5/2, 3/4), (1/4, -1/4), (1/8, 1/4) then the number of point(s) in S lying inside the smaller part is (2011)
- 3) For how many values of p, the circle $x^2 + y^2 + 2x + 4y p = 0$ and the coordinate axes have exactly three common points? (JEE Adv. 2017)
- 4) Let the point B be the reflection of the point A(2,3) with respect to the line 8x 6y 23 = 0. Let T_A and T_B be circles of radii 2 and 1 with centres A and B respectively. Let T be a common tangent to the circles T_A and T_B such that both the circles are on the same side of T.If C is the point of intersection of T and the line passing through A and B, then the length of the line segment AC is (JEE Adv. 2019)

II. JEE MAIN / AIEEE

- 1) If the chord y = mx + 1 of the circle $x^2 + y^2 = 1$ subtends an angle of measure 45^0 at the major segment of the circle then the value of m is (2002)
 - a) $2 \pm \sqrt{2}$
 - b) $-2 \pm \sqrt{2}$
 - c) $-1 \pm \sqrt{2}$
 - d) none of this
- 2) The centres of a set of circles, each of radius 3, lie on the circle $x^2 + y^2 = 25$. The locus of any point in the set is (2002)

a)
$$4 \le x^2 + y^2 \le 64$$

b)
$$x^2 + y^2 \le 25$$

c)
$$x^2 + y^2 \ge 25$$

d)
$$3 \le x^2 + y^2 \le 9$$

- 3) The centre of the circle passing through(0,0) and (1,0) and touching the circle $x^2 + y^2 = 9$ is (2002)
 - a) (1/2, 1/2)
 - b) $(1/2, -\sqrt{2})$
 - c) (3/2, 1/2)
 - d) (1/2, 3/2)
- 4) The equation of a circle with origin as a centre and passing through equilateral triangle whose median is of length 3a is (2002)
 - a) $x^2 + y^2 = 9a^2$
 - b) $x^2 + y^2 = 16a^2$
 - c) $x^2 + y^2 = 4a^2$
 - d) $x^2 + y^2 = a^2$
- 5) If the two circles $(x-1)^2 + (y-3)^2 = r^2$ and $x^2 + y^2 8x + 2y + 8 = 0$ intersect in two distinct points, then (2003)
 - a) r > 2
 - b) 2 < r < 8
 - c) r < 2
 - d) r = 2