1

AI1110 ASSIGNMENT-8

DASARI SRINITH (CS21BTECH11015)

Abstract—This document contains the solution for Assignment 9 (NCERT GRADE 12 CHAPTER 13 Exercise 13.3 Question 5)

QUESTION 5:

A laboratory blood test is 99% effective in detecting a certain disease when it is in fact, present. However, the test also yields a false positive result for 0.5% of the healthy person tested (i.e. if a healthy person is tested, then, with probability 0.005, the test will imply he has the disease). If 0.1 percent of the population actually has the disease, what is the probability that a person has the disease given that his test result is positive?

SOLUTION:

Let X,Y be two random variables which maps to following set of real numbers , $X\in\{0,1\}$, $Y\in\{0,1\}$ as defined below in Table I , Table II respectively.

Event	Description of event
X = 0	Person doesn't have the disease
X = 1	Person has the disease

Event	Description of event
Y = 0	Test result isn't positive
Y = 1	Test result is positive

We have to find Pr((X=1)|(Y=1)).

From the data given in the question we can write the following,

$$\Pr((Y=1)|(X=1)) = 0.99 \tag{1}$$

$$\Pr((Y=1)|(X=0)) = 0.005 \tag{2}$$

$$\Pr((X=1)) = 0.001 \tag{3}$$

and since the events X=0 and X=1 are complimentary to each other ,

$$\Pr((X=0)) + \Pr((X=1)) = 1 \tag{4}$$

$$Pr((X = 0)) = 1 - 0.001$$
 (5)

$$\Pr((X=0)) = 0.999 \tag{6}$$

If we take the values of

$$\Pr((X=1))\Pr((Y=1)|(X=1)) = p \qquad (7)$$

$$\Pr((X=0))\Pr((Y=1)|(X=0)) = q$$
 (8)

then, from (1),(2),(3)

$$p = (0.001)(0.99) = 0.00099 \tag{9}$$

$$q = (0.999)(0.005) = 0.004995$$
 (10)

By using (7),(8) in the Bayes' theorem we have

$$\Pr((X=1)|(Y=1)) = \frac{p}{p+q} \tag{11}$$

$$=\frac{0.00099}{0.00099 + 0.004995} \tag{12}$$

$$=\frac{0.00099}{0.005985}\tag{13}$$

$$=\frac{990}{5985} = \frac{22}{133} \tag{14}$$