

# Rajalakshmi Engineering College

Name: Muthu Sri ram

Email: 241801174@rajalakshmi.edu.in

Roll no: 241801174

Phone: 9840740245

Branch: REC

Department: AI & DS - Section 1

Batch: 2028

Degree: B.E - AI & DS

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q4

Attempt : 1

Total Mark : 10

Marks Obtained : 10

### Section 1 : Coding

#### 1. Problem Statement

Sesha is developing a weather monitoring system for a region with multiple weather stations. Each weather station collects temperature data hourly and stores it in a 2D array.

Write a program that can add the temperature data from two different weather stations to create a combined temperature record for the region.

#### ***Input Format***

The first line of input consists of two space-separated integers N and M, representing the number of rows and columns of the matrices, respectively.

The next N lines consist of M space-separated integers, representing the values of the first matrix.

The following N lines consist of M space-separated integers, representing the values of the second matrix.

### **Output Format**

The output prints the addition of the two matrices in N rows and M columns, representing the combined temperature record.

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 3 3

1 2 3

4 5 6

7 8 9

1 1 1

2 2 2

3 3 3

Output: 2 3 4

6 7 8

10 11 12

### **Answer**

```
import java.util.Scanner;
class main
{
    public static void main(String[] args)
    {
        Scanner sc= new Scanner(System.in);
        int n=sc.nextInt();
        int m=sc.nextInt();
        int [][] arr1=new int [n][m];
        for(int i=0;i<n;i++)
        {
            for(int j=0;j<m;j++)
            {
                arr1[i][j]=sc.nextInt();
            }
        }
        int [][] arr2=new int [n][m];
```

```
for(int i=0;i<n;i++)
{
    for(int j=0;j<m;j++)
    {
        arr2[i][j]=sc.nextInt();
    }
}
int [][] arr3 = new int[n][m];
for(int i=0;i<n;i++)
{
    for(int j=0;j<m;j++)
    {
        arr3[i][j]=arr1[i][j]+arr2[i][j];
    }
}
for(int i=0;i<n;i++)
{
    for(int j=0;j<m;j++)
    {
        System.out.printf("%d ",arr3[i][j]);
    }
    System.out.println();
}
}
```

**Status :** Correct

**Marks :** 10/10