

# Josh & Danny

May 5, 2015

## 1 Glide Reflections

Now we will introduce the concept of a Glide Reflection, and prove which combinations of isometries are equivalent to a single Glide Reflection.

As we saw in a previous section, three Reflections can create any isometry of the plane where the orientation is reversed. In the case where all three lines are parallel, they can be reduced to a single reflection, but in the case where there are at least two points of intersection among the lines of Reflection, they represent an operation that cannot be reduced into a single one of any of the isometries that we have introduced; therefore we will reduce them to a representation where each operation has a unique identity and refer to this class of isometries as Glide Reflections.

**Theorem 1.1.** *A Glide Reflection is a form of isometry represented by a composition of a reflection and a translation parallel to the line of reflection; it is a fundamental isometry which cannot be further reduced into any single component.*


The irreducibility of a Glide Reflection will be easy to see, but first we will look at how a Glide Reflection can be formed from three reflections, as this will demonstrate the reasons for our choice of representation.

**Theorem 1.2.** *A Glide Reflection can be formed from three Reflections, as long as the lines of reflection have at least two points of intersection among them.*

First we will consider the case where two of the reflection lines are parallel, but first we need a supporting theorem which will be required to completely reduce the Reflections:

**Theorem 1.3.** *A Glide Reflection can be formed from one Reflection and one Translation, as long as the angle between the reflection line and translation vector is not 90 degrees.*

*Proof.* A Reflection and a Translation perpendicular to each other can be combined by moving the Reflection by half of the Translation's magnitude in the opposite direction.



PROBABLY NEED A PICTURE TO PROVE THIS. Therefore, a reflection line and a translation vector with an arbitrary angle between them can be reduced to a Glide Reflection by taking the components of the translation vector both parallel and perpendicular to the reflection line; the perpendicular component can be absorbed by moving the reflection line, and since the parallel component must be non-zero due to the restriction on the angle of the translation vector, the remaining two isometries make up our definition of a Glide Reflection.  $\square$

Now we can prove Theorem 5.2 for the following case:

*Proof.* For a set of Reflection lines  $L_1$ ,  $L_2$ , and  $L_3$ , where the first two are parallel and the third intersects both, they can be reduced to a Glide Reflection by combining the parallel reflection lines into a single Translation. The resulting translation vector will never be at a 90 degree angle with the remaining reflection line because that reflection line started off at some angle with respect to the other two reflection lines, and as shown above, this forms a Glide Reflection.  $\square$

In order to show that any three Reflections can be made into a Glide Reflection even if none are parallel, we leverage the fact that two intersecting Reflections form a Rotation.

*Proof.* For a set of Reflections across lines  $L_1$ ,  $L_2$ , and  $L_3$ , where there are at least two intersection points, the isometries can be reduced to a Glide Reflection by coercing two of the reflection lines

such that one of them is parallel to the third. This can be done because two intersecting reflection lines compose to form a Rotation around the intersection point: First transform the two Reflections into the Rotation, then choose a new Reflection line through the center of Rotation that is parallel to the third Reflection line. It is guaranteed that a Reflection line exists such that when composed with the Reflection line that you chose it will reproduce the Rotation around that center point. Now that the lines that formed the Rotation have been transformed, you have reached the case where two Reflection lines are parallel and the third intersects both, which we have already shown to be a Glide Reflection.  $\square$