

PYTHON WORKSHEET

Q1 to Q8 have only one correct answer. Choose the correct option to answer your question.

1. Which of the following will raise a value error in python?

- A) `int(32)`
- B) `int(3.2)`
- C) `int(-3.2)`
- D) `int('32')`

Ans: None of them will raise a value error in python because, all are integer so this integer function can convert it into integer it doesn't matter it is written in single quote or double quotes like string however, if there is string which can not be interpreted as integer then it will raise value error for ex: `int('Hi')`

2. What will be the output of `round(3.567)`?

- A) 3.5
- B) 3.0
- C) 4
- D) 3

Ans: C

3. How is the function `pow(a,b,c)` evaluated in python?

- A) `a**b**c`
- B) `(a**b)%c`
- C) `(a**b)*c`
- D) `(a**b)**c`

Ans: B

4. What will be the output of `print(type(type(int)))` in python 3?

- A) `<class 'type'>`
- B) `<type 'type'>`
- C) `<class 'int'>`
- D) `<type 'int'>`

Ans: A

5. What will be the output of `ord(chr(65))`?

- A) 'A'
- B) 'a'
- C) 65
- D) TypeError

Ans: C

6. What is called when a function is defined inside a class?

- A) Module
- B) Function
- C) `_init_` function
- D) Method

Ans: D

7. What will be the output of `all([1, 0, 5, 7])`?

- A) 0
- B) False
- C) True
- D) error

Ans: B

8. Is the output of the function `abs()` the same as that of the function `math.fabs()`?

- A) Always
- B) Sometimes
- C) Never
- D) None of these

Ans: B

Q9 and Q10 have multiple correct answers. Choose all the correct options to answer your question.

9. Select all correct float numbers in python?

A) -68.7e100

B) 42e3

C) 4.2038

D) 3.0

Ans: A, B, C & D

10. Which of the following is(are) correct statement(s) in python?

A) You can pass positional arguments in any order.

B) You can pass keyword arguments in any order.

C) You can call a function with positional and keyword arguments.

D) Positional arguments must be before keyword arguments in a function call

Ans: A, B, & C