FormatterInterface + format(array \$record) + formatBatch(array



+ const SIMPLE_DATE # \$dateFormat

\$records)

- # \$maxNormalizeDepth
- # \$maxNormalizeItemCount _construct(?string
- \$dateFormat=null)
- + format(array \$record)
- + formatBatch(array \$records)
- + getDateFormat()
- + setDateFormat(string
- \$dateFormat) + getMaxNormalizeDepth()
- + setMaxNormalizeDepth
- (int \$maxNormalizeDepth)
- + getMaxNormalizeItemCount()
- + setMaxNormalizeItemCount
 - (int \$maxNormalizeItemCount)
- + setJsonPrettyPrint
 - (bool \$enable)
- + addJsonEncodeOption (int \$option)
- + removeJsonEncodeOption (int \$option)
- # normalizeException
 - (Throwable \$e, int \$depth=0)
- # toJson(\$data, bool
- \$ignoreErrors=false)
- # formatDate(\DateTimeInterface
- \$date)

LineFormatter

\$format

+ const SIMPLE_FORMAT

- # \$allowInlineLineBreaks
- # \$ignoreEmptyContextAndExtra
- # \$includeStacktraces
- # \$stacktracesParser
- _construct(?string \$format=null, ?string
 - \$dateFormat=null, bool

 - \$allowInlineLineBreaks
 - =false, bool \$ignoreEmptyContext
- AndExtra=false, bool \$includeStacktraces=false) + includeStacktraces
 - (bool \$include=true,
- ?callable \$parser=null) + allowInlineLineBreaks
- (bool \$allow=true) + ignoreEmptyContextAndExtra
 - (bool \$ignore=true)
- + formatBatch(array
- + stringify(\$value)

\$records)

- # normalizeException
- (\Throwable \$e, int \$depth=0)
- # convertToString(\$data) # replaceNewlines(string
- \$str)