

|   | As rendered by TeX  | As rendered by your browser   |
|---|---|---|
| 1 | $x^2y^2$  | $x^2y^2$  |
| 2 | $_2F_3$   | <sub>2</sub> F <sub>3</sub>   |
| 3 | $\frac{x+y^2}{k+1}$   | $\frac{x+y^2}{k+1}$   |
| 4 | $x + y^{\frac{2}{k+1}}$   | $x + y^{\frac{2}{k+1}}$   |
| 5 | $\frac{a}{b/2}$   | a b / 2   |
| 6 | $\frac{a}{b/2}$ $a_0 + \frac{1}{a_1 + \frac{1}{a_2 + \frac{1}{a_3 + \frac{1}{a_4}}}}$ | $a_0 + \frac{1}{a_1 + \frac{1}{a_2 + \frac{1}{a_3 + \frac{1}{a_4}}}}$ |
| 7 | $a_0 + \frac{1}{a_1 + \frac{1}{a_2 + \frac{1}{a_3 + \frac{1}{a_4}}}}$                 | $a_0 + \frac{1}{a_1 + \frac{1}{a_2 + \frac{1}{a_3 + \frac{1}{a_4}}}}$ |
| 8 | $\binom{n}{k/2}$  | ( n )<br>(k / 2)  |
| 9 | $\binom{p}{2}x^2y^{p-2} - \frac{1}{1-x}\frac{1}{1-x^2}$                               | $\binom{p}{2}x^2y^{p-2} - \frac{1}{1-x}\frac{1}{1-x^2}$               |

| 10 | $\sum_{\substack{0 \le i \le m \\ 0 < j < n}} P(i, j)$  | $\sum_{\substack{0 \le i \le m \\ 0 < j < n}} P(i, j)$  |
|----|---|---|
| 11 | $x^{2y}$  | $x^{2y}$  |
| 12 | $\sum_{i=1}^{p} \sum_{j=1}^{q} \sum_{k=1}^{r} a_{ij} b_{jk} c_{ki}$   | $\sum_{i=1}^{p} \sum_{j=1}^{q} \sum_{k=1}^{r} a_{ij}b_{jk}c_{ki}$   |
| 13 | $\sqrt{1+\sqrt{1+\sqrt{1+\sqrt{1+\sqrt{1+x}}}}}$  | $\sqrt{1 + \sqrt{1 + \sqrt{1 + \sqrt{1 + \sqrt{1 + \sqrt{1 + x}}}}}$  |
| 14 | $\left(\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2}\right) \left \varphi(x+iy)\right ^2 = 0$ | $\left  \left( \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} \right) \left  \phi(x + iy) \right ^2 = 0$ |
| 15 | $2^{2^{2^x}}$   | 2 <sup>2<sup>2<sup>x</sup></sup></sup>  |
| 16 | $\int_{1}^{x} \frac{dt}{t}$   | $\int_{1}^{x} \frac{dt}{t}$   |
| 17 | $\iint_{D} dx  dy$  | $\iint_{D} dx  dy$  |

| 18 | $f(x) = \begin{cases} 1/3 & \text{if } 0 \le x \le 1; \\ 2/3 & \text{if } 3 \le x \le 4; \\ 0 & \text{elsewhere.} \end{cases}$  | $f(x) = \begin{cases} 1/3 & \text{if } 0 \le x \le 1; \\ 2/3 & \text{if } 3 \le x \le 4; \\ 0 & \text{elsewhere.} \end{cases}$       |  |  |
|----|---|--|--|--|
| 19 | $\underbrace{x + \cdots + x}^{k \text{ times}}$   | k t <u>im</u> es   |  |  |
| 20 | $y_{x^2}$   | Y <sub>x</sub> 2   |  |  |
| 21 | $\sum_{p \text{ prime}} f(p) = \int_{t>1} f(t) d\pi(t)$   | $\sum_{p \text{ prime}} f(p) = \int_{t > 1} f(t) d\pi(t)$  |  |  |
| 22 | $\{\underbrace{a, \dots, a}_{k+l \text{ elements}}, \underbrace{b, \dots, b}_{l \text{ b's}}\}$   | k <u>a</u> 's θ <u>b</u> 's {a,, a, b,, b}  k+θ elements   |  |  |
| 23 | $ \begin{pmatrix} \begin{pmatrix} a & b \\ c & d \end{pmatrix} & \begin{pmatrix} e & f \\ g & h \end{pmatrix} \\ 0 & \begin{pmatrix} i & j \\ k & l \end{pmatrix} \end{pmatrix} $ | $ \begin{vmatrix} a & b \\ c & d \end{vmatrix} \begin{vmatrix} e & f \\ g & h \end{vmatrix}  $ $ 0                                 $ |  |  |

| 24 | det | :                      | $c_2$ $c_3$ $\vdots$ | $c_2$ $c_3$ $c_4$ $\vdots$ $c_{n+2}$ |  | : | > 0 | det                    | $ \begin{vmatrix} c_0 & c_1 & c_2 & \dots & c_n \\ c_1 & c_2 & c_3 & \dots & c_{n+1} \\ c_2 & c_3 & c_4 & \dots & c_{n+2} \\ \vdots & \vdots & \vdots & & \vdots \\ c_n & c_{n+1} & c_{n+2} & \dots & c_{2n} \end{vmatrix} > 0 $ |  |
|----|-----|------------------------|----------------------|--------------------------------------|--|---|-----|------------------------|--|--|
| 25 |     |                        |                      | $y_{x_2}$                            |  |   |     | y <sub>x2</sub>        |  |  |
| 26 |     | $x_{92}^{31415} + \pi$ |                      |                                      |  |   |     | $x_{92}^{31415} + \pi$ |  |  |
| 27 |     |                        |                      | $x_{y_b^a}^{z_c^d}$                  |  |   |     | $x^{z_c^d}$ $y_b^a$    |  |  |
| 28 |     |                        |                      | $y_3'''$                             |  |   |     | y <sub>3</sub> ""      |  |  |