Graphs in R

G. Marchetti

Invalid Date

Using ggm, grBase, igraph together

Using \mathbf{gRbase}

Adjacency matrix

```
A <- ug(~a*b, ~b*c*d, ~e)
as(A, "matrix")
```

```
a b c d e
a 0 1 0 0 0
b 1 0 1 1 0
c 0 1 0 1 0
d 0 1 1 0 0
e 0 0 0 0 0
```

Using \mathbf{ggm}

Adjacency matrix and plot


```
G \leftarrow UG(-a*b + b*c*d + e)
```

```
a b c d e
a 0 1 0 0 0
b 1 0 1 1 0
c 0 1 0 1 0
d 0 1 1 0 0
e 0 0 0 0 0
```

drawGraph(G, layout = layout_nicely)

е

0



Find cliques

With **gRbase*

get_cliques(A)

[[1]]

[1] "e"

[[2]]

[1] "a" "b"


[[3]]

[1] "b" "c" "d"

Separation

With \mathbf{ggm} and \mathbf{igraph}

```
G <- UG( ~ x1*x3*x4 + x2*x3*x5 + x3*x4*x5)
drawGraph(G, layout = layout_nicely)</pre>
```



With gRbase and igraph

```
g <- graph_from_adjacency_matrix(G, mode = "undirected")
separates("x5", "x1", "x4", g)</pre>
```

[1] FALSE

```
separates("x5", "x1", c("x4", "x3"), g)
```

[1] TRUE

get_cliques(g)

```
[[1]]
[1] "x1" "x3" "x4"

[[2]]
[1] "x3" "x5" "x4"

[[3]]
[1] "x3" "x5" "x2"
```

Exercise

Lauritzen's graph

```
G <- UG(~ x1*x2 + x2*x5 + x5*x3 +
+ x1*x3 + x2*x4 + x4*x7 +
+ x7*x5 + x3*x6 + x5*x6 + x7*x6)
drawGraph(G, layout = layout_nicely)
```

